

Excel Industries

**Prepack Plumbing, Heating, Gas,
Bathrooms, Tools, Stove and
Chimney Products for
Retail Display**

Issue 25.9



**Easi Plumb
Display**

RETAIL Catalogue

Quick Reference Guide

 6 Tubes & Pipes	7 - 66 69-73 EASI PLUMB Plumbing Fittings & Accessories	28 + 29 Aqua save Water Saving Devices
67 + 68 Hoseit Garden Hose & Fittings	74 - 83 FlushTech Toilet Technology Toilet Cistern Fittings	84 - 90 EASI HEAT Heating Accessories
91 - 96 EASI GAS Gas Accessories	97 - 102 EASI DRAIN Drain Clearing Tools	103 - 108 DENNIS professional quality plumbing and heating tools Plumbing & Heating Tools
109 - 116 SHOWER Line Shower Accessories	117 - 122 ASSIST Care in Your Hands Bathroom Safety & Mobility	123 - 131 AIR STREAM Domestic Ventilation
132 - 136 CONSERVE ENERGY ECONOMISER Insulation Products	137-139 Stove Care Stove Maintenance Products	140, 142 CLEAN SWEEP Flue & Chimney Cleaning Accessories
141 Chimney Cowls	143 - 146 RAIN AWAY Rainwater Systems	147 - 149 FiberTech. Rapid Repair Products
150 FTECH Cooker Hood Filters	151 + 152 FIXIT Bathroom Fittings & Fixings	153 - 164 Live Wire Electrical Accessories

Dimensional specifications for Copper Pipes, Copper Fittings and Compression Fittings in accordance with prevailing Irish & European Standards.

Pipe Sizes

Extracted from B.S. EN1057 2006 : Copper and copper alloys. Seamless round copper tubes for water and gas in sanitary and heating applications

Nominal Irish Designation	Nominal E.N. Designation	Actual Mean External Diameter	Nominal Wall Thickness	Minimum Wall Thickness	Maximum Wall Thickness
	6mm	6.00	0.6	0.54	0.66
	8mm	8.00	0.6	0.54	0.66
	10mm	10.00	0.6	0.54	0.66
½"	14.7mm	14.68	0.7	0.63	0.77
	15mm	15.00	0.7	0.63	0.77
¾"	21mm	21.03	0.9	0.81	0.99
	22mm	22.00	0.9	0.81	0.99
1"	27.4mm	27.38	0.9	0.81	0.99
	28mm	28.00	0.9	0.81	0.99
1¼"	34mm	34.13	1.1	0.99	1.26
	35mm	35.00	1.2	1.08	1.32
1½"	40.5mm	40.48	1.1	0.94	1.26
	42mm	42.00	1.2	1.08	1.32
2"	53.6mm	53.59	1.2	1.02	1.38
	54mm	54.00	1.2	1.08	1.32
	67mm	66.70	1.2	1.08	1.32
	76mm	76.10	1.5	1.28	1.72
	108mm	108.00	1.5	1.28	1.72
	133mm	133.00	1.5	1.28	1.72
	159mm	159.00	2.0	1.70	2.3


Stress Corrosion Cracking of Brass & Copper Fittings

Brass compression fittings are manufactured from a copper alloy and whilst they have very good corrosion resistance characteristics and are generally very tough when made in accordance with IS EN 1254-2, they can fail if subjected to excessive mechanical or corrosion stress which may either be in isolation or combination.

Mechanical Stress


Component mechanical failure, i.e., cracking, is usually created by the use of the incorrect tools and/or excessive force when nuts are tightened. Often pipe wrenches, eg "Stilsons" are used and as these have a serrated grip, their use on brass compression nuts will induce mechanical stresses for which the nuts were NOT designed. Spanners, whether fixed or adjustable, should be used because when they are correctly located on the nut facets, they ensure that the torque applied will evenly locate on the full thread circumference, unlike a pipe wrench, the jaws of which distort as they tighten and can deform the brass components.

Even when using the correct tools, excessive tightening of the nuts is not necessary as it can also create stress and a potential failure. See the Assembly Tips on page 7 for advice on normal tightening revolutions related to various diameters. Where larger diameter compression fittings are used, a light oil to lubricate the threads will often make the joint easier to tighten without inducing stress.



The material used as an aid to the joint seal is also very important. Technically, a compression joint using an olive needs no compound when assembled; the olive is all that is needed to both grip the pipe and make the watertight seal. It is accepted that to "be sure", joint compounds are often used. However, if used to excess, the paste can build up in the nut threads and create potential stress as the joint is tightened.

The sealing process which creates most problems is that of using hemp and paste. These were originally developed for ensuring an effective water tight joint when assembling steel threaded joints. As the tensile characteristics of such joints are significantly stronger than those of brass, hemp and paste seals are very effective where used on steel. PTFE tape as a thread seal was intended to replace the hemp and paste process, and whilst probably used for the majority of cases has unfortunately not eliminated its use with brass fittings. If over tightened, joints featuring male tapered and female parallel threads are particularly prone to stress. PTFE or a liquid joint seal such as "Sealtite" should be used.




Capillary Fitting Sizes

Extracted from BS EN 1254 - 1 : Copper and copper alloys. Plumbing fittings. Fittings with ends for capillary soldering or capillary brazing to copper tubes

Nominal Irish Designation	Nominal E.N. Designation	Mean Socket Diameter	Minimum Wall Thickness
	6mm	6.105	0.6
	8mm	8.105	0.6
	10mm	10.105	0.6
½"	14.7mm	14.785	0.7
	15mm	15.105	0.7
¾"	21mm	21.155	0.9
	22mm	22.125	0.9
1"	27.4mm	27.505	0.9
	28mm	28.125	0.9
1¼"	34mm	34.29	1.0
	35mm	35.16	1.0
1½"	40.5mm	40.64	1.1
	42mm	42.16	1.1
2"	53.6mm	53.75	1.2
	54mm	54.16	1.2
	67mm	66.915	1.4
	76mm	76.315	1.6
	108mm	108.215	2.1

The information in these tables is provided for guidance only. No responsibility is accepted by Excel Industries for the accuracy of the data shown, which represents extracts interpreted by us of the referenced Standards. If more clarification and accuracy is required, further information should be established by referring to the relevant Standards.



Compression Fittings

Extracted from BS EN 1254 - 2 : Copper and copper alloys. Plumbing fittings. Fittings with compression ends for use with copper tubes

Nominal Irish Designation	Nominal E.N. Designation	Minimum Bore of Socket	Minimum Thread Engagement	Maximum Temperatures (°C) @ Pressures (Bar)			
				30°	65°	110°	120°
	6mm	6.07	3.0	16	10	6	5
	8mm	8.07	3.0	16	10	6	5
	10mm	10.08	3.0	16	10	6	5
½"	14.7mm	14.80	3.5	16	10	6	5
	15mm	15.10	3.5	16	10	6	5
¾"	21mm	21.10	4.5	16	10	6	5
	22mm	22.10	4.5	16	10	6	5
1"	27.4mm	27.50	5.5	16	10	6	5
	28mm	28.10	5.5	16	10	6	5
1¼"	34mm	34.10	5.5	16	10	6	5
	35mm	35.10	5.5	16	10	6	5
1½"	40.5mm	40.60	5.5	16	10	6	5
	42mm	42.10	5.5	16	10	6	5
2"	53.6mm	53.70	5.5	16	10	6	5
	54mm	54.10	5.5	16	10	6	5
	67mm	66.80	6.5	10	6	4	3
	76mm	76.40	Flange Type Fitting only	10	6	4	3
	108mm	108.30	Flange Type Fitting only	10	6	4	3

Contamination Stress

Ammonia derived moisture on the external surface of the brass fitting can create a potential future stress failure, resulting in cracking. For instance if that moisture is contaminated with a compound derived from any ammonia based materials, contamination stress is possible. These would include Cleaning Chemicals, Building Adhesives, Sewerage Products, Refrigerants and even some Insulating materials. Where installation of brass fittings is located such that these conditions are likely, precautions should be taken to ensure that moisture is prevented from condensing on the fitting surfaces.

A particular high risk application would be pipework and fittings conveying chilled water and whilst insulation can be applied to such as well as other locations, the "lagging" would need to be of a type impervious to moisture as well as not containing any offending chemicals described earlier. Where any fitting has undergone mechanical stress as described in the previous section, any stress cracks will inevitably enable Contamination Stress to accelerate the process



Tubes & Pipes	6
Easi Plumb Parts & Accessories	7 - 73
Aqua Save - Water Saving Devices	28 & 29
Hoselt - Garden Hose & Fittings	67 & 68
FlushTech - Toilet Repair	74 - 83
Easi Heat - Heating Accessories	84 - 90
Easi Gas - Gas Accessories	91 - 96
Easi Drain - Drain Clearing Tools	97 - 102
Dennis - Plumbing & Heating Tools	103 - 108
ShowerLine - Shower Accessories	109 - 116
Assist - Bathroom Safety & Mobility	117 - 121
Prisma - Sanitaryware	122
AirStream - Domestic Ventilation	123 - 131
Economiser - Insulation Products	132 - 136
Stove Care - Stove Maintenance	137 - 139
Clean Sweep - Flues & Chimney Cleaning	140, 142
Chimney Cows	141
RainAway - Rainwater Fittings	143 - 146
FiberTech - Rapid Repair Products	147 - 150
FixIt - Bathroom Fittings & Fixings	151 & 152
Live Wire - Electrical Accessories	153 - 164

Tubes & Pipes

Copper Tube - Temper: Half Hard - to ISEN 1057




Stock Code	Size	Barcode	Package Type	€
180M12	1.8m x ½"	5391269780976	N/A	POA
275M12	3.0m x ½"	5391269631797	N/A	POA
180M34	1.8m x ¾"	5391269780983	N/A	POA
275M34	3.0m x ¾"	5391269631803	N/A	POA
180M1	1.8m x 1"	5391269780990	N/A	POA

Chrome Plated Copper Tube - Temper: Half Hard - to ISEN 1057



18M12C	1.8m x ½"	5391269708406	N/A	POA
18M34C	1.8m x ¾"	5391269708413	N/A	POA

Pex Pipe (with oxygen barrier) - to BS 7291 Class S Spec. & IS EN ISO 15875-1:2003 Irish Agrément Board Approval No. 06/0067



EPQP122	2.0m x ½"	5391269638673	N/A	4.16
EPQP342	2.0m x ¾"	5391269638680	N/A	6.58
EPQP12	2.0m x 1"	5391269638697	N/A	9.82

Pex Pipe (with oxygen barrier) - to BS 7291 Class S Spec. & IS EN ISO 15875-1:2003 Irish Agrément Board Approval No. 06/0067



EPQP1210	10m x ½"	5391269707386	N/A	19.28
EPQP1225	25m x ½"	5391269638703	N/A	44.46
EPQP3410	10m x ¾"	5391269707393	N/A	30.04
EPQP3425	25m x ¾"	5391269638710	N/A	70.46

Multilayer Pipe




Stock Code	Size	Barcode	Package Type	€
EPMP4M16	2.0m x 16mm	5391269774951	N/A	4.12

White Overflow Pipe - Mu PVC



Stock Code	Size	Barcode	Package Type	€
EPOFP	3.0m x 21mm	5391269622238	N/A	5.26

Waste Pipe - Mu PVC White



Stock Code	Size	Barcode	Package Type	€
EP15M32	1.5m x 32mm	5391269764280	N/A	5.50
EP3M32	3.0m x 32mm	5391269621606	N/A	8.50
EP15M40	1.5m x 40mm	5391269764297	N/A	7.28
EP3M40	3m x 40mm	5391269621613	N/A	11.34
EP15M50	1.5m x 50mm	5391269764303	N/A	10.28
EP3M50	3m x 50mm	5391269764310	N/A	16.14

Black



EP15M32B	1.5m x 32mm	5391269781423	N/A	6.10
EP3M32B	3.0m x 32mm	5391279681430	N/A	9.46
EP15M40B	1.5m x 40mm	5391269781447	N/A	8.08
EP3M40B	3m x 40mm	5391269781454	N/A	12.64




Black Soil Pipe - 110mm

Stock Code	Size	Barcode	Package Type	€
EPS3M4P	3m x 110mm	539126974490	N/A	31.50



Straight Coupling - T10

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPT1012	1/2"	5391269639168	Card	9 x 12	7.48
EPT1034	3/4"	5391269639175	Card	9 x 12	9.70





Elbow - T15

EPT1512	1/2"	5391269639182	Card	9 x 12	8.70
EPT1534	3/4"	5391269639199	Card	9 x 12	13.02

Straight Tap Connector - T62

EPT6212	1/2" x 1/2"	5391269639267	Card	9 x 12	11.32
EPT6234	3/4" x 3/4"	5391269639274	Card	9 x 12	13.98



Stop End - T51


EPT5112	1/2"	5391269639311	Card	9 x 12	7.00
EPT5134	3/4"	5391269639328	Card	9 x 12	8.80

Equal Tee - T18

EPT1812	1/2"	5391269639205	Card	9 x 12	11.88
EPT1834	3/4"	5391269639212	Card	9 x 12	16.28

Plastic Inserts - 1/2"

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12PI	4 no. x 1/2"	5391269651085	Card	9 x 12	2.10



Plastic Inserts - 3/4"

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP34PI	2 no. x 3/4"	5391269651092	Card	9 x 12	1.60

EP12PI50	50 no. (1/2")	5391269713912	Card	12 x 15.5	17.46
EP34PI25	25 no. (3/4")	5391269713929	Card	12 x 15.5	11.00




Disconnecting Pliers

EP12PLIER	1/2"	5391269651115	Card	12 x 15.5	7.90
EP34PLIER	1/2"	5391269651122	Card	12 x 15.5	8.40

To use the **Disconnecting Pliers** place the widest forks of the pliers around the body of the fitting, with the opposite forks around the pipe. Squeeze the pliers with one hand, compressing the release sleeve. With the other hand, twist and pull the pipe out of the fitting socket.

Disconnecting Clip


Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12CLIP	1/2"	5391269651054	Card	9 x 12	2.20
EP34CLIP	1/2"	5391269651061	Card	9 x 12	2.30





Straight Coupling

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT1012	1/2"	5391269774609	Card	9 x 12	5.80
EPPT1034	3/4"	5391269774616	Card	9 x 12	7.46



Elbow

EPPT1512	1/2"	5391269774630	Card	9 x 12	6.50
EPPT1534	3/4"	5391269774647	Card	9 x 12	9.46

Fitting Reducer




EPPT483412	3/4" x 1/2"	5391269774623	Card	9 x 12	6.64
------------	-------------	---------------	------	--------	------

Equal Tee

EPPT1812	1/2"	5391269774654	Card	9 x 12	8.80
EPPT1834	3/4"	5391269774661	Card	9 x 12	11.86


Unequal Tee - Reduced Branch

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT18U1	3/4" x 3/4" x 1/2"	5391269774678	Card	9 x 12	11.80



Unequal Tee - Reduced End & Branch

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT18U2	3/4" x 1/2" x 1/2"	5391269774685	Card	9 x 12	11.86




Unequal Tee - Reduced End

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT18U3	3/4" x 1/2" x 3/4"	5391269774692	Card	9 x 12	12.10




Stop End

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT5112	1/2"	5391269774708	Card	9 x 12	5.46
EPPT5134	3/4"	5391269774715	Card	9 x 12	6.60




Miniature Isolation Valve

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT12IVS	1/2"	5391269774722	Card	9 x 12	7.26




Straight Pattern Service Valve

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT12SVS	1/2"	5391269774739	Card	9 x 12	7.26



Elbow Pattern Service Valve

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT12SVA	1/2"	5391269774746	Card	9 x 12	8.30







Washing Machine Valve

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPTWMV	¾" M.I. x ½"	5391269774753	Card	9 x 12	6.72

Lever Action Ball Valve

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT12BV	½"	5391269774760	Card	12 x 15.5	13.86
EPPT34BV	½"	5391269774777	Card	12 x 15.5	16.68




Disconnecting Clip

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12CLIP	½"	5391269651054	Card	9 x 12	2.20
EP34CLIP	½"	5391269651061	Card	9 x 12	2.30

Disconnecting Pliers

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12PLIER	½"	5391269651115	Card	12 x 15.5	7.90
EP34PLIER	½"	5391269651122	Card	12 x 15.5	8.40



To use the **Disconnecting Pliers** place the widest forks of the pliers around the body of the fitting, with the opposite forks around the pipe. Squeeze the pliers with one hand, compressing the release sleeve. With the other hand, twist and pull the pipe out of the fitting socket.

Pushtite Value Pack


Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPVP1PF	½"	5391269650972	Card	25.5 x 37	71.60
EPVP2PF	¾"	5391269650989	Card	25.5 x 37	72.26

This pack includes the following fittings: 4 x ½" Straight Coupling (PT1012), 6 x ½" Elbow Coupling (PT1512) & 2 x ½" Equal Tee (PT1812).

This pack includes the following fittings: 2 x ¾" Straight Coupling (PT1034), 4 x ¾" Elbow Coupling (PT1534), 1 x ¾" Equal Tee (PT1834) & 1 x ¾" x ¾" x ½" Unequal Tee (PT18U1).

Connecting

- Any blemishes, residues or dents on the pipes must be removed: otherwise the integrity of the joint seal could be affected.
- Cut the pipe to length using a rotary pipe cutter for copper and pipe shears for plastic pipe. If there is no alternative than to use a hacksaw, always select a fine-toothed blade. Take care to make sure the cut end is square, de-burred and generously chamfered on the outside with a smooth file. Also remove any burrs from the inside of the pipe. The outside of the pipe must be thoroughly wiped clean of any swarf or chippings. These simple steps will ensure that the "O" ring is not damaged when the pipe is inserted.
- Measure from the end of the pipe and make a mark the relevant distance shown below. These marks will help to confirm that the pipe has been pushed fully into the fitting socket.
- If a plastic pipe is being used, ensure that a support insert is pushed into the end.
- Push the pipe fully into the fitting socket using a slight twisting motion, until it reaches the tube stop with a definite "tap". If the line marked on the pipe described in instruction 3 is still visible, then the pipe is **not fully inserted**.





Disconnecting

Push-Fit fittings can be removed from the pipe and re-used if required.

There are two types of tool available to aid de-mounting for each size of fitting; the metal **Disconnecting Pliers** or the plastic **Disconnecting Clip**.

- To use the **Disconnecting Pliers** place the widest forks of the pliers around the body of the fitting, with the opposite forks around the pipe.
- Squeeze the pliers with one hand, compressing the green coloured release sleeve. With the other hand, twist and pull the pipe out of the fitting socket.
- To use the plastic **Dis-Connecting Clip**, place it over the pipe with the flat side facing the fitting. The clip is designed to fit the pipe with a "snap action".
- Using the clip to compress the green coloured release sleeve, pull the pipe from the fitting socket with a slight twisting movement.





Straight Coupling - 310

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP310121	1/2"	5391269639502	Card	9 x 12	2.92
EP310125	1/2"*	5391269713806	Card	12 x 15.5	13.22
EP310341	3/4"	5391269639519	Card	9 x 12	5.04
EP3101	1"	5391269620142	Card	9 x 12	8.20




* Pack of 5



Straight Reducing Coupling - 310

EP3103412	3/4" x 1/2"	5391269639526	Card	9 x 12	6.70
EP310112	1" x 1/2"	5391269639533	Card	9 x 12	8.96
EP310134	1" x 3/4"	5391269639540	Card	9 x 12	8.96




M.I x Straight Coupling - 311 Equal

EP311121	1/2"	5391269639557	Card	9 x 12	2.88
EP31134A	3/4"	5391269639564	Card	9 x 12	4.10
EP3111	1"	5391269620197	Card	9 x 12	6.62


M.I x Straight Coupling - 311 Unequal

EP3111234	1/2" x 3/4"	5391269639595	Card	9 x 12	5.46
EP3113412	3/4" x 1/2"	5391269639571	Card	9 x 12	5.58
EP311341	3/4" x 1"	5391269639601	Card	9 x 12	7.80
EP311134	1" x 3/4"	5391269639588	Card	9 x 12	5.98





F.I. x Straight Coupling - 312 Equal

EP312121	1/2"	5391269639632	Card	9 x 12	3.12
EP312341	3/4"	5391269639649	Card	9 x 12	4.30
EP3121	1"	5391269620227	Card	9 x 12	7.52



F.I. x Straight Coupling - 312 Unequal

EP3121234	1/2" x 3/4"	5391269639670	Card	9 x 12	5.50
EP3123412	3/4" x 1/2"	5391269639656	Card	9 x 12	5.70
EP312134	1" x 3/4"	5391269639663	Card	9 x 12	6.28
EP312341A	3/4" x 1"	5391269763931	Card	9 x 12	7.68




Elbow Coupling - 315 Unequal

EP3153412	3/4" x 1/2"	5391269639199	Card	9 x 12	12.70
-----------	-------------	---------------	------	--------	-------

Elbow Coupling - 315 Equal

EP315121	1/2"	5391269639618	Card	9 x 12	3.30
EP315125	1/2"*	5391269713813	Card	12 x 15.5	13.68
EP315341	3/4"	5391269639625	Card	9 x 12	5.26
EP3151	1"	5391269620258	Card	9 x 12	9.28





M.I. x Elbow Coupling - 316 Equal

EP316121	1/2"	5391269639687	Card	9 x 12	3.94
EP316341	3/4"	5391269639694	Card	9 x 12	5.34
EP3161	1"	5391269620289	Card	9 x 12	9.28

M.I. x Elbow Coupling - 316 Unequal

EP3161234	1/2" x 3/4"	5391269639724	Card	9 x 12	7.44
EP3163412	3/4" x 1/2"	5391269639700	Card	9 x 12	7.82
EP316134	1" x 3/4"	5391269639717	Card	9 x 12	8.18



* Pack of 5

F.I. x Elbow - 317 Equal

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP317121	1/2"	5391269639731	Card	9 x 12	4.46
EP317341	3/4"	5391269639748	Card	9 x 12	6.62
EP3171	1"	5391269620319	Card	9 x 12	10.02

F.I. x Elbow - 317 Unequal

EP3171234	1/2" x 3/4"	5391269639779	Card	9 x 12	9.02
EP3173412	3/4" x 1/2"	5391269639755	Card	9 x 12	8.64
EP317134	1" x 3/4"	5391269639762	Card	9 x 12	10.26

Equal Tee - 318

EP31812	1/2"	5391269620449	Card	9 x 12	4.54
EP318125	1/2"*	5391269713820	Card	12 x 15.5	19.92
EP31834	3/4"	5391269620456	Card	9 x 12	7.86
EP3181	1"	5391269620463	Card	9 x 12	14.74

Unequal Tee Two Ends Reduced - 318

EP3181234	1/2" x 1/2" x 3/4"	5391269620470	Card	9 x 12	8.38
-----------	--------------------	---------------	------	--------	------

Unequal Tee Reduced End & Branch - 318

EP8341212	3/4" x 1/2" x 1/2"	5391269620531	Card	9 x 12	8.16
-----------	--------------------	---------------	------	--------	------

Unequal Tee Reduced Branch - 318

EP3183412	3/4" x 3/4" x 1/2"	5391269620494	Card	9 x 12	8.16
-----------	--------------------	---------------	------	--------	------

Unequal Tee Reduced End - 318

EP8341234	3/4" x 1/2" x 3/4"	5391269620524	Card	9 x 12	8.16
-----------	--------------------	---------------	------	--------	------

Wall Plate Elbow - 317W

EP317W12	1/2"	5391269620623	Card	9 x 12	7.06
EP317W34	3/4"	5391269639854	Card	9 x 12	10.78
EP317W1234	1/2" x 3/4"	5391269620630	Card	9 x 12	10.02

Swivel F.I. x Straight Coupling - 326

EP32612	1/2"	5391269714285	Card	9 x 12	6.32
---------	------	---------------	------	--------	------

Swivel F.I. x Elbow 327


EP32712	1/2"	5391269620647	Card	9 x 12	8.38
---------	------	---------------	------	--------	------

Equal Tee with F.I. Branch - 330



EP33012	1/2"	5391269620579	Card	9 x 12	12.58
---------	------	---------------	------	--------	-------

Tank Connector - 350


EP350121	1/2"	5391269639786	Card	9 x 12	6.32
EP350341	3/4"	5391269639793	Card	9 x 12	7.12
EP3501	1/2"	5391269620340	Card	9 x 12	10.28



* Pack of 5




Compression Brass Fittings



Fitting Reducer - 348

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP3483412	3/4" x 1/2"	5391269620593	Card	9 x 12	3.58
EP348134	1" x 3/4"	5391269620616	Card	9 x 12	4.60




Stop End - 351

EP351121	1/2"	5391269639809	Card	9 x 12	3.98
EP351125	1/2"*	5391269713837	Card	12 x 15.5	17.14
EP351341	3/4"	5391269639816	Card	9 x 12	5.44
EP3511	1"	5391269620371	Card	9 x 12	9.78



* Pack of 5




Blanking Cap - 372

EP372121	1/2"	5391269639885	Card	9 x 12	2.58
EP372341	3/4"	5391269639892	Card	9 x 12	2.74
EP3721	1"	5391269620692	Card	9 x 12	3.82


Nuts and Olives

EP12NO	Pk/2, 1/2"	5391269713844	Card	9 x 12	3.32
EP34NO	Pk/1, 3/4"	5391269713851	Card	9 x 12	2.56





Nuts 378A

EP378A12	Pk/5, 1/2"	5391269620388	Card	9 x 12	4.56
EP378A34	Pk/5, 3/4"	5391269620395	Card	9 x 12	3.06




Olives - 378B

EP378B12	Pk/10, 1/2"	5391269620418	Card	9 x 12	4.06
EP378B34	Pk/5, 3/4"	5391269620425	Card	9 x 12	2.98
EP378B1	Pk/2, 1"	5391269620432	Card	9 x 12	2.46



Copper Inserts Pack of 4

EP12CI1	Pk/4, 1/2"	5391269639960	Card	9 x 12	2.56
EP34CI1	Pk/4, 3/4"	5391269639977	Card	9 x 12	3.56



Copper Inserts Pack of 2

EP1CI	Pk/2, 1"	5391269620722	Card	9 x 12	3.50
-------	----------	---------------	------	--------	------



Copper Inserts

EP12CI50	Pk/50, 1/2"	5391269650996	Card	12 x 15.5	23.36
EP34CI25	Pk/25, 3/4"	5391269713875	Card	12 x 15.5	18.52



Compression Value Pack

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPVP1C	1/2"	5391269650996	Card	25.5 x 37	34.50

This pack includes the following fittings: 4 x 1/2" Straight Fitting (31012), 6 x 1/2" Elbow Fitting (31512), 2 x 1/2" Equal Tee (31812).



Straight Coupling - 310

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP31012CP	1/2"	5391269640010	Card	9 x 12	4.90

M.I. Straight Coupling - 311

EP31112CP	1/2"	5391269640041	Card	9 x 12	4.78
-----------	------	---------------	------	--------	------

F.I. Straight Coupling - 312

EP31212CP	1/2"	5391269640089	Card	9 x 12	4.78
-----------	------	---------------	------	--------	------

Elbow - 315

EP31512CP	1/2"	5391269640126	Card	9 x 12	5.74
-----------	------	---------------	------	--------	------

M.I. Elbow - 316

EP31612CP	1/2"	5391269640157	Card	9 x 12	7.20
-----------	------	---------------	------	--------	------

F.I. Elbow - 317

EP31712CP	1/2"	5391269640195	Card	9 x 12	7.20
-----------	------	---------------	------	--------	------

F.I. Wall Plate Elbow - 317W

EP317W12CP	1/2"	5391269640454	Card	9 x 12	10.36
------------	------	---------------	------	--------	-------

Equal Tee - 318

EP31812CP	1/2"	5391269640294	Card	9 x 12	7.20
-----------	------	---------------	------	--------	------

Reducing Bush

EPBB3412CP	3/4" x 1/2"	5391269640492	Card	9 x 12	5.02
------------	-------------	---------------	------	--------	------

Blanking Cap

EP12CPBC	1/2"	5391269623259	Card	9 x 12	4.42
----------	------	---------------	------	--------	------

Screw to Wall Bracket

EP15BBCP	1/2"	5391269623440	Card	9 x 12	3.88
EP22BBCP	3/4"	5391269630189	Card	9 x 12	4.58
EP28BBCP	1"	5391269630196	Card	9 x 12	5.96









3/4" F x 1/2" M Shower Adaptor

EP3412CPA	3/4" x 1/2"	5391269622696	Card	9 x 12	5.56
-----------	-------------	---------------	------	--------	------


This fitting allows you to connect a standard shower hose to a bath shower mixer which has a 3/4" connection.

Angle Mini Ball Valve with Hole Trim

EP12RBV	1/2"	5391269642687	Card	9 x 12	14.14
---------	------	---------------	------	--------	-------



Chrome Plated Compression Fittings




Chrome Pipe Cover Kit





Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPTR1C	1/2"	5391269692866	Card	18 x 25.5	5.46
EP22PCK2	3/4"	5391269713059	Card	18 x 25.5	7.88

Fixed Length Extension Piece

EP1215EP	1/2" M. x 15mm F.	5391269755745	Card	9 x 12	4.20
EP1220EP	1/2" M. x 20mm F.	5391269728381	Card	9 x 12	4.30
EP1225EP	1/2" M. x 25mm F.	5391269755752	Card	9 x 12	4.42
EP1230EP	1/2" M. x 30mm F.	5391269623280	Card	9 x 12	4.66
EP1240EP	1/2" M. x 40mm F.	5391269623297	Card	9 x 12	5.02
EP1250EP	1/2" M. x 50mm F.	5391269623303	Card	9 x 12	5.50
EP1260EP	1/2" M. x 60mm F.	5391269623310	Card	9 x 12	6.48



Plan view of the extension piece inner




14.7mm Spigot CP Radiator Extension Piece

EPRVE100	1/2" x 100mm	5391269631995	Card	12 x 15.5	8.48
----------	--------------	---------------	------	-----------	------


This extension piece may be cut to length. It works only with radiator valves that feature a 1/2" lock nut. The existing tail is removed and replaced with the extension piece as illustrated.

Remove this tail piece but keep the nut.



Polyadaptor


EP12PD	1/2"	5391269639939	Card	9 x 12	3.20
EP34PD	3/4"	5391269639946	Card	9 x 12	4.56



Used when using brass compression fitting to connect normal gauge LDPE pipe. The compression fitting size will always be one size above the nominal pipe size. For example: when joining 2 1/2" NG pipes; choose 1/2" poly adaptors and a 3/4" compression fitting.


Compression Joint Instructions

- 1 Cut the end of the pipe square, preferably with a pipe cutter.
- 2 File off any rough edges, inside and out, and pass the pipe through the back nut **A**. (If a plastic pipe is being used, ensure that a Copper Support Insert is pushed into the tube (supplied separately).
- 3 Place the olive **B**, over the pipe and push the pipe into the socket of the fitting until it reaches the stop.
- 4 Hand tighten the joint until any other connections are similarly made to the fitting. The back nut will force the olive along the pipe until it seats into the fitting socket.
- 5 Make sure that all the pipes are still fully inserted to the stops and then use spanners or wrenches to fully tighten all the joints. Do not over-tighten.



* Use a Copper Support Insert if the fitting is used with plastic pipe.

Microbore Brass Compression Fittings (8 - 10mm)



Straight Couplings - 610

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP810	8mm	5391269623839	Card	9 x 12	3.20
EP1010	10mm	5391269623846	Card	9 x 12	3.20

Reducing Straight Couplings - 610

EP10X810	10 x 8mm	5391269623853	Card	9 x 12	3.64
EP15X1010	15 x 10mm	5391269623860	Card	9 x 12	3.74

M.I. Straight Coupling - 611

EP12811M	½" M.I. X 8mm	5391269640980	Card	9 x 12	3.54
EP141011	¼" M.I. x 10mm	5391269640997	Card	9 x 12	3.30
EP381011	⅜" M.I. x 10mm	5391269623792	Card	9 x 12	3.30
EP121011	½" M.I. x 10mm	5391269623808	Card	9 x 12	3.56

F.I. Straight Coupling - 612

EP12812A	½" F.I. x 8mm	5391269641024	Card	9 x 12	3.78
EP141012	¼" F.I. x 10mm	5391269641031	Card	9 x 12	3.54
EP381012	⅜" F.I. x 10mm	5391269623815	Card	9 x 12	3.54
EP121012	½" F.I. x 10mm	5391269623822	Card	9 x 12	3.80

Elbow - 615

EP815	8mm	5391269623921	Card	9 x 12	3.86
EP1015	10mm	5391269623938	Card	9 x 12	3.76

M.I. Elbow - 616 (10mm)

EP141016	¼" M.I.	5391269641055	Card	9 x 12	3.54
EP381016	⅜" M.I.	5391269623884	Card	9 x 12	3.54
EP121016	½" M.I.	5391269623891	Card	9 x 12	3.76

F.I. Elbow - 617 (10mm)

EP381017	⅜" F.I.	5391269623907	Card	9 x 12	3.80
EP121017	½" F.I.	5391269623914	Card	9 x 12	3.76

Equal Tee - 618

EP1018	10mm	5391269623952	Card	9 x 12	4.96
--------	------	---------------	------	--------	------

Stop End - 651

EP851	8mm	5391269623969	Card	9 x 12	3.44
EP1051	10mm	5391269623976	Card	9 x 12	3.44

Fitting Reducer - 648

EP151048	½" x 10mm	5391269624003	Card	9 x 12	3.30
----------	-----------	---------------	------	--------	------

Olives - 678B (Pack of 5)






EP878B	8mm	5391269624034	Card	9 x 12	2.30
EP1078B	10mm	5391269624041	Card	9 x 12	2.60

Nuts & Olives (Pack of 2)


EP10NO	10mm	5391269714322	Card	9 x 12	2.56
--------	------	---------------	------	--------	------

Insulated Copper Microbore Tube

EP2M10I	2m x 10mm	5391269764341	Card	25.5 x 37	POA
---------	-----------	---------------	------	-----------	-----



Metric Brass Compression Fittings (15 - 28mm)




Straight Couplings - 610

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP1510	15mm	5391269640522	Card	9 x 12	3.32
EP2210	22mm	5391269640539	Card	9 x 12	5.26




Reducing Straight Couplings - 610

EP15X1010	15 x 10mm	5391269623860	Card	9 x 12	3.74
-----------	-----------	---------------	------	--------	------



M.I. Straight Coupling - 611

EP381511	3/8" M.I. x 15mm	5391269775828	Card	9 x 12	3.76
EP121511	1/2" M.I. x 15mm	5391269640553	Card	9 x 12	2.98
EP342211	3/4" M.I. x 22mm	5391269640560	Card	9 x 12	4.26




F.I. Straight Coupling - 612

EP121512	1/2" F.I. x 15mm	539129640591	Card	9 x 12	3.24
EP342212	3/4" F.I. x 22mm	5391269640607	Card	9 x 12	4.48



Elbow - 615

EP1515	15mm	5391269640638	Card	9 x 12	3.54
EP2215	22mm	5391269640645	Card	9 x 12	5.70




M.I. Elbow - 616

EP121516	1/2" M.I. x 15mm	5391269640669	Card	9 x 12	4.10
EP342216	3/4" M.I. x 22mm	5391269640676	Card	9 x 12	5.56



F.I. Elbow - 617

EP121517	1/2" F.I. x 15mm	5391269640706	Card	9 x 12	4.64
EP342217	3/4" F.I. x 22mm	5391269640713	Card	9 x 12	6.90



Equal Tee 618

EP1518	15mm	5391269640836	Card	9 x 12	4.92
EP2218	22mm	5391269640843	Card	9 x 12	8.22



Unequal Tee 618 - Branch Reduced

EP22151518	22 x 15 x 15mm	5391269640867	Card	9 x 12	8.88
------------	----------------	---------------	------	--------	------


Unequal Tee 618 - Reduced End

EP22152218	22 x 15 x 22mm	5391269640904	Card	9 x 12	8.88
------------	----------------	---------------	------	--------	------




Unequal Tee 618 - Reduced End & Branch

EP22221518	22 x 22 x 15mm	5391269640898	Card	9 x 12	8.88
------------	----------------	---------------	------	--------	------




Stop End - 651


EP1551	15mm	5391269640744	Card	9 x 12	4.30
EP2251	22mm	5391269640751	Card	9 x 12	5.92



Olives - 678B (Pack of 2)

EP1578B	15mm	5391269640805	Card	9 x 12	1.60
EP2278B	22mm	5391269640812	Card	9 x 12	1.74





Straight Coupling - 310

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP121010	1/2" x 10mm	5391269798902	Card	9 x 12	3.96
EP3101512A	1/2" x 15mm	5391269714247	Card	9 x 12	3.44
EP3102234	3/4" x 22mm	5391269714254	Card	9 x 12	5.46


Elbow - 315

EP3151512	1/2" x 15mm	5391269714261	Card	9 x 12	3.94
EP3152234	3/4" x 22mm	5391269714278	Card	9 x 12	6.26

Monobloc Tail Connectors

EP3101512	Pack of 2	5391269692798	Card	12 x 15.5	6.10
-----------	-----------	---------------	------	-----------	------

This Kit includes 2 no. 1/2" (IR) x 15mm Compression Couplings suitable for connecting 1/2" (14.7mm) Pipe to 15mm Pipe



Copper/PEX to Multilayer Pipe Connectors



1/2" - 16mm ML Straight Compression Coupling

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP31012ML	1/2"	5391269774913	Card	9 x 12	5.62



1/2" - 16mm ML Elbow Compression Coupling

EP31512ML	1/2"	5391269774920	Card	9 x 12	5.72
-----------	------	---------------	------	--------	------




1/2" - 16mm ML Tee Compression Coupling

EP31812ML	1/2"	5391269774937	Card	9 x 12	9.38
-----------	------	---------------	------	--------	------




Pack of 2 Compression Port Connector Cores

EP1612CC	n/a	5391269774944	Card	9 x 12	5.62
----------	-----	---------------	------	--------	------



Solder Ring Fittings



Straight Coupling

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSR1121A	1/2"	5391269641109	Card	9 x 12	1.40
EPSR1341A	3/4"	5391269641116	Card	9 x 12	2.48

90° Elbow




EPSR12121	1/2"	5391269641208	Card	9 x 12	1.92
EPSR12341	3/4"	5391269641215	Card	9 x 12	3.30

Equal Tee

EPSR24121	1/2"	5391269641338	Card	9 x 12	2.98
EPSR24341	3/4"	5391269641345	Card	9 x 12	5.72

Fitting Reducer

EPSR63415	3/4" x 1/2"	5391269620975	Card	9 x 12	2.80
-----------	-------------	---------------	------	--------	------



Brass Threaded Fittings (BSP)



Hexagonal Backnut

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12BN	1/2"	5391269623129	Card	9 x 12	2.12
EP34BN	3/4"	5391269623136	Card	9 x 12	2.60
EP1BN	1"	5391269623143	Card	9 x 12	2.84
EP114BN	1 1/4"	5391269795895	Card	9 x 12	3.94

Blanking Plug

EP12BP	1/2"	5391269623198	Card	9 x 12	2.16
EP34BP	3/4"	5391269623204	Card	9 x 12	2.76
EP1BP	1"	5391269623211	Card	9 x 12	3.54

Reducing Bush

EPBB3814	3/8" x 1/4"	5391269622993	Card	9 x 12	2.04
EPBB1214	1/2" x 1/4"	5391269623013	Card	9 x 12	2.04
EPBB1238	1/2" x 3/8"	5391269623020	Card	9 x 12	2.04
EPBB3412	3/4" x 1/2"	5391269623037	Card	9 x 12	2.44
EPBB112	1" x 1/2"	5391269623044	Card	9 x 12	3.96
EPBB134	1" x 3/4"	5391269623051	Card	9 x 12	3.18

Round Socket

EP38RS	3/8"	5391269623150	Card	9 x 12	3.32
EP12RS	1/2"	5391269623167	Card	9 x 12	4.20
EP34RS	3/4"	5391269623174	Card	9 x 12	4.98
EP1RS	1"	5391269623181	Card	9 x 12	6.82

Hexagonal Nipple

EP14HN	1/4"	5391269623075	Card	9 x 12	2.80
EP38HN	3/8"	5391269623082	Card	9 x 12	2.18
EP12HN	1/2"	5391269623099	Card	9 x 12	2.56
EP34HN	3/4"	5391269623105	Card	9 x 12	3.44
EP1HN	1"	5391269623112	Card	9 x 12	5.10

Reducing Nipple





EP3814HN	3/8" x 1/4"	5391269641826	Card	9 x 12	2.86
EP1214HN	1/2" x 1/4"	5391269641833	Card	9 x 12	3.20
EP1238HN	1/2" x 3/8"	5391269641840	Card	9 x 12	3.32
EP3412HN	3/4" x 1/2"	5391269641857	Card	9 x 12	3.94
EP134HN	1" x 3/4"	5391269641871	Card	9 x 12	5.78

Running Nipple

EP1250RM	1/2" x 50mm	5391269641925	Card	9 x 12	4.60
EP1275RM	1/2" x 75mm	5391269795901	Card	9 x 12	5.48
EP12100RM	1/2" x 100mm	5391269641932	Card	9 x 12	7.38
EP3450RM	3/4" x 50mm	5391269641949	Card	9 x 12	5.16
EP34100RM	3/4" x 100mm	5391269641956	Card	9 x 12	8.78

Male Hose Connector


EP38MHC	3/8" M.I. x 12mm	5391269641888	Card	9 x 12	3.68
EP12MHC	1/2" M.I. x 14mm	5391269641895	Card	9 x 12	4.18
EP34MHC	3/4" M.I. x 20mm	5391269641901	Card	9 x 12	5.54
EP1MHC	1" M.I. x 25mm	5391269641918	Card	9 x 12	8.20





Tee

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12T	1/2"	5391269737895	Card	9 x 12	6.50
EP34T	3/4"	5391269737901	Card	9 x 12	8.28
EP1T	1"	5391269737918	Card	9 x 12	12.74





Elbow

EP12E	1/2"	5391269737864	Card	9 x 12	5.34
EP34E	3/4"	5391269737871	Card	9 x 12	5.98
EP1E	1"	5391269737888	Card	9 x 12	10.06

Blanking Cap

EP38BC	3/8"	5391269795918	Card	9 x 12	2.30
EP12BC	1/2"	5391269713189	Card	9 x 12	2.44
EP34BC	3/4"	5391269713196	Card	9 x 12	2.74
EP1BC	1"	5391269713202	Card	9 x 12	3.64




Compression Gate Valve

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12GVCU	1/2"	5391269621347	Card	12 x 15.5	8.60
EP34GVCU	3/4"	5391269621354	Card	12 x 15.5	10.82
EP1GVCU	1"	5391269621361	Card	12 x 15.5	15.08

Isolation Valves



Female Gate Valve

EP38GV	3/8"	5391269642441	Card	12 x 15.5	8.16
EP12GV	1/2"	5391269621316	Card	12 x 15.5	8.04
EP34GV	3/4"	5391269621323	Card	12 x 15.5	10.14
EP1GV	1"	5391269621330	Card	12 x 15.5	13.82



Female Lever Action Ball Valve

EP14BV	1/4"	5391269642427	Card	12 x 15.5	6.34
EP38BV	3/8"	5391269642434	Card	12 x 15.5	6.34
EP12BV	1/2"	5391269621255	Card	12 x 15.5	6.88
EP34BV	3/4"	5391269621262	Card	12 x 15.5	10.54
EP1BV	1"	5391269621279	Card	12 x 15.5	14.94



Compression Lever Action Ball Valve

EP12BVC	1/2"	5391269621286	Card	12 x 15.5	7.12
EP34BVC	3/4"	5391269621293	Card	12 x 15.5	9.74
EP1BVC	1"	5391269621309	Card	12 x 15.5	16.58

Female Ballvalve with Butterfly Handle



EP12FFBVB	1/2"	5391269642472	Card	12 x 15.5	6.46
EP34FFBVB	3/4"	5391269642489	Card	12 x 15.5	9.30

Lever Action Ball Valve


EPPT12BV	1/2"	5391269774760	Card	12 x 15.5	13.86
EPPT34BV	3/4"	5391269774777	Card	12 x 15.5	16.68

Male x Female Ballvalve with Butterfly Handle

EP12MFBVB	1/2"	5391269642502	Card	9 x 12	7.44
EP34MFBVB	3/4"	5391269642519	Card	9 x 12	10.34



Isolation Valves



Miniature Push Fit Isolation Valve Screwdriver Operated


Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPT12IVS	1/2"	5391269774722	Card	9 x 12	7.26

Straight Pattern Service Valve

EPPT12SVS	1/2"	5391269774739	Card	9 x 12	7.26
-----------	------	---------------	------	--------	------

Elbow Pattern Service Valve

EPPT12SVA	1/2"	5391269774746	Card	9 x 12	8.30
-----------	------	---------------	------	--------	------




Straight Pattern Service Valve Screwdriver Operated

EP15SVS	1/2"	5391269621415	Card	9 x 12	4.78
---------	------	---------------	------	--------	------

Elbow Pattern Service Valve

EP15SVA	1/2"	5391269621439	Card	9 x 12	4.90
---------	------	---------------	------	--------	------




Miniature Isolation Angled Valve (screwdriver op.)

EP15IVE	1/2"	5391269795925	Card	9 x 12	6.82
---------	------	---------------	------	--------	------






Miniature Compression Ball Valve Screwdriver Operated

EP15IVS	1/2"	5391269621378	Card	9 x 12	3.62
EP15IVSM	15mm	5391269699346	Card	9 x 12	3.92
EP22IVS	3/4"	5391269621385	Card	9 x 12	6.96



Compression Ball Valve Lever Operated

EP15IVL	1/2"	5391269621392	Card	9 x 12	5.02
EP22IVL	3/4"	5391269621408	Card	9 x 12	8.00




Drain Off Ball Valves

EP12DOVB	1/2"	5391269642731	Card	12 x 15.5	9.00
----------	------	---------------	------	-----------	------

Compression Pump Valves with Butterfly Handle (supplied in pairs)

EP34PVB	3/4"	5391269795932	Card	18 x 25.5	22.20
EP1PVB	1"	5391269795949	Card	18 x 25.5	31.90




Stop Cock - 332


EP12332	1/2"	5391269642366	Card	12 x 15.5	9.38
EP34332	3/4"	5391269642373	Card	12 x 15.5	15.80

M.T. Cock

EP12MTC	1/2"	5391269621453	Card	9 x 12	2.96
---------	------	---------------	------	--------	------






Non-return, Isolation, Pressure Reducing & Manifold Valves



Non-Return Valve C x C

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12NRVC	½"	5391269623525	Card	12 x 15.5	6.84
EP34NRVC	¾"	5391269623532	Card	12 x 15.5	11.14




Sure Stop Water Switch

- Turns on or off water supply at the flick of a switch
- Provides peace of mind when house is vacant
- Very obvious water turn off point
- Large easy to use rocker switch
- Easily located and SEEN, in convenient positions for the house services
- Enables easy servicing of any water supplied household taps or appliances
- Water stops within seconds of switch activation
- No need to access the often difficult to use brass Stop Valve
- Ideal for the aged or infirm
- Can be used in multiples for building zoned water services



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSS12	½"	5391269696345	Card	25.5 x 37	55.00




Water Pressure Reducing Valve

A valve featuring all non-ferrous parts and designed to ensure that mains water supply is delivered at a required pressure for any given building, and which:

- 1 Keeps water pressure to a controlled maximum.
- 2 Can be set to deliver pressure between 1 and 6 bar below the inlet water pressure
- 3 Can be used in series so that very high mains pressure can be reduced in stepped stages.
- 4 Is fixed in the mains supply after any water meter and supply stop cock.
- 5 Is used with a pressure gauge which can be located on either side of the valve body.


Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP60012	½"	5391269642908	Card	18 x 25.5	32.74



Water Shock Arrester

When a tap is turned off or a ball valve shuts, the mains back pressure can subject the pipes to erratic and very noisy surges - called **Water Hammer**. The Water Shock Arrester absorbs the back pressure and prevents the noise!

Stock Code	Barcode	Package Type & Size (cm)		€
EPWSA	5391269696321	Card	18 x 25.5	44.50



Isolation Manifold ¾" M x F

The valve heads have a reversible red and blue insert. These are located over a printed disk which can be rotated to a fixed position to indicate the manifold branch service

These valved manifolds may be used for a wide range of applications such as controlled hot and cold waters services, and central heating radiator circuits. Manifolds are located at central control points and the arrangement is much like the process used for electricity distribution. The distribution process enables isolation of individual "wet service" locations throughout the building, and with the manifolds located at convenient access points such as in cupboards or the roof space.

"Wet service" locations could include:- wash hand basins, bidets, showers, toilets, baths, sinks, water heaters and many other applications. For instance, used in combination with just one Thermostatic Mixing Valve, it is possible to provide temperature controlled hot water to all water outlets where scalding risks have to be avoided.

Stock Code	Description	Barcode	Package Type & Size (cm)		€
EP2PORT34	2 no. Ports	5391269692194	Card	18 x 25.5	19.86
EP3PORT34	3 no. Ports	5391269692200	Card	18 x 25.5	28.58

Flexible Plumbing Connectors



Type FC55 Straight Compression x Straight Swivel



Type FC59 Straight Compression Valved x Straight Swivel



Type FC61 Straight Swivel x Straight Swivel



Type FC8 Straight Compression x Elbow Swivel



Type FC16 & 56 Elbow Compression x Straight Swivel



Type FC25 & 57 Straight Push Fit x Straight Swivel



Stock Code	Size	Length	Barcode	€
EPFC5512F	1/2"	300mm	5391269795956	5.96
EPFC5512C	1/2"	400mm	5391269651764	9.12
EPFC5512F50	1/2"	500mm	5391269795963	6.94
EPFC5512F100	1/2"	1000mm	5391269795970	11.30
EPFC5534F	3/4"	300mm	5391269795987	7.76
EPFC5534C	3/4"	400mm	5391269651825	13.22
EPFC5534	3/4"	500mm	5391269795994	9.16
EPFC7121	1/2"	1000mm	5391269651511	21.22

EPFC5912F	1/2"	300mm	5391269796007	7.42
EPFC5912C	1/2"	400mm	5391269651801	13.32
EPFC5912F50	1/2"	500mm	5391269796014	8.42
EPFC5912F100	1/2"	1000mm	5391269796021	12.56
EPFC5934F	3/4"	300mm	5391269796038	11.02
EPFC5934C	3/4"	400mm	5391269651863	19.56
EPFC5934	3/4"	500mm	5391269796045	12.36

Stock Code	Size	Length	Barcode	€
EPFC6112F	1/2"	300mm	5391269796052	5.30
EPFC6112	1/2"	500mm	5391269651498	6.30
EPFC61121	1/2"	1000mm	5391269651597	10.46
EPFC6134F	3/4"	300mm	5391269796069	6.46
EPFC6134	3/4"	500mm	5391269651740	7.52

Stock Code	Size	Length	Barcode	€
EPFC812	1/2"	500mm	5391269651412	14.38
EPFC8121	3/4"	1000mm	5391269651528	24.46
EPFC834	3/4"	500mm	5391269651665	21.10

Stock Code	Size	Length	Barcode	€
EPFC5612C	1/2"	400mm	5391269651771	11.98
EPFC1612	1/2"	500mm	5391269651429	14.38


Stock Code	Size	Length	Barcode	€
EPFC5712C	1/2"	400mm	5391269651788	12.50
EPFC2512	1/2"	500mm	5391269651443	13.04

Burst Pipe Repair Kits

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12BPK	1/2"	5391269692354	Card	18 x 25.5	13.70
EP34BPK	3/4"	5391269692361	Card	18 x 25.5	17.68




This kit is designed to provide a flexible replacement section for burst or damaged pipe up to a maximum length of 180mm and can also be applied to an angled section of damaged pipe.



Easily repair a burst or leaking pipe

Flexible Plumbing Connectors for Monobloc Taps




Monobloc - Plumbing Tap Connectors - with Compression Ends 400mm Long

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPFCM812C	½" x 8mm	5391269777358	Card	12 x 46.5	12.56
EPFCM12C	½" x 10mm	5391269762897	Card	12 x 46.5	12.56
EPFCM212C	½" x 12mm	5391269716906	Card	12 x 46.5	12.56

750mm Long

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPFCM812CL	½" x 8mm	5391269777365	Card	12 x 46.5	15.86
EPFCM12CL	½" x 10mm	5391269777372	Card	12 x 46.5	15.86
EPFCM212CL	½" x 12mm	5391269777389	Card	12 x 46.5	15.86




Monobloc - Plumbing Tap Connectors - with Female Swivel Ends 400mm Long

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPFCM812F	½" x 8mm	5391269777396	Card	12 x 46.5	11.46
EPFCM12F	½" x 10mm	5391269777402	Card	12 x 46.5	11.46
EPFCM212F	½" x 12mm	5391269777419	Card	12 x 46.5	11.46

750mm Long

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPFCM812FL	½" x 8mm	5391269777426	Card	12 x 46.5	14.76
EPFCM12FL	½" x 10mm	5391269777433	Card	12 x 46.5	14.76
EPFCM212FL	½" x 12mm	5391269777440	Card	12 x 46.5	14.76



Monobloc - Plumbing Tap Connectors - Rigid Pair, 10mm




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPMT1812	½"	5391269749300	Card	12 x 31.5	19.16


An easy to use and hand bendable tube which simplifies complicated plumbing connections.

EPFT12250	½" BSP x 250mm	5391269706778	Card	15 x 38.5	9.80
EPFT12500	½" BSP x 500mm	5391269706785	Card	15 x 57	12.30
EPFT121000	½" BSP x 1000mm	5391269706792	Card	15 x 107	17.24
EPFT34250	¾" BSP x 250mm	5391269706808	Card	15 x 38.5	11.90
EPFT34500	¾" BSP x 500mm	5391269706815	Card	15 x 57	14.40
EPFT341000	¾" BSP x 1000mm	5391269706822	Card	15 x 107	19.48


Flexitube - Corrugated Stainless Steel Flexible Tube Connectors



- No tools needed for bending
- Type 304 Stainless Steel
- No bore reduction as it bends
- Highly flexible - 0 to 180°
- Awkward radiator connections
- Limited access problems
- Hot water cylinder connections
- Accepts pressure up to 6 Bar
- Two BSP thread sizes
- Tap connections



Float Valves, Floats & Spares



Brass Float Valve

Stock Code	Size	Tail Length	Lever Length	Pressure Designation	Barcode	Package Type & Size (cm)	€
EP12HPBV	½"	2"	8"	High Pressure	5391269621118	Hanger 5 x 36.5	9.92
EP12LPBV	½"	1¼"	8"	Low Pressure	5391269764426	Hanger 5 x 36.5	9.92
EP12BVH12	½"	3"	6"	High Pressure	5391269633838	Hanger 5 x 34	10.94
EP12BHV2	½"	3"	6"	Low Pressure	5391269633845	Hanger 5 x 34	11.66
EP34HPBV	¾"	1½"	13"	High Pressure	5391269642144	Hanger 5 x 34	22.00

Spare Float Valve Levers

Stock Code	For Float Valve Size	Lever Length	Thread Size	Barcode	Package Type & Size (cm)	€
EP6FVL	½"	6"	⅝"	5391269642304	Hanger 5 x 22	4.30
EP8FVL	½"	8"	⅝"	5391269642311	Hanger 5 x 29	4.58

Round Disc Plastic Ball Float



Stock Code	Diameter	Thread Size	Barcode	Package Type & Size (cm)	€
EP412PBF	4½"	⅝"	5391269621149	Hanger 12 x 19.5	1.96
EP6PBF	6"	⅝"	5391269642243	Hanger 14 x 21.5	7.00

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP3PBF	3"	5391269737949	Hanger 9 x 16.5	2.60

Cylindrical Plastic Ball Float

Stock Code	Barcode	Package Type & Size (cm)	€
EPCYBLF	5391269621156	Hanger 9 x 20	2.60



Float Valves, Floats & Spares




Piston Washers, Pack of 2


The old washer is simply prised out with a small screwdriver and the replacement snapped in




Stock Code	Size	Barcode	Package Type & Size	€
EP12HPBVW	½" H.P	5391269763429	Card 9 x 12	1.24
EP12LPPW	½" L.P	5391269763412	Card 9 x 12	1.40




Float Valve Piston




EP12HPBP	½" H.P	5391269642168	Card 9 x 12	2.18
----------	--------	---------------	-------------	------




Float Valve Seat




EP12HPS	½" H.P	5391269642199	Card 9 x 12	1.70
EP12LPS	½" L.P	5391269642205	Card 9 x 12	1.70




Float Lever Arm Slider



EP12FVAFS	5391269737932	Card 9 x 12	2.76
-----------	---------------	-------------	------



Float Arm Cotter pin



Stock Code	Barcode	Package Type & Size (cm)	€
EPBCP	5391269737925	Card 9 x 12	1.42

Appliance Valves, Hoses & Fittings




Straight Pattern Valve




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPSPWMV1	¾"	5391269622764	Card 9 x 12	4.06



Angle Pattern Valve




EPAPWMV1	¾"	5391269622771	Card 9 x 12	4.82
----------	----	---------------	-------------	------



Tee Pattern Valve




EPTPWMV1	¾"	5391269622788	Card 9 x 12	6.20
----------	----	---------------	-------------	------



Push Fit Washing Machine Valve





EPPTWMV	¾" x ½"	5391269774753	Card 9 x 12	6.72
---------	---------	---------------	-------------	------




Washing Machine Valve Blank Cap

Used to cap an unused appliance isolation valve. This will ensure that if the valve is accidentally opened, it will not cause a flood. It includes an internal rubber washer which means that it only needs to be hand tightened.



EP34WMBC	¾"	5391269713219	Card 12 x 15.5	2.74
----------	----	---------------	----------------	------

Appliance Valves, Hoses & Fittings



Single Self Cutting Valve with Saddle

A quick and easy way of plumbing in dishwashers, washing machines or any other facility which requires connection to a 1/2" or 15mm water pipe. The valve incorporates a 1/2" BSP threaded outlet with a 3/4" BSP increasing bush to accommodate a washing machine or dishwasher and garden hoses.


Used without the 3/4" bush, connection can be made to other things.

The 3/4" valve incorporates the same saddle as the 1/2" and is only suitable for clamping around a 1/2" or 15mm supply pipe. The 3/4" dimension refers only to the male threaded section of the valve.


Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSCWMV1	1/2"	5391269622795	Card	18 x 25.5	11.92



Cam Lock Tap Adaptor



EPCLTA	5391269691517	Card	18 x 25.5	7.50
--------	---------------	------	-----------	------



Expanding Outlet Hose




Size Range
80cm-2.8m


Industrial/Commercial Braided Washing Machine Hose



EPC15WMH	1.5m	5391269796076	Card	25.5 x 37	27.00
----------	------	---------------	------	-----------	-------




Outlet Hose Connector



EPDHUPC	5391269763887	Card	9 x 12	2.50
---------	---------------	------	--------	------




Washing Machine "Y" Piece



EPWMYP	5391269621224	Card	9 x 12	3.20
--------	---------------	------	--------	------

EPOHF	5391269642359	Card	25.5 x 37	6.76
-------	---------------	------	-----------	------



AquaNorm Hoses



Connects between the water supply fitting and the Washing Machine Inlet.


Blue

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP15WMHB	1.5m	5391269621200	Card	25.5 x 37	5.70
EP25WMHB	2.5m	5391269642342	Card	25.5 x 37	7.10

Red

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP15WMHR	1.5m	5391269621217	Card	25.5 x 37	5.70
EP25WMHR	2.5m	5391269642335	Card	25.5 x 37	7.10


Appliance Traps & Accessories



1½" Single Inlet Appliance Trap with 3" Seal




Stock Code	Barcode	Package Type & Size (cm)		€
EP112PHU	5391269621927	Card	25.5 x 37	11.02



1½" Double Inlet Appliance Trap with 3" Seal



Stock Code	Barcode	Package Type & Size (cm)		€
EP112PHU2	5391269621934	Card	25.5 x 37	11.82




Plumbing Out Kit




Stock Code	Barcode	Package Type & Size (cm)		€
EPPOK	5391269625338	Card	25.5 x 37	16.46

A water-tight clamp and included cutting tool enable a simple and quick assembly onto both 1½" and 1¼" waste pipes.




Angled or straight connection choice



1½" Washing Machine Trap



Can also be used with a Dishwasher




Stock Code	Barcode	Package Type & Size (cm)		€
EP112WM	5391269621941	Card	18 x 77	11.32



Washing Machine Standpipe Double Entry Tee




Stock Code	Barcode	Package Type & Size (cm)		€
EPWMSPT	5391269749348	Card	27 x 30	10.04



Appliance Traps & Accessories




Appliance Plumbing Kit



Can be used with
Copper and Plastic pipes

Includes all the fittings needed to plumb in and plumb out new Washing Machines and Dishwashers which have been supplied with both the inlet and outlet hoses (Provided they are within 1 metre distance of a water supply and waste pipe).

Stock Code	Barcode	Package Type & Size (cm)	€
EPAPK	5391269764853	Box 15 x 20	25.00



Appliance Magnetic De-Scaler


Features

- Simple to install
- Simply fitted to washing machine hose
- No plumbing or wiring necessary
- Ideal DIY product




Benefits

- Appliance protection against scale build up
- Enhances life of appliance
- Reduces power consumption
- Reduces detergent consumption
- Voids necessity for anti scaling tablets.




Stock Code	Barcode	Package Type & Size (cm)	€
EPECO	5391269694211	Card 18 x 25.5	29.30



Hose Washers, Pack of 5



Stock Code	Barcode	Package Type & Size (cm)	€
EPWMHW	5391269625321	Card 9 x 12	2.10




Screened Hose Washers, Pack of 2



Stock Code	Barcode	Package Type & Size (cm)	€
EP34SAHW	5391269714643	Card 9 x 12	2.62

Simple Water Saving Devices




Aqua Save Flow Regulator for Basin Mixer



This Regulator is inserted into a tap outlet of a **Monobloc Basin Mixer**, a typical version of which is shown here. It allows full water flow until the discharge rate reaches 5 litres per minute. Once the flow rate is reached, it will not be exceeded.

Stock Code	Flow	Barcode	Package Type & Size (cm)	€
AQ1	5L/min	5391269764129	Card 10 x 15	6.82




Aqua Save Flow Regulating Washer



Use these **Washers** to:

A - replace the washers used in between the threaded tails of basin taps and the flexible braided connecting hoses, and/or B - replace the washer inserted in between a shower head and the connecting hose. Subject to the selected version, the washer allows full water flow until the discharge rates reach 6, 8 or 10 litres per minute. Once the flow rate is reached, it will not be exceeded.

Stock Code	Flow	Barcode	Package Type & Size (cm)	€
AQ2	6L/min (Black)	5391269764136	Card 10 x 15	3.20
AQ3	8L/min (Natural)	5391269764143	Card 10 x 15	3.20
AQ4	10L/min (Blue)	5391269764150	Card 10 x 15	3.20




Aqua Save Flow Regulator for Sink Mixer, M22 Int. Thread



This Regulator is inserted into a tap outlet of a **Sink Mixer**, a typical version of which is shown here. It allows full water flow until the discharge rate reaches 5 litres per minute. Once the flow rate is reached, it will not be exceeded.

Stock Code	Flow	Barcode	Package Type & Size (cm)	€
AQ11	5L/min	5391269764228	Card 10 x 15	6.82




Aqua Save Flow Regulator for Sink Mixer, M24 Ext. Thread



This Regulator is inserted into a tap outlet of a **Sink Mixer**, a typical version of which is shown here. It allows full water flow until the discharge rate reaches 5 litres per minute. Once the flow rate is reached, it will not be exceeded.

Stock Code	Flow	Barcode	Package Type & Size (cm)	€
AQ12	5L/min	5391269764235	Card 10 x 15	6.82




Aqua Save Flow Regulator for Shower Head



This Regulator is inserted in between a **Shower Head** and the connecting hose and subject to selected version, allows full water flow until the discharge rate reaches 6, 8 or 10 litres per minute. Once the flow rate is reached, it will not be exceeded.

Stock Code	Flow	Barcode	Package Type & Size (cm)	€
AQ5	6L/min	5391269764167	Card 10 x 15	7.50
AQ6	8L/min	5391269764174	Card 10 x 15	7.50
AQ7	10L/min	5391269764181	Card 10 x 15	7.50




Aqua Save Eco Booster for Sink Mixer



This switch, also known as an Eco Booster is designed to allow the user to switch between high and low flow rates. It automatically resets to low and is supplied with both M22 and M24 threads (male and female) which will suit the vast majority of Monobloc Sink Mixers similar to the two illustrated here on the market. When switched to the low flow rate, it will deliver a maximum of 7 litres of water per minute. It is ideal when a reduced flow rate of water is required; for example when washing vegetables.

Stock Code	Flow	Barcode	Package Type & Size (cm)	€
AQ14	7L/min	5391269764259	Card 10 x 15	18.74




Aqua Save Eco Booster for Shower



This switch, also known as an Eco Booster is designed to allow the user to switch between high and low flow rates. It automatically resets to low and is supplied with 1/2" threads to enable its in line installation. When switched to the low flow rate, it will deliver a maximum of 8 litres of water per minute. It is ideal when a reduced flow rate of water is required; for example when applying shampoo.


AQ13	8L/min	5391269764242	Card 10 x 15	15.00
------	--------	---------------	--------------	-------



Pair Aqua Save Flow Regulator for Basin Taps



Stock Code	Barcode	Package Type & Size (cm)	€
AQ8	5391269764198	Card 10 x 15	13.50



Multi Function Shower Head with Water Saving Switch

By flicking this switch the water flow is reduced by up to 40%.



AQ15	5391269764266	Card 14 x 31	16.42
------	---------------	--------------	-------




Blue service key for faucet aerators with housing


The blue plastic key is the basic product. This can be used to quickly and easily replace faucet aerators of size M22, M24, and M28 and with male and female US threads.




AQ19	5391269796083	Card 10 x 15	3.80
------	---------------	--------------	------



Aqua Save Tap Cap



AQ17	5391269765423	Card 10 x 15	5.50
------	---------------	--------------	------




Aqua Save Lockable Garden Tap



AQ18	5391269765430	Card 10 x 15	12.50
------	---------------	--------------	-------


Hose Union Bibcocks & Accessories



Crutch Head Bibcocks



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12HUBC	1/2"	5391269621071	Card 12 x 15.5	9.90
EP34HUBC	3/4"	5391269642052	Card 18 x 25.5	14.20



Lever Action Bibcocks




EP12HUBCL	1/2"	5391269621088	Card 12 x 15.5	8.60
EP34HUBCL	3/4"	5391269642069	Card 12 x 15.5	12.00



Replacement Hose Union Connector



EP12HUNT	1/2"	5391269621095	Card 12 x 15.5	3.10
EP34HUNT	3/4"	5391269642076	Card 12 x 15.5	5.00



Lockable Lever Action Bibcocks



EP12HULBB	1/2"	5391269642106	Card 12 x 15.5	10.00
-----------	------	---------------	----------------	-------



Dual Outlet Hose Union Bibcock




EPHUBCX2	1/2"	5391269787203	Card 18 x 18	14.20
----------	------	---------------	--------------	-------

Garden Tap Kit




An easy and simple way to provide a garden hose without complicated plumbing. Full installation instructions are provided with the packaging.



EPGTK	5391269633814	Box	25.5 x 37	36.50
-------	---------------	-----	-----------	-------

Bibcock Mounting Plate with 46.5cm Copper Tube



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12BWP	1/2"	5391269621101	Card 9 x 47.5	13.10

Traditional Chrome Plated Taps & Mixers



Pair Basin/Bath Crown Head Taps

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12ABT	1/2"	5391269705771	Card	17 x 25.5	34.86
EP34ABT	3/4"	5391269705788	Card	17 x 25.5	46.50

Pair High Neck Sink Crown Head Taps

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12AHNT	1/2"	5391269705832	Card	18 x 32.5	48.70



Pair Basin/Bath 1/4 Turn Lever Style Taps

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12ABT14	1/2"	5391269705863	Card	17 x 30	47.20
EP34ABT14	3/4"	5391269705870	Card	17 x 30	52.64

Pair High Neck Sink Crown Head Taps

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12AHNT14	1/2"	5391269705917	Card	18 x 37	60.40



Crown Head Dual Flow Sink Mixer

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12ADFM	1/2"	5391269705849	Card	32 x 25.5	78.80

Dual Flow 1/4 Turn Lever Style Sink Mixer

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12ADFM14	1/2"	5391269705924	Card	32 x 25.5	82.10




Monobloc Crown Style Sink Mixer

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12AMSM	1/2"	5391269705856	Card	32 x 35	83.80

Monobloc 1/4 Turn Lever Style Sink Mixer

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12AMSM14	1/2"	5391269705931	Display	32 x 35cm	93.30



Monobloc Sink Mixers



Monobloc Sink Mixer

Incorporates lever operation & swivel spouts

Stock Code	Barcode	Package Type & Size (cm)		€
EP90185	5391269758043	Card	32 x 35	54.40

Monobloc Basin Mixers


Monobloc Crown Style Basin Mixer

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12ABM	1/2"	5391269705818	Display	24 x 23cm	48.88



Monobloc 1/4 Turn Lever Action Basin Mixer

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12ABM14	1/2"	5391269705900	Display	24 x 23cm	52.58



Kiss Monobloc Basin Mixer

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPKISS1	1/2"	5391269781072	Display	24 x 23cm	49.34




Basin Mixer with Popper Waste

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPSBMR	1/2"	5391269781065	Card	25.5 x 37	59.10

Mood Range Monobloc Basin Mixer w/o Waste Outlet

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPMBM	1/2"	5391269796090	Card	22.5 x 32.5	76.16



1/4 Turn Lever Style Bath Mixer with Shower Attachment




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP34ABSM14	3/4"	5391269705887	Display	26 x 30cm	110.84

Crown Head Bath Mixer & Filler

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP34ABSM	3/4"	5391269705795	Display	26 x 30	98.22




Replacement Tap Spindles, Valves & Kits



Crown Pattern Tap Head Kit (complete)



Victorian Pattern Tap Head Kit (complete)




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12RTH	1/2"	5391269630233	Card 18 x 25.5	20.48
EP34RTH	3/4"	5391269630240	Card 18 x 25.5	25.20

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12RTHT	1/2"	5391269642014	Card 18 x 25.5	22.84
EP34RTHT	3/4"	5391269642021	Card 18 x 25.5	28.60



Both the Crown and Victorian pattern tap head kits are supplied with a variety of bushings, spacers & washers which makes them suitable for use with old and existing taps. Installers will find that they don't require everything included. Please note that the tap heads & spindles in both kits are the same size.



Lever Pattern Tap Head Kit (complete)




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12RTHL	1/2"	5391269642038	Card 18 x 25.5	22.84
EP34RTHL	3/4"	5391269642045	Card 18 x 25.5	28.60

The levers & cartridges supplied in these kits are the same. The bushings included provide for the possibility to retro fit into existing and traditional spindle type taps.


These kits may not be suitable in certain circumstances and may require a different kit to be used which allows for the differing depths of seat within the tap body. See Kit below.

Replacement Tap Spindles, Valves & Kits



Special tool provided

Universal Turn Lever Style Tap Head Conversion Kit



This Tap Head Kit facilitates the replacement of old tap heads where the distance between the top of the tap body and the seating inside is greater than the corresponding distance in modern taps.

Change from traditional type spindle style taps to Quarter Turn Lever Style Taps without the need to change your taps.....simply change the heads! Complete and easy to follow instructions will be found on the rear of this card.

The easy to turn levers are more easily used by the elderly or young children and by those with limited mobility - but also smart enough to be used on any taps which require to be brought up to date!

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP14TUTK	1/2"	5391269758036	Card 25 x 26.5	20.38

Single Repl. Crown Tap Head & Spindle (only)




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPE12SRTH	1/2"	5391269760275	Card 12 x 15.5	8.50

Repl. Crown Tap Head Set Only

EPRCTH	5391269760282	Card	12 x 15.5	8.50
--------	---------------	------	-----------	------

This kit does not include the spindles!





Replacement Tap Spindles

EP12S	1/2"	5391269755660	Card 9 x 12	5.70
EP34S	3/4"	5391269755677	Card 9 x 12	6.80

Replacement Traditional Tap Spindle Set

EP12RTS	1/2"	5391269728435	Card 12 x 15.5	10.40
EP34RTS	3/4"	5391269728442	Card 12 x 15.5	12.60




This Replacement Tap Spindles Kit includes all of the components necessary to repair Taps which are either leaking or have seized. The Reducer Bushes in this kit may be surplus to requirements. They are there to facilitate the repair of the majority of the huge variety of Taps that have been sold into the market over the past 30 years or so.

Set Repl. Crown Tap Heads & Spindles (only)

EPE12RTH	5391269760084	Card	18 x 15.5	15.98
----------	---------------	------	-----------	-------

Repl. Victorian Threaded Indices Set Only

EPRVIS	5391269760305	Card	9 x 12	3.68
--------	---------------	------	--------	------



Tap Diffuser Set

EP12DS	1/2"	5391269760336	Card 9 x 12	2.80
EP34DS	3/4"	5391269760343	Card 9 x 12	2.80

Repl. Control Knob for Bath/Shower Mixer

EPCK	5391269760329	Card	9 x 12	3.90
------	---------------	------	--------	------



Replacement Tap Spindles, Valves & Kits



Repl. Crown Head Cover & Indices Set Only

Stock Code	Barcode	Package Type & Size (cm)		€
EPRCCI	5391269760299	Card	9 x 19	2.56

Replacement Ceramic Disc Valve - Blue

EP12RCDB	1/2"	5391269755684	Card	9 x 12	7.30
EP34RCDB	3/4"	5391269755707	Card	9 x 12	8.50

For use with 1/4 Turn Lever Style Tap Heads

Replacement Ceramic Disc Valve - Red

EP12RCDR	1/2"	5391269755691	Card	9 x 12	7.30
EP34RCDR	3/4"	5391269755714	Card	9 x 12	8.50

For use with 1/4 Turn Lever Style Tap Heads

Replacement Ceramic Disc Valve Set

EP12RCD	1/2"	5391269736423	Card	12 x 15.5	13.60
EP34RCD	3/4"	5391269736430	Card	12 x 15.5	16.00

For use with 1/4 Turn Lever Style Tap Heads

This Replacement Tap Valve Disc Kit includes all of the components necessary to repair Taps which are either leaking or have seized. The Reducer Bushes in this kit may be surplus to requirements. They are there to facilitate the repair of the majority of the Cartridge type ceramic disc taps that have been sold into the market over the past 10 years or so.

1/2" Ceramic Disk with M24 Thread Tap Cartridge (Blue or Red)

EP12RCDBT	Blue	5391269775347	Card	12 x 15.5	7.50
EP12RCDRT	Red	5391269775354	Card	12 x 15.5	7.50

1/2" Ceramic Disk with M24 Thread Tap Cartridge Set incl. Bushings




EP12RCDT	1/2"	5391269775361	Card	12 x 15.5	14.00
----------	------	---------------	------	-----------	-------

Mixer Tap Swivel Spray Attachment

EPSSA	5391269765645	Card	9 x 25.5	4.34
-------	---------------	------	----------	------




With the chrome sleeve raised, the water exits the tap normally. With the chrome sleeve lowered, the water exits the tap as a spray. In either position the fitting can be swivelled to direct water around the sink bowl.







Monobloc Tap Fixing Nut Dual Spanner


EPMONOB1	5391269763894	Card	12 x 25.5	10.18
----------	---------------	------	-----------	-------




We also provide a dual version of this kit, which covers the size range 9,11,12 & 13mm. See page 140 for further details.



Replacement Parts for Monobloc Basin & Sink Mixers



Monobloc Fixing Set




Monobloc Fixing Set




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPM6MFS	M6 x 2	5391269749294	Card 9 x 25.5	3.80


Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPM8MFS	M8 x 1	5391269749287	Card 9 x 25.5	3.80



Monobloc Lever Handle Only



This head will normally fit onto the 9mm square shank on the top of the ceramic disc cartridge as shown above. A fixing screw is included.




Replacement 40mm Monobloc Cartridge Type 2




EPMLEVER	5391269749331	Card	9 x 25.5	8.96
----------	---------------	------	----------	------

EPMBC402	40mm	5391269797233	Card 9 x 25.5	6.70
----------	------	---------------	---------------	------



Replacement 35mm Monobloc Cartridge Type 2




Replacement 40mm Monobloc Cartridge Type 3




EPMBC352	35mm	5391269797257	Card 9 x 25.5	6.40
----------	------	---------------	---------------	------

EPMBC403	40mm	5391269797240	Card 9 x 25.5	6.70
----------	------	---------------	---------------	------



Replacement 35mm Monobloc Cartridge Type 3




Replacement 35mm Monobloc Cartridge Type 4



EPMBC353	35mm	5391269797264	Card 9 x 25.5	6.40
----------	------	---------------	---------------	------

EPMBC354	35mm	5391269797271	Card 9 x 25.5	6.40
----------	------	---------------	---------------	------


Replacement Parts for Monobloc Basin & Sink Mixers



Replacement 35mm Monobloc Cartridge Type 5




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPMBC355	35mm	5391269797288	Card 9 x 25.5	6.40



Replacement 35mm Monobloc Cartridge Type 6




EPMBC356	35mm	5391269797295	Card 9 x 25.5	6.40
----------	------	---------------	---------------	------



Replacement 35mm Monobloc Cartridge Type 7



EPMBC357	35mm	5391269797301	Card 9 x 25.5	6.40
----------	------	---------------	---------------	------




Replacement 25mm Monobloc Cartridge Type 1



EPMBC25	25mm	5391269797318	Card 9 x 25.5	5.90
---------	------	---------------	---------------	------

Washers, Seals and Gaskets




O Ring Kit 1 (S) 3-6mm

No. 1 O Ring Kit includes 22 washers:
2 no. 3mm x 1mm ; 4 no. 4mm x 1mm ;
4 no. 4.5mm x 2mm, 4 no. 5mm x 2mm
; 4 no. 6mm x 2mm ; 4 no. 6mm x 2.5mm



Stock Code	Barcode	Package Type & Size (cm)	€
EPORK1	5391269643752	Card 9 x 12	3.92




O Ring Kit 2 (M) 6-12mm

No. 2 O Ring Kit includes 13 washers:
3 no. 6mm x 3mm ; 2 no. 7mm x 2mm ;
2 no. 8mm x 2mm, 2 no. 9mm x 2mm ;
2 no. 10mm x 2mm ; 2 no. 12mm x 3mm



Stock Code	Barcode	Package Type & Size (cm)	€
EPORK2	5391269643769	Card 9 x 12	3.92




O Ring Kit 3 (L) 13-22mm

No. 3 O Ring Kit includes 12 washers:
2 no. 13mm x 3mm ; 2 no. 14mm x 2.5mm
; 2 no. 17mm x 2.5mm, 2 no. 18mm x
4mm ; 2 no. 20mm x 2mm ; 2 no. 22mm x
2mm



Stock Code	Barcode	Package Type & Size (cm)	€
EPORK3	5391269643776	Card 9 x 12	3.92




O Ring Kit 4 (XL) 12-24mm

No. 4 O Ring Kit includes 8 washers:
1 no. 12mm x 2.5mm ; 1 no. 19mm x 3mm
; 1 no. 14mm x 2.5mm, 1 no. 20mm x
3mm ; 1 no. 16mm x 2.5mm ; 1 no. 22mm
x 3mm, 1no. 17mm x 2.5mm ; 1no. 24mm
x 3mm




Stock Code	Barcode	Package Type & Size (cm)	€
EPORK4	5391269757794	Card 9 x 12	3.92


Washers, Seals and Gaskets



PVC Washers, Pack of 2




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP114PVCW	1 1/4"	5391269758913	Card	9 x 12	1.48
EP112PVCW	1 1/2"	5391269758920	Card	9 x 12	1.82




PVC Washers, Pack of 5




EP12PVCW	1/2"	5391269622412	Card	9 x 12	1.90
EP34PVCW	3/4"	5391269622429	Card	9 x 12	2.10
EP1PVCW	1"	5391269622436	Card	9 x 12	2.42




Red Fibre Washers




EP12FW	Pk/10, 1/2"	5391269622375	Card	9 x 12	1.90
EP34FW	Pk/5, 3/4"	5391269622382	Card	9 x 12	2.10




Green Fibre Washers




EP12FWG	Pk/10, 1/2"	5391269779840	Card	9 x 12	2.20
EP34FWG	Pk/5, 3/4"	5391269779857	Card	9 x 12	2.42



Blank Cap Washers Black Rubber




EP12BCWR	Pk/10, 1/2"	5391269779499	Card	9 x 12	3.12
EP34BCWR	Pk/6, 3/4"	5391269779505	Card	9 x 12	2.62
EP1BCWR	Pk/6, 1"	5391269779512	Card	9 x 12	3.28



Spare Appliance Hose Washers




Stock Code	Size	Barcode	Package Type		€
EPWMHW	Pk/5, 3/4"	5391269625321	Card	9 x 12	2.10




Pack of 2 Black Rubber Washers




EP12BSPW	1/2"	5391269765393	Card	9 x 12	1.90
EP34BSPW	3/4"	5391269765409	Card	9 x 12	2.00




Pack of 5 Tap Washers




EP38FTW	3/8"	5391269622344	Card	9 x 12	2.20
EP12FTW	1/2"	5391269622351	Card	9 x 12	2.42
EP34FTW	3/4"	5391269622368	Card	9 x 12	2.84




Pack of 2 Screened Hose Washers



EP12SSHW	1/2"	5391269770687	Card	9 x 12	2.38
EP34SAHW	3/4"	5391269714643	Card	9 x 12	2.62




Blank Cap Washers Red Fibre



EP12BCW	Pk/10, 1/2"	5391269623464	Card	9 x 12	3.12
EP34BCW	Pk/6, 3/4"	5391269623471	Card	9 x 12	2.62
EP1BCW	Pk/6, 1"	5391269623488	Card	9 x 12	3.28


Washers, Seals and Gaskets



Pack of 5 Shower Hose Washers




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPSHW5	¾"	5391269750665	Card 9 x 12	1.90



Assorted Washer Pack



Stock Code	Barcode	Package Type & Size (cm)	€
EPAWK	5391269651023	Card 12 x 15.5	3.48




Rubber Pump Valve Washers



These Pump valve washers are suitable for all makes of pumps.


Stock Code	Barcode	Package Type & Size (cm)	€
EPPVW	5391269716753	Card 12 x 15.5	2.32



Pack of 2 Top Hat Washers



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12THW1	½"	5391269622399	Card 9 x 12	2.06




Pipe Clips, Brackets & Fixings




10m Roll Galvanised Fixing Band




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPGBAND	12mm	5391269643745	Card 18 x 25.5	9.60



Nail Pipe Clips



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP15NCT	Pk/8, ½"	5391269622290	Card 12 x 15.5	2.76
EP22NCT	Pk/5, ¾"	5391269622306	Card 12 x 15.5	2.64
EP28NCT	Pk/3, 1"	5391269622313	Card 12 x 15.5	3.34



White Hinged Pipe Clips



EP15PICC	PK/10, ½"	5391269643356	Card 12 x 15.5	3.44
EP22PICC	PK/5, ¾"	5391269643363	Card 12 x 15.5	2.76
EP28PICC	PK/5, 1"	5391269643370	Card 12 x 15.5	3.66


Chrome Finished Screw Cover Caps & Screws



These items are packed on 18.5 x 12mm cards.

EPSCCS	12	Small	5391269623396	4.88
EPSCCM	12	Medium	5391269623402	5.12
EPSCCL	12	Large	5391269623419	5.60
EPSCCXL	8	Extra Large	5391269623419	6.56

Pipe Clips, Brackets & Fixings



Pk/2 Hose Clips

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPHCLMP1	10-16mm	5391269643615	Card	9 x 12	2.40
EPHCLMP2	13-19mm	5391269643622	Card	9 x 12	2.40
EPHCLMP3	16-25mm	5391269643639	Card	9 x 12	2.52
EPHCLMP4	19-29mm	5391269643646	Card	9 x 12	2.52
EPHCLMP5	22-32mm	5391269643653	Card	9 x 12	2.76
EPHCLMP6	25-38mm	5391269643660	Card	9 x 12	2.76
EPHCLMP7	32-42mm	5391269643677	Card	9 x 12	2.88
EPHCLMP8	35-51mm	5391269643684	Card	9 x 12	2.88
EPHCLMP9	44-64mm	5391269643691	Card	9 x 12	3.00
EPHCLMP10	51-70mm	5391269643707	Card	9 x 12	3.00
EPHCLMP11	64-76mm	5391269643714	Card	9 x 12	3.06
EPHCLMP12	70-89mm	5391269643721	Card	9 x 12	3.08



Pk/1 Hose Clips


EP30464	90 - 110mm	5391269781133	Card	12 x 15.5	3.80
EP30496	100-160mm	5391269781140	Card	18 x 25.5	4.16

Assortment Pack Hose Clips



This kit includes one of each of the following sizes of hose clips:

10 - 16mm	32 - 42mm
13 - 19mm	35 - 51mm
16 - 25mm	44 - 64mm
19 - 29mm	51 - 70mm
22 - 32mm	64 - 76mm
25 - 38mm	70 - 89mm




Stock Code	Barcode	Package Type & Size (cm)		€
EPAHC	5391269624058	Card	18 x 25.5	13.70



Brass S.T.W Bracket



EP15BB	1/2"	5391269623396	Card	9 x 12	2.30
EP22BB	3/4"	5391269623402	Card	9 x 12	2.62
EP28BB	1"	5391269623419	Card	9 x 12	3.06



Chrome S.T.W. Bracket




EP15BBCP	1/2"	5391269623440	Card	9 x 12	3.88
EP22BBCP	3/4"	5391269630189	Card	9 x 12	4.58



Clips - Copper



EP15CC	Pk/5, 1/2"	5391269643264	Card	9 x 12	3.02
EP22CC	Pk/5, 3/4"	5391269643271	Card	9 x 12	3.36
EP28CC	Pk/2, 1"	5391269643288	Card	9 x 12	3.00




Clips - Galvanised




EP38GC	Pk/5, 3/8"	5391269643295	Card	9 x 12	2.38
EP12GC	Pk/5, 1/2"	5391269643301	Card	9 x 12	2.38
EP34GC	Pk/5, 3/4"	5391269643318	Card	9 x 12	2.76
EP1GC	Pk/2, 1"	5391269643325	Card	9 x 12	1.92
EP114GC	Pk/2, 1 1/4"	5391269643332	Card	9 x 12	2.52
EP112GC	Pk/2, 1 1/2"	5391269643349	Card	9 x 12	2.86


Pipe Clips, Brackets & Fixings



Basin Fixing Set




Stock Code	Barcode	Package Type & Size (cm)	€
EPMA2215E	5391269643417	Card 12 x 15.5	4.20




Hanger Fixing Set




Stock Code	Barcode	Package Type & Size (cm)	€
EPMA2215B	5391269643431	Card 12 x 15.5	4.20



WC Pan Fixing Set



Stock Code	Barcode	Package Type & Size (cm)	€
EPMA2215C	5391269643424	Card 12 x 15.5	4.20



Basin Support Brackets



Used to support items on masonry or timber walls

Stock Code	Barcode	Package Type & Size (cm)	€
EPPSBB	5391269623457	Card 12 x 15.5	5.96



Heavy Duty Black Polythene Joint Tape 33m Roll x 50mm



Stock Code	Barcode	Package Type & Size (cm)	€
EPPJT50	5391269796106	Card 15 x 21	6.90



Aluminium Foil Tape (Class O), 45m x 50mm



Stock Code	Barcode	Package Type & Size (cm)	€
EPAFT50	5391269796113	Card 15 x 21	8.20




Self Fusing SFT-101 Repair Tape - Black

- Immediately waterproof and airtight
- Pressure resistant up to 12 bar
- Insulates up to 15,000 volts per layer
- All-weather and UV resistant
- Resistant to temperatures between -54°C and +260°C
- Resistant to acids, alkalis, solvents, oils, petrol and hydrocarbons
- Stretchable up to 300%

Universal, self-merging, sealing and insulating, silicon-based repair tape.

Stock Code	Barcode	Package Type & Size (cm)	€
SFT 3m x 25mm	8710439245621	Card 10 x 21.5	19.40




Universal Concealed Fixing Set



A useful fixing bracket kit used to secure a WC pan to the floor, but which is also useful for any application where a concealed brace or support is required.

Stock Code	Barcode	Package Type & Size (cm)	€
EPPFS	5391269716739	Card 18.5 x 12	5.50




Inset Sealing Strip

Provides a waterproof seal between the underside of the sink perimeter and the work surface. No additional silicone seal is required when the seal is correctly applied.

EPIST	3m	5391269755738	Card	12 x 21	3.70
-------	----	---------------	------	---------	------




Inset Sink Clips, Pk/10




EPCLPPL	Plastic	5391269728428	Card	12 x 15.5	7.30
EPCLPPY01	Metal	5391269728411	Card	12 x 15.5	7.30


Thread Sealants



P.T.F.E. Tape, 12m Roll




P.T.F.E. Tape for Gas, 5m Roll




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPTFE1	Single	5391269714483	Card 9 x 12	1.10
EPPTFE	Pack 2	5391269622320	Card 9 x 12	1.90

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPTFE1	Single	5391269714483	Card 9 x 12	1.10
EPPTFE	Pack 2	5391269622320	Card 9 x 12	1.90




Threadtite P.T.F.E. Ribbon



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPHTITE	150m	5391269713257	Card 12 x 15.5	7.72

PTFE (Polytetrafluoroethylene) has been around for many years, but only as a joining tape for the last two decades or so. Its very low coefficient of friction and melting point of about 320 degrees C, makes it an ideal substitute for hemp and jointing paste. Apply the tape by winding it around the thread in the opposite direction to that used to insert the thread into the fitting. Again, experience will determine how much tape to apply, which should be sufficient to be able to screw the thread into the female fitting with a wrench or spanner such that it only really starts to become tight as most of the thread is engaged in the fitting.



Hemp & Compound Kit




Stock Code	Barcode	Package Type & Size (cm)	€
EPFC1	5391269630288	Card 12 x 15.5	6.04

This is probably the oldest and most established method of jointing threaded unions. Using jointing paste as a binder, before and during the process, wind thin sections of hemp string around the thread in the opposite direction to that used to insert the thread into the fitting. Experience will determine how much hemp to apply, which should be sufficient to be able to screw the thread into the female fitting with a wrench or spanner such that it only really starts to become tight as most of the thread is engaged in the fitting. Tidy the joint by removing any surplus hemp string and jointing paste.



Liquid P.T.F.E. Sealant Compound


Max service pressure for liquids 500 Bar
Max service pressure for gases 200 Bar



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPTFE2OZ	2oz	5391269643783	Card 12 x 15.5	20.62



Flax (Plumbers Hemp)



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP100FLAX	100g	5391269643479	Card 12 x 15.5	6.10


Instructions: Start at the exposed end of the thread and wind the Ribbon in the direction of the thread, whilst overlapping. Use sufficient to be able to screw the thread into the female fitting with a wrench or spanner, such that it only starts to become tight as most of the thread engages in the fitting.

Specification: Unlimited shelf life and suitable for all pipe diameters and threaded fittings. Chemically resistant to most known chemicals, fluids, oils, solvents, gases and acids. Stable in a temperature range between - 200 to +240 degrees C. Does not melt, burn, drip, dissolve, leach, harden or become brittle. Remains soft and pliant for lifetime, and is completely inert, non-hazardous and non-flammable.


This thread sealant compound is specially prepared for in service all temperature connection sealing. It may be applied (by brush) in temperatures ranging between - 45 Deg. C and + 200 Deg. C. Recommended for applications where cleanliness is essential. However it must NOT be used on OXYGEN pipework. It lubricates and protects threads. It is suitable for use on all kinds of pipes including Steel, Copper, Brass, Aluminium, ABS, PVC and Fiberglass. The product does not contain lead and is completely non toxic.

Thread Sealants

Soldering Sealants & Accessories



Sealtite Thread Sealant




Eliminates the need for hemp and paste or PTFE Tape

Sealtite is designed to be used for threaded joints in metal pipework carrying water, gas, oils, refrigerant fluids, LPG gas etc, and between temperatures of -50 to +150 degrees C.

Stock Code	Size	Barcode	Package Type	€
EPV90B	50ml	5391269643608	Card	18 x 25.5 14.64



Fusetite Solvent Cement



EP125ML	125ml	5391269643516	Hanger	6.5 x 7.5	6.20
EP250ML	250ml	5391269643523	Hanger	6.5 x 7.5	7.94



Viky Super Jointing Compound



EPVIKY1	100g	5391269643592	Card	12 x 15.5	2.54
---------	------	---------------	------	-----------	------




Silicone Grease




EPSGREASE	1/2oz	5391269643806	Card	9 x 12	8.82
-----------	-------	---------------	------	--------	------


Silicone Grease is a 90% pure silicone grease-like product. Composed of inert amorphous silica fillers and selected silicone fluids. Contains no petroleum additives. Formulated for many plumbing applications, which include lubricating tap and valve spindles and stems without fear of contamination of the water supply.



Soldering Flux




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPOW100	100gr	5391269643547	Card	12 x 15.5 19.02



Mini Solder & Flux Kit




Stock Code	Barcode	Package Type & Size (cm)	€
EPSF1	5391269630271	Card	12 x 15.5 9.60




Steel Wool Pads



Stock Code	Barcode	Package Type & Size (cm)	€
EP8PSW	5391269643578	Header	25.5 x 21 5.50




Plumber's Flame Resistant Soldering Mat





Stock Code	Size	Barcode	Package Type	€
EPPSP	10" x 10"	5391269646258	Header	25.5 x 38 11.50

Replacement Radiator Valve Caps & Pipe Decoration Hole Trims



Universal Replacement Rad. Valve Caps - White




Pack of 2, Chrome 1 Piece Pipe Rosettes




EP10PCC1	10mm	5391269775231	Card	9 x 12	2.42
EP15PCC	15mm	5391269775248	Card	9 x 12	2.66
EP22PCC	22mm	5391269775255	Card	9 x 12	3.54
EP28PCC	28mm	5391269775262	Card	9 x 12	4.10

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPRRH	Pk/3	5391269645558	Box	12 x 15.5	9.50
EPRRH1	Single	5391269694471	Card	12 x 15.5	3.50



Pack of 2, White 1 Piece Pipe Rosettes




Chrome 1 Piece Pipe Rosettes



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP10PCW	10mm	5391269775156	Card	9 x 12	1.76
EP15PCW	15mm	5391269775163	Card	9 x 12	1.88
EP22PCW	22mm	5391269775170	Card	9 x 12	2.32
EP28PCW	28mm	5391269775187	Card	9 x 12	2.70

EP35PCC	35mm	5391269775279	Card	12 x 15.5	4.80
EP42PCC	42mm	5391269775286	Card	12 x 15.5	5.60




White 1 Piece Pipe Rosettes




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP35PCW	35mm	5391269775194	Card	12 x 15.5	3.14
EP42PCW	42mm	5391269775200	Card	12 x 15.5	3.62



Universal Replacement Rad. Valve Caps - Chrome Plated



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPRRHC	Pk/3	5391269707232	Box	12 x 15.5	10.40
EPRRH1C	Single	5391269707249	Card	12 x 15.5	3.80



Pipe Covers 1m, Pack of 3




Pipe Decoration Covers are made from PVC and are therefore suitable for use with both hot and cold pipes. They simply snap around the copper or plastic pipes and require no fixing. They look smart and avoid the need for painting the pipes as well as the floor! Available in two different finishes: White and Chrome.



EPRS1	White	5391269645763	Card	12 x 110	25.40
EPRS3	Chrome	5391269645787	Card	12 x 110	27.30


Pipe Decoration Hole Trims



Pack of 2, White 2 Piece Pipe Rosettes




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP10PC	10mm	5391269770564	Card 9 x 12	1.92
EP12PC	1/2"	5391269643455	Card 9 x 12	2.08
EP16PC	16mm	5391269770571	Card 9 x 12	2.36
EP34PCA	3/4"	5391269714353	Card 9 x 12	2.78



Pack of 2, Black 2 Piece Pipe Rosettes




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12PCBL	1/2"	5391269796120	Card 9 x 12	2.64



Pack of 2, Chrome 2 Piece Pipe Rosettes



EP10PCC	10mm	5391269775132	Card 9 x 12	2.80
EP12PCC	1/2"	5391269650934	Card 9 x 12	3.02
EP16PCC	16mm	5391269775149	Card 9 x 12	3.54
EP34PCC	3/4"	5391269714360	Card 9 x 12	4.24




110mm 1 Piece Pipe Rosette



EP110PCW	White	5391269775224	Card 18 x 25.5	4.10
EP110PCC	Chrome	5391269775309	Card 18 x 25.5	4.94
EP110PCB	Black	5391269775316	Card 18 x 25.5	4.10


Pipe Covers and Trims Kits





Pack of 2, Cream 2 Piece Pipe Rosettes



EP12PCBE	1/2"	5391269714339	Card 9 x 12	2.42
EP34PCBE	3/4"	5391269714377	Card 9 x 12	3.30




White Pipe Cover Kit




Pack of 2, Brown 2 Piece Pipe Rosettes



EP12PCBR	1/2"	5391269714346	Card 9 x 12	2.42
EP34PCBR	3/4"	5391269714384	Card 9 x 12	3.30



Anthracite Pipe Cover Kit



Pack of 2, Anthracite 2 Piece Pipe Rosettes




EP12PCA	1/2"	5391269796137	Card 9 x 12	2.64
---------	------	---------------	-------------	------

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPTR1A	1/2"	5391269782086	Card 18 x 25.5	4.96

Pipe Covers and Trims Kits

Pipe Covers and Trims Kits




Chrome Pipe Cover Kit



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPTR1C	1/2"	5391269692866	Card 18 x 25.5	5.46
EP22PCK2	3/4"	5391269713059	Card 18 x 25.5	7.88




Black Pipe Cover Kit




EPTR1B	1/2"	5391269782093	Card 18 x 25.5	4.96
--------	------	---------------	----------------	------



Cream Pipe Cover Kit





EPTR1BE	1/2"	5391269763863	Card 18 x 25.5	5.04
EP22PCK3	3/4"	5391269713066	Card 18 x 25.5	5.50



Brown Pipe Cover Kit





Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPTR1BR	1/2"	5391269763870	Card 18 x 25.5	5.04
EP22PCK4	3/4"	5391269713073	Card 18 x 25.5	5.50





Four Radiator Decoration Kit

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPRDK1	White	5391269670154	Card 25.5 x 37	13.58
EPRDK2	Chrome	5391269670161	Card 25.5 x 37	16.20



Single Radiator Refurbishment Kit

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPSRRK1	White	5391269707126	Card 18 x 25.5	7.76
EPSRRK2	Chrome	5391269707133	Card 18 x 25.5	8.10



Three Radiator Refurbishment Kit

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPRRK1	White	5391269707164	Card 25.5 x 37	20.90
EPRRK2	Chrome	5391269707171	Card 25.5 x 37	23.58

Water Filtering, Purification & Softening Kits. Replacement Cartridges

Introduction

Domestic Water Filtration and Purification is something that has become more important to consumers today than ever before. Pollution of our rivers, lakes and reservoirs has regrettably become increasingly acute in recent years, most of which is directly attributable to the effects of acid rain, factory discharge and the widespread use of chemicals ultimately finding their way into our water supply. Most of our municipal water supply comes from these sources, which, although treated before introduction to our water mains, contain many contaminants such as sand, silt, dirt, rust particles, organic chemicals, sulphur, pesticides, herbicides, atmospheric gases and minerals. Unpleasant tastes, odours and poor clarity are a common feature of our water supply today.



Water Filter Kit



Stock Code	Filter	Barcode	Package Type & Size (cm)		€
EPWFK1	5µm	5391269692620	Box	15 x 37	38.50



Sediment Captor


Depending on choice, Cartridges remove Sediment Particles greater than 1, 5, 10 & 25 micron and improve the clarity of the water.

Stock Code	Filter	Barcode	Package Type & Size (cm)		€
EPWFK2	Sediment & Charcoal	5391269692637	Box	30 x 37	73.50

EP1F	1µm	5391269670161	Hanger	6 x 35	5.80
EP2F	5µm	5391269692583	Hanger	6 x 35	5.80
EP6F	10µm	5391269743001	Hanger	6 x 35	5.80
EP7F	25µm	5391269743018	Hanger	6 x 35	5.80



* Sediment and Charcoal & Sodium Saturated Filters




EP3F	2	5391269692590	Hanger	7 x 35	8.30
EP4F	3	5391269692606	Hanger	7 x 35	10.00
EP5F	1	5391269692613	Hanger	7 x 35	11.50

EP5MFW	5µm	5391269796144	Hanger	6 x 35	7.00
EP10MFW	10µm	5391269796151	Hanger	6 x 35	7.00



Stock Code	Stock Filter	Barcode	Package Type & Size (cm)		€
EPWFK3	Pk/2*	5391269692644	Box	45 x 37	105.00

Waste Outlets




Basin Waste with Plug & Chain




This is an image of a "Slotted" Waste Outlet

1 1/4" Slotted, with Poly Plug & Chain


Basins with an overflow require a waste outlet that is **Slotted**.



Basins without an overflow require a waste outlet that is **Unslotted**.



Stock Code	Barcode	Package Type & Size (cm)		€
EPWST300	5391269694617	Card	12 x 15.5	10.58



Basin Waste with Plug & Chain



1 1/4" Slotted, with C.P. Plug & Chain


Stock Code	Barcode	Package Type & Size (cm)		€
EPWST600	5391269643004	Card	12 x 15.5	11.34

1 1/4" Unslotted, with C.P. Plug & Chain

Stock Code	Barcode	Package Type & Size (cm)		€
EPWST900	5391269643011	Card	12 x 15.5	11.34



Basin Waste with Flush Popper Plug



1 1/4" Slotted, c/w Popper Plug


Stock Code	Barcode	Package Type & Size (cm)		€
EPWST100	5391269643134	Card	12 x 15.5	13.24

1 1/4" Unslotted, c/w Popper Plug

Stock Code	Barcode	Package Type & Size (cm)		€
EPWST101	5391269643141	Card	12 x 15.5	13.80



Basin Waste with Swivel Plug




1 1/4" Slotted, c/w Swivel Plug

Stock Code	Barcode	Package Type & Size (cm)		€
EPSBWSP	5391269643028	Card	12 x 15.5	14.72

1 1/4" Unslotted, c/w Swivel Plug

Stock Code	Barcode	Package Type & Size (cm)		€
EPUSBWSP	5391269643035	Card	12 x 15.5	15.36



Traditional Chrome Plate on Brass



1 1/2" with 2" Unslotted Tail & C.P. Plug and Chain

Stock Code	Barcode	Package Type & Size (cm)		€
EPWST104	5391269762255	Header	12 x 16	11.60



Sink Waste



1 1/2" with 2" Unslotted Popper Bath/Sink Waste

Stock Code	Barcode	Package Type & Size (cm)		€
EPWST102	5391269643158	Header	12 x 16	15.50



1 1/2" x 3 1/2" Slotted Tail c/w Poly Plug (Belfast) Sink Waste



Stock Code	Barcode	Package Type & Size (cm)		€
EP112LTSW	5391269643073	Card	12 x 15.5	16.50

Traditional, 1 1/2" x 3 1/2" Unslotted Tail with Poly Plug (London)

Stock Code	Barcode	Package Type & Size (cm)		€
EP112LTSWU	5391269643080	Card	12 x 15.5	16.50

Wastes Outlets, Plugs, Chains, Strainers, Blanks & Accessories



1 1/2" PVC Sink Waste with Round Overflow

Stock Code	Barcode	Package Type & Size (cm)	€
EPFSW2PC	5391269621477	Card 25.5 x 29	9.76



1 1/2" PVC Sink Waste with Rect. Overflow


Stock Code	Barcode	Package Type & Size (cm)	€
EPFSW2PR	5391269643042	Card 25.5 x 29	10.54



Basin Strainer Waste Set



EPBSW50P	3 1/2"	5391269621484	Card	18 x 18	18.50
----------	--------	---------------	------	---------	-------




3 1/2" Basket Strainer Sink Waste with Round & Rectangular Overflow Components

EP312BSWC	5391269781492	Card	25.5 x 37	24.50
-----------	---------------	------	-----------	-------

1 1/2" PVC Sink Waste with Plug & Overflow Blank



Stock Code	Barcode	Package Type & Size (cm)	€
EPBSW6BP	5391269643059	Box 9 x 10	9.10




1 1/2" Bath Assembly Set with Plug & Chain

EP112BAS	5391269621514	Card	25.5 x 37	11.92
----------	---------------	------	-----------	-------



Bath Waste & Over Flow with Popper Plug



EPWIRQ31	5391269694624	Box	26 x 38	32.00
----------	---------------	-----	---------	-------



Bath Waste & Over Flow with Remote Plug Control




EPWIRQ14	5391269643219	Box	26 x 38	29.70
----------	---------------	-----	---------	-------

Wastes Outlets, Plugs, Chains, Strainers, Blanks & Accessories



1 1/2" Combined Shower Trap with Waste & Removable Grid


Stock Code	Barcode	Package Type & Size (cm)		€
EP112SWC	5391269694600	Box	14 x 13	12.20



Grid Flanges



Stock Code	Colour	Barcode	Package Type & Size (cm)		€
EPSTWGRWH	White	5391269796168	Card	9 x 12	4.08



Dip Tube




EPSTW19TUBE	19mm	5391269796175	Card	9 x 12	3.10
-------------	------	---------------	------	--------	------




Replacement Swivel Plug



EPSPLUG	5391269782109	Card	9 x 12	3.50
---------	---------------	------	--------	------



52mm Sink Waste Plug



EPBPH5H	5391269744893	Card	12 x 15.5	4.50
---------	---------------	------	-----------	------




Extension Ferrule for Basket Wastes



EPBR70	70mm	5391269796182	Card	9 x 12	4.90
EPBR90	90mm	5391269796199	Card	9 x 12	8.92



Poly Plug and Chain Sets



EPPC1

EPPC2

EPPC3


EPPC1	Basin	5391269621545	Card	9 x 12	2.94
EPPC2	Sink	5391269621552	Card	9 x 12	2.94
EPPC3	Bath	5391269621569	Card	9 x 12	2.94



Strainer Plug for Basket Strainer Waste



EPBS83	83mm	5391269744886	Card	12 x 15.5	7.24
--------	------	---------------	------	-----------	------



C.P. Plug and Chain Sets




EPPC4

EPPC5

EPPC6

EPPC4	Basin	5391269621576	Card	9 x 12	5.24
EPPC5	Sink	5391269621583	Card	9 x 12	5.24
EPPC6	Bath	5391269621590	Card	9 x 12	5.24




70mm Universal Stainless Steel Strainer



EPBS70	S/S	5391269796205	Card	9 x 12	2.50
--------	-----	---------------	------	--------	------




Wastes Outlets, Plugs, Chains, Strainers, Blanks & Accessories




Mesh Stainless Steel Waste Outlet Strainer (110mm x 25mm)




Stock Code	Barcode	Package Type & Size (cm)	€
EPBS70M	5391269796212	Card 12 x 20	2.50




Basin Overflow Trim



EPBOT	5391269729135	Card 9 x 12	2.20
EPCPOFR	5391269645565	Card 9 x 12	2.20




Basin Overflow Trim



Simply and Smartly covers and enhances the overflow hole in a Wash Hand basin. No fixings required - just snaps into position.


EPBOTB	5391269796229	Card 9 x 12	4.20
--------	---------------	-------------	------



Tap Hole Blank



EPWTHS	White	5391269621521	Card 9 x 12	2.48
EPCPTHs	C.P.	5391269621538	Card 9 x 12	2.98




Universal Drain Stopper



Will lay flat and seal over most sink waste outlets


EPWIRQ17	5391269643233	Card 12 x 15.5	8.60
----------	---------------	----------------	------



Replacement Plug for Pop Up Waste




EPPUWP	5391269707225	Card 9 x 25.5	6.30
--------	---------------	---------------	------




Replacement Heavy Plug c/w Hair Grid



EPHPUWP	5391269760312	Card 9 x 25.5	7.42
---------	---------------	---------------	------



Hair Traps




Drops over a sink or shower waste to trap hairs and other materials


EPWWOG	White	5391269738069	Card 12 x 15.5	3.30
EPCPWOG	C.P.	5391269738076	Card 12 x 15.5	3.50
EPWIRQ18	White	5391269643240	Card 12 x 15.5	3.30
EPWIRQ19	C.P.	5391269643257	Card 12 x 15.5	3.50

Wastes Outlets, Plugs, Chains, Strainers, Blanks & Accessories


Replacement Silicone Washer for Popper Waste Plug



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114SW	1 1/4"	5391269760107	Card 9 x 15.5	1.88





Basin Waste Fitting Seal Kit




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114WSK	1 1/4"	5391269714940	Card 9 x 25.5	3.52


Articulated Rod Connector for Pop Up Waste




Stock Code	Barcode	Package Type & Size (cm)	€
EPRCON	5391269760091	Card 9 x 12	4.98



Silicone Seal Set for Basin Waste





Sink Overflow Stopper



If an overflow is not required, this fitting passes through the sink or basin overflow and is secured from behind.


Stock Code	Barcode	Package Type & Size (cm)	€
EPSOS	5391269643127	Card 9 x 12	2.64

1 1/4" Waste Extension



Suitable for 1 1/4" Traps


Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114WEP	1 1/4"	5391269728350	Card 9 x 19	4.24



1 1/2" Waste Adaptor




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP112ADP	1 1/2"	5391269728398	Card 9 x 19	4.46




Waste Trap Seal Kit

Suitable for both "P" & "S" Traps



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114TSK	1 1/4"	5391269714872	Card 9 x 19	3.20
EP112TSK	1 1/2"	5391269714889	Card 9 x 19	3.20



P Traps



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114P112	1 1/4"	5391269621798	Card 18 x 25.5	6.50
EP112P112	1 1/2"	5391269621811	Card 18 x 25.5	7.10



Telescopic Pedestal Trap



EPMK114PT	1 1/4"	5391269796243	Card	18 x 25.5	13.50
-----------	--------	---------------	------	-----------	-------



P Traps (Adjustable Height)



EP114P112A	1 1/4"	5391269718788	Card	18 x 25.5	9.90
EP112P112A	1 1/2"	5391269718795	Card	18 x 25.5	10.68



Bath Trap



EP112B	1 1/2"	5391269621873	Card	18 x 25.5	6.90
--------	--------	---------------	------	-----------	------




S Traps




EP114S112	1 1/4"	5391269621835	Card	18 x 25.5	7.10
EP112S112	1 1/2"	5391269621859	Card	18 x 25.5	7.60



Flexible Traps



EP114FT	1 1/4"	5391269621965	Card	18 x 25.5	10.48
EP112FT	1 1/2"	5391269621972	Card	18 x 25.5	10.96



Pedestal Trap



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114PT	1 1/4"	5391269621958	Card 18 x 25.5	10.26



Unitrap Waterless Waste Trap


Incorporates a Silicone Self Closing Seal which:

- Makes it ideal for infrequently used basins, sinks, baths & shower trays
- Fits in tight spaces
- Allows waste water to easily drain
- Does not rely on a water trap that could evaporate
- Prevents drain smells from entering via a waste outlet



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPUT3240	1 1/4" / 1 1/2"	5391269796250	Card 18 x 25.5	26.50


Waste Traps & Washers



Bottle Traps



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114BT	1¼"	5391269621880	Card 18 x 25.5	10.74
EP112BT	1½"	5391269621897	Card 18 x 25.5	11.84



Universal Fitting Bottle Trap




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPUBT	1¼" / 1½"	5391269696338	Card 18 x 25.5	14.60



Running Trap




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP112R112	1½"	5391269621903	Card 18 x 25.5	11.32



Sink Trap Double Inlet Conversion Kit



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP112STHU	1½"	5391269775125	Card 18 x 25.5	6.82



Inlet Trap Washers




Outlet Trap Washers

Inlet Trap Washers, Pack 5

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP114TW	1¼"	5391269622009	Card 9 x 12	3.00
EP112TW	1½"	5391269622016	Card 9 x 12	3.00

Outlet Trap Washers, Pack 5


EP114OTW	1¼"	5391269622023	Card 9 x 12	3.20
EP112OTW	1½"	5391269622030	Card 9 x 12	3.20



Single Inlet Appliance Trap



EP112PHU	1½"	5391269621927	Card 25.5 x 37	11.02
----------	-----	---------------	----------------	-------



Double Inlet Appliance Trap



EP112PHU2	1½"	5391269621934	Card 25.5 x 37	11.82
-----------	-----	---------------	----------------	-------



Washing Machine Standpipe Double Entry Tee


The spare cap and washer enables closure of one of the connections until later required.

EPWMSPT	5391269749348	Card 27 x 30	10.04
---------	---------------	--------------	-------




1 1/2" Washing Machine Trap

Facilitates the installation of both a Washing Machine and a Dish Washer (or two appliances of the same type) to a single 40mm standpipe and waste outlet. The micro-vented design incorporates features which prevent discharge of waste water into the opposing connections.




Stock Code	Barcode	Package Type & Size (cm)	€
EP112WM	5391269621941	Card 18 x 77	11.32



Straight/Angled Hose Union Connection & Nut only




EP34HUC	5391269692347	Card	9 x 20	2.20
EP34HUCA	5391269749355	Card	9 x 20	2.60




Hose Union Connection Blanking Cap

Used to close off these ports on the waste system if Hose Unions are not used



EP34HUBCT	5391269760077	Card	9 x 20	2.50
-----------	---------------	------	--------	------




Waste Outlet Kit for One & a Half Bowl Sinks, 1 1/2" x 40mm


Connections are provided for dishwasher and/or washing machine drainage, otherwise close with provided caps.



Stock Code	Barcode	Package Type & Size (cm)	€
EP112OK112B	5391269754861	Card 56 x 50	31.36




Waste Outlet Kit for Double Bowl Sinks, 1 1/2" x 40mm



EP112OK2B	5391269754878	Card	56 x 50	32.96
-----------	---------------	------	---------	-------

Flexible Waste Pipe & Fittings




Flexible Waste Pipe, 3M

Make your own Flexible Waste Pipe Assemblies!



Flexible Waste Connectors, Pack 2



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP3M32FW	32mm	5391269641741	Card	35 x 52	21.26
EP3M40FW	40mm	5391269641758	Card	35 x 52	23.30

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP32FWC	32mm	5391269641765	Card	18 x 25.5	5.20
EP40FWC	40mm	5391269641772	Card	18 x 25.5	5.20



Short Miniflex Flexible Connector, 125 to 175mm




Flexible Waste Coupling

Used to overcome awkward waste pipe alignment problems



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPMF114	1¼"	5391269796267	Card	18 x 25.5	11.30
EPMF112	1½"	5391269796274	Card	18 x 25.5	11.90

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPFWC32	32mm	5391269716821	Card	18 x 25.5	8.50
EPFWC40	40mm	5391269716838	Card	18 x 25.5	8.50



wirquin

EPWIRQ8	32mm	5391269641673	Card	18 x 25.5	13.28
EPWIRQ9	40mm	5391269641680	Card	18 x 25.5	14.20

01. Flexible Waste Assembly - M x M

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP32FWA12	50cm x 32mm	5391269641703	Card	12 x 60	7.98
EP40FWA12	50cm x 40mm	5391269641710	Card	12 x 60	9.32
EP32FWA1	100cm x 32mm	5391269641727	Card	12 x 110	11.96
EP40FWA1	100cm x 40mm	5391269641734	Card	12 x 110	14.20

02. Flexible Waste Assembly - F x F

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPFWA3250	50cm x 32mm	5391269780310	Card	12 x 60	7.98
EPFWA4050	50cm x 40mm	5391269780334	Card	12 x 60	9.32
EPFWA32100	100cm x 32mm	5391269780327	Card	12 x 110	11.96
EPFWA40100	100cm x 40mm	5391269780341	Card	12 x 110	14.20

Use solvent cement such as Fusetite to glue the waste pipes into each end of this flexible waste pipe assembly.



01.



02.



Waste Pipe




Stock Code	Size	Barcode	Package Type	€
EP15M32	1.5m x 32mm	5391269764280	Loose	5.50
EP15M40	1.5m x 40mm	5391269764297	Loose	7.28
EP15M50	1.5m x 50mm	5391269764303	Loose	10.28
EP3M32	3m x 32mm	5391269621606	Loose	8.50
EP3M40	3m x 40mm	5391269621613	Loose	11.34
EP3M50	3m x 50mm	5391269764310	Loose	16.14



Pipe Clips, Pack 2

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP32PCW	32mm	5391269621774	Card 9 x 12	2.00
EP40PCW	40mm	5391269621781	Card 9 x 12	2.00
EP50PCW	50mm	5391269758012	Card 9 x 12	2.20



Pipe Hole Covers

Stock Code	Size	Finish	Barcode	Package Type & Size (cm)	€
EP40C	32/40mm	White	5391269692330	Card 9 x 12	2.20
EP40CCP	32/40mm	Chrome	5391269716876	Card 9 x 12	4.00



Push Fit Waste Pipe Fittings



Straight Coupling

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPF1141	1¼"/32mm	5391269692217	Card 9 x 12	2.64
EPF1121	1½"/40mm	5391269692224	Card 9 x 12	2.64

45° Bend

EPF1144	1¼"/32mm	5391269692279	Card 12 x 15.5	2.64
EPF1124	1½"/40mm	5391269692286	Card 12 x 15.5	2.64



90° Knuckle Elbow

EPF1142	1¼"/32mm	5391269692231	Card 12 x 15.5	2.64
EPF1122	1½"/40mm	5391269692248	Card 12 x 15.5	2.64

90° Tee

EPF1145	1¼"/32mm	5391269692293	Card 12 x 15.5	3.62
EPF1125	1½"/40mm	5391269692309	Card 12 x 15.5	3.62



90° Swept Elbow


EPF1143	1¼"/32mm	5391269692255	Card 12 x 15.5	2.78
EPF1123	1½"/40mm	5391269692262	Card 12 x 15.5	2.78

Solvent Weld Waste Pipe Fittings



Straight Coupling

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP32CW1	32mm	5391269650828	Card	9 x 12	1.80
EP40CW1	40mm	5391269650866	Card	9 x 12	1.80
EP50CW	50mm	5391269757916	Card	12 x 15.5	2.30



45° Bend

EP32BW1	32mm	5391269650859	Card	12 x 15.5	1.80
EP40BW1	40mm	5391269650897	Card	12 x 15.5	1.80
EP50BW	50mm	5391269757930	Card	12 x 15.5	2.50



45° M x F Bend

EP32BWMF	32mm	5391269796304	Card	12 x 15.5	2.30
EP40BWMF	40mm	5391269796311	Card	12 x 15.5	2.30



90° Swept Elbow

EP32EW1	32mm	5391269650835	Card	12 x 15.5	2.20
EP40EW1	40mm	5391269650873	Card	12 x 15.5	2.20
EP50EW	50mm	5391269757923	Card	12 x 15.5	2.70



Knuckle Elbow

EP32KW1	32mm	5391269650842	Card	12 x 15.5	1.80
EP40KW1	40mm	5391269650880	Card	12 x 15.5	1.80
EP50KW	50mm	5391269764365	Card	12 x 15.5	2.50



M x F Knuckle Elbow

EP32KWMF	32mm	5391269713134	Card	12 x 15.5	2.30
EP40KWMF	40mm	5391269713141	Card	12 x 15.5	2.30
EP50KWMF	50mm	5391269796281	Card	12 x 15.5	3.20



45° Tee

EP3245TW	32mm	5391269621705	Card	12 x 15.5	2.90
EP4045TW	40mm	5391269621712	Card	12 x 15.5	2.90
EP5045TW	50mm	5391269757954	Card	18 x 25.5	4.20



90° Tee

EP3290TW	32mm	5391269621682	Card	12 x 15.5	2.30
EP4090TW	40mm	5391269621699	Card	12 x 15.5	2.30
EP5090TW	50mm	5391269757947	Card	12 x 15.5	3.20



90 Deg. Cross Tees

EP40CTW	40mm	5391269796335	Card	12 x 15.5	6.90
EP50CTW	50mm	5391269796342	Card	18 x 25.5	10.50




Access Plug

EP32PW	32mm	5391269621729	Card	9 x 12	2.30
EP40PW	40mm	5391269621736	Card	9 x 12	2.30
EP50PW	50mm	5391269757961	Card	12 x 15.5	3.60



Straight Tank Connector

EPOFTC32	32mm	5391269770588	Card	9 x 12	4.60
EPOFT40	40mm	5391269796328	Card	9 x 12	9.40



Male Threaded Adaptor

EP11432W	1 1/4" x 32mm	5391269755851	Card	9 x 12	2.20
EP11240W	1 1/2" x 40mm	5391269755868	Card	9 x 12	2.20

Female Threaded Adaptor



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP11432FW	1¼" x 32mm	5391269755875	Card	9 x 12	2.20
EP11240FW	1½" x 40mm	5391269755882	Card	9 x 12	2.20




Air Admittance Valve

EP3240AAV	32/40mm	5391269714407	Card	12 x 15.5	14.46
EP50AAV	50mm	5391269758005	Card	12 x 15.5	21.38

Reducer

EP4022W	40 x 22mm	5391269796359	Card	9 x 12	2.20
EP4032W	40 x 32mm	5391269621743	Card	9 x 12	1.90
EP3222W	32 x 22mm	5391269714391	Card	9 x 12	2.20
EP5032W	50 x 32mm	5391269796366	Card	12 x 15.5	2.70
EP5040W	50 x 40mm	5391269757978	Card	12 x 15.5	2.70



Waste Pipe

Black Solvent Weld Waste Pipe Fittings

Stock Code	Size	Barcode	Package Type	€
EP15M32B	1.5m x 32mm	5391269781423	Loose	6.10
EP15M40B	1.5m x 40mm	5391269781447	Loose	8.08
EP3M32B	3m x 32mm	5391279681430	Loose	9.46
EP3M40B	3m x 40mm	5391269781454	Loose	12.64




Straight Coupling

EP32CB	32mm	5391269781225	Card	9 x 12	2.00
EP40CB	40mm	5391269781232	Card	9 x 12	2.00


45° Bend

EP32BB	32mm	5391269781249	Card	12 x 15.5	2.10
EP40BB	40mm	5391269781256	Card	12 x 15.5	2.10



Knuckle Elbow

EP32KB	32mm	5391269781263	Card	12 x 15.5	2.10
EP40KB	40mm	5391269781270	Card	12 x 15.5	2.10




90° Tee

EP3290TB	32mm	5391269781300	Card	12 x 15.5	2.70
EP4090TB	40mm	5391269781317	Card	12 x 15.5	2.70



Pipe Clips

EP32PCB	32mm	5391269781324	Card	9 x 12	2.40
EP40PCB	40mm	5391269781331	Card	9 x 12	2.40



Reducer

EP4032B	40 x 32mm	5391269796380	Card	9 x 12	2.20
---------	-----------	---------------	------	--------	------

Access Plug

EP32PB	32mm	5391269781287	Card	9 x 12	2.90
EP40PB	40mm	5391269781294	Card	9 x 12	2.90



Compression Waste Pipe Fittings - White



Straight Coupling

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPU1141	32m/1¼"	5391269622047	Card	12 x 15.5	3.90
EPU1121	40m/1½"	5391269622054	Card	12 x 15.5	3.90



Reducing Coupling

EPU112R	40mm/1½" x 32m/1¼"	5391269692170	Card	12 x 15.5	3.90
---------	--------------------	---------------	------	-----------	------

45° Bend

EPU1143	32m/1¼"	5391269622085	Card	12 x 15.5	3.90
EPU1123	40m/1½"	5391269622092	Card	12 x 15.5	3.90




90° Elbow

EPU1142	32m/1¼"	5391269622061	Card	12 x 15.5	3.90
EPU1122	40m/1½"	5391269622078	Card	12 x 15.5	3.90



90° Tee

EPU1144	32m/1¼"	5391269622108	Card	12 x 15.5	5.50
EPU1124	40m/1½"	5391269622115	Card	12 x 15.5	5.50



Outlet Nut

EP114OTN	32m/1¼"	5391269621989	Card	12 x 15.5	1.80
EP112OTN	40m/1½"	5391269621996	Card	12 x 15.5	1.80

McAlpine Swivel Elbows only



EPS4U	32m/1¼"	5391269796397	Card	12 x 15.5	7.30
EPT4U	40m/1½"	5391269796403	Card	12 x 15.5	7.56



Installation Instructions


Square cut the pipe ends square and remove rough edges and chamfer with a file. Push the back nut A and black rubber washer B over the pipe in the order shown. Push the pipe into the fitting socket until it reaches the stop. Fit the washer into the opening of the socket, ensuring that the tapered sides of the washer and socket are evenly mated - the sharp end of the washer goes into the fitting. Offer the back nut to the fitting and hand tighten, ensuring not to over-tighten.

Do not use tools to tighten joints on this type of plastic plumbing.



40mm Flexible Socket Insert


EP40FSI	40mm	5391269774593	Card	9 x 19	3.40
---------	------	---------------	------	--------	------



Overflow Pipe



Stock Code	Size	Barcode	Package Type	€
EPOFP	3m x 21mm	5391269622238	Loose	5.26





Straight Couplings

Stock Code	Size	Barcode	Package Type	Card Size	€
EPOF1	Pk/2	5391269622245	Card	12 x 15.5	2.48

90° Elbow Couplings

EPOF12	Pk/2	5391269622252	Card	12 x 15.5	2.48
--------	------	---------------	------	-----------	------





Tee

EPOF24	N/A	5391269622269	Card	12 x 15.5	2.04
--------	-----	---------------	------	-----------	------

45° Elbow Couplings

EPOF21	Pk/2	5391269749577	Card	12 x 15.5	2.48
--------	------	---------------	------	-----------	------





Straight Tank Connector

EPOFTC1	21mm	5391269622276	Card	12 x 15.5	2.52
EPOFTC32	32mm	5391269770588	Card	12 x 15.5	4.60


Bent Tank Connector

EPOFTC2	5391269622283	Card	12 x 15.5	2.52
---------	---------------	------	-----------	------



Pipe Clip (Pack of 4)

EPOFCLIP	22mm	5391269796410	Card	9 x 12	2.80
----------	------	---------------	------	--------	------




Overflow Female Iron Adaptor

EPOFFIA	22mm x 3/4"	5391269796427	Card	9 x 12	2.40
---------	-------------	---------------	------	--------	------




Overflow Male Iron Adaptor

EPOFMIA	22mm x 3/4"	5391269797325	Card	9 x 12	2.40
---------	-------------	---------------	------	--------	------




Pan Connectors



Straight Pan Connector



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSPC	4"	5391269622146	Card	18 x 25.5	7.84



Offset Pan Connector




Stock Code	Size	Barcode	Package Type	Size (cm)	€
EPOPC	4"	5391269622184	Card	18 x 25.5	8.40

Pan Connector Extension



Stock Code	Size	Barcode	Package Type	Size (cm)	€
EPEPC	4"	5391269622160	Hanger	11 x 31	9.70


90° Flexible Pan Connector



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPFPC90	4"	5391269706709	Hanger	17 x 38	22.56

Fixed 90° Pan Connector


Designed for a right angled connection from a WC Pan to a soil or sewer pipe



The Connector may be shortened by up to 90 mm, but only in 2 x 45mm steps which are identified by the ribs. To shorten, remove the flexible barbed section from the body. Square cut the body on the underside of the chosen rib, remove any rough edges and replace the barbed section.

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP90PC	4"	5391269622122	Hanger	17 x 36	10.40

Fixed 90° Pan Connector with a 32mm (1¼") Waste Pipe Inlet



The Connector may be shortened by up to 90 mm, but only in 2 x 45mm steps which are identified by the ribs. To shorten, remove the flexible barbed section from the body. Square cut the body on the underside of the chosen rib, remove any rough edges and replace the barbed section.


Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPWPC4	4"	5391269714957	Hanger	17 x 37.5	12.50

90° Space Saving Pan Connector

The Connector may be shortened by 65mm. To do so, slide off the barbed section and square cut the body 65mm from the bottom. Remove any rough edges and replace the barbed section.




Designed for a right angled connection from a WC Pan to a soil or sewer pipe, and where space is limited.





Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSSPC	4"	5391269622177	Hanger	15 x 41	13.30

Pan Connectors



Straight Flexible Pan Connector



Flexible & Extendable Pan Connector with Clamp



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPFPC	4"	5391269622214	Card 25.5 x 37	11.00

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPOPCFX3	4"	5391269781393	Card 25.5 x 37	19.50

Flexible & Extendable Pan Connectors Waterline




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPFPC45	200 - 400mm	5391269796472	Hanger 14 x 27.5	13.28
EPFPC65	275 - 675mm	5391269796489	Hanger 14 x 31.5	14.04

This Pan Connector is ideal when installing Back to Wall WC Pans. It allows for the pan to be pulled in and out without the Connector uncoupling from the spigot. It makes the installation easier and provides peace of mind to the installer.



WC Pan Connector Cover



1. Floor Version

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPCCF	4"	5391269760428	Card 18 x 25.5	6.30

2. Wall Version

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPCCW	4"	5391269760435	Card 18 x 25.5	6.70

The WC Pan Connector Cover provides a solution to the unsightly appearance where a 110mm toilet waste pipe passes through the wall of the bathroom. It is very quickly fitted and can be used anywhere. It provides a hygienic pleasing and aesthetic finish. A version to cover the passage through a floor is also available.



Extended Straight Pan Connector

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPOPCSE	4"	5391269796496	Hanger 14 x 36	10.40



Extended WC Connection Set



16 0002

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPWCFP9	90 x 220mm	5391269798926	Card 30 x 25.5	7.60



Universal Pan Connector Seal



This seal is suitable for all of the white pan connectors of the design illustrated on pages 594 & 595 which have an external diameter of approximately 92mm.

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)	€
EP90PCS	90 x 110	5391269622139	Card 15 x 20	3.98

Soil Pipe Fittings



3m Length of 4" Black Pipe



S/S



90° Elbow with Access

D/S

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPS3M4P	3m x 4"	5391269714490	Loose	31.50

EPS490SD	4"	5391269709267	Tag	20 x 18	11.20
EPS490D	4"	5391269709274	Tag	20 x 18	12.62



Single Socket



Double Socket

15° Bend



Double Socket



Triple Socket

90° Plain Branch

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPS415SS	4"	5391269709182	Tag 13 x 22	6.94
EPS415DS	4"	5391269709199	Tag 13 x 22	7.70

EPS4SSB	4"	5391269709281	Tag	18 x 32	11.90
EPS4DSB	4"	5391269709298	Tag	18 x 32	12.12



S/S



D/S

30° Bend



D/S



T/S

90° Access Branch

EPS430SS	4"	5391269709205	Tag 13.5 x 22	6.94
EPS430DS	4"	5391269709212	Tag 13.5 x 22	7.70

EPS4SSBD	4"	5391269709304	Tag	23 x 32	13.66
EPS4DSBD	4"	5391269709311	Tag	23 x 32	18.28



S/S



D/S

45° Bend



90° Cross Branch - 3 Socket

EPS445SS	4"	5391269709229	Tag 14 x 22	6.94
EPS445DS	4"	5391269709236	Tag 14 x 22	7.70

EPSCB	4"	5391269709328	Tag	30 x 33	36.90
-------	----	---------------	-----	---------	-------



S/S



D/S

90° Elbow



45 Deg. Triple Socket "Y" Branch

EPS490SS	4"	5391269709243	Tag	20 x 18	7.76
EPS490DS	4"	5391269709250	Tag	20 x 18	8.38

EPS445DSB	4"	5391269796519	Tag	30 x 32	13.32
-----------	----	---------------	-----	---------	-------



Straight Coupling

Similar to Straight Coupling, but without the pipe stop so can be moved along a pipe to cover a break or fracture.

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSC	4"	5391269709175	Tag	12 x 20	6.18

Repair Coupling

EPSC	4"	5391269709175	Tag	12 x 20	6.18
------	----	---------------	-----	---------	------



Straight Coupling with Access Plug


EPSCA	4"	5391269796526	Tag	14 x 34	15.86
-------	----	---------------	-----	---------	-------

4" Adjustable Black Soil Pipe Bend



Easy twist action adjustability between 0° and 90°!

EPS490AD6	4"	5391269796540	Tag	13 x 35	11.20
-----------	----	---------------	-----	---------	-------




110mm Strap on Boss Branch



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPS32SOB	110mm x 32mm	5391269713226	Card	18 x 25.5	9.40
EPS40SOB	110mm x 40mm	5391269713233	Card	18 x 25.5	9.40
EPS50SOB	110mm x 50mm	5391269713240	Card	18 x 25.5	9.40

This product offers the possibility to simplify and conveniently tap into an existing 110mm plastic soil/sewer pipe to facilitate connection of a waste pipe of various diameters

Soil Pipe Insert Plug




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP100RP	4" Double Inlet 32/40mm	5391269645626	Card	18 x 25.5	6.80
EP100RP2	4" Single Inlet 32/40mm	5391269651030	Card	18 x 25.5	7.48
EP100RP50	Single Inlet 50mm	5391269706686	Card	18 x 25.5	7.48

Note: Insert Rubber Plugs are made from EPDM quality rubber. They are suitable for both internal and external use. They are designed to fit inside a fitting socket and will accept 32, and/or 40 and 50mm Waste Pipes. They are supplied with the conical shaped inlets closed so that they may be cut to size on site.




Temporary Soil Pipe Insert Plug



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSTP	4"	5391269781416	Card	13.5 x 17	5.80

Insert PVC Plug and Reducer



1. 50mm Ø Inlet

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP4X2P	4"	5391269764372	Tag	12 x 15	6.04

2. 40mm Ø Inlets


EP4X2P2	2 x 4"	5391269692507	Tag	12 x 15	7.50
---------	--------	---------------	-----	---------	------

Access Plug



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPSP	4"	5391269709366	Tag	12 x 15	6.40

Soil Pipe Fittings



110mm Boss Branch



Secure with Fusitite Solvent Cement



110mm Vent Cowl



Standard Vent Cowl used to Vent Outside the Building

- Facilitates Venting Foul Soil Pipes at High Level
- Prevents Bird Entry
- Solvent Weld Joint

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPS32BB	4" x 32mm	5391269709335	Card	18 x 25.5	6.84
EPS40BB	4" x 40mm	5391269709342	Card	18 x 25.5	7.30
EPS50BB	4" x 50mm	5391269709359	Card	18 x 25.5	7.88




Back-Flow & Rodent Prevention Valve



Stock Code	Barcode	Package Type & Size (cm)		€
EPARB-1	5391269781409	Card	18 x 25.5	8.50


- Will prevent cross-flow if fitted to WC pans that are installed back to back
- For use where special measures are necessary for control of rodents as recommended in Approved Document H1 The Building regulations 2000
- Deters rodents from entering building through WC
- For use in conjunction with most WC Pan Connectors
- In the event of flooding it will prevent the toilet from overflowing



110mm 1 Piece Pipe Rosette



EP110PCW	White	5391269775224	Card	18 x 25.5	4.10
EP110PCC	Chrome	5391269775309	Card	18 x 25.5	4.94
EP110PCB	Black	5391269775316	Card	18 x 25.5	4.10



4" Automatic Vent Cowl (Air Admittance Valve)



NB. Soil Pipes MUST be Vented



Usually situated on the top of the soil pipe in the roof space where it must have access to a free air supply. **DO NOT** locate the Cowl externally.

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP110AAV	4"	5391269709397	Card	18 x 40	31.40

Used to Vent Inside the Building

- Facilitates free entry of air into Soil Pipe inside the building
- Prevents escape of foul gases into the building
- Solvent weld joint
- Quick and easy to install

Pipe Clips, Pack of 2



EP100SPC	4"	5391269709380	Card	18 x 25.5	5.20
----------	----	---------------	------	-----------	------


Soil Pipe Fittings



Gully Grid - Plastic




Stock Code	Barcode	Package Type & Size (cm)	€
EP6X6PGG	5391269694365	Card 18 x 25.5	2.90




Gully Grid - Aluminium



Stock Code	Barcode	Package Type & Size (cm)	€
EP6X6GG	5391269622221	Card 18 x 25.5	5.50



Gully Trap c/w Hopper Grid & 45 Deg Bend



Stock Code	Barcode	Package Type & Size (cm)	€
EPGULLEY1	5391269709731	Card 50 x 50	29.00

Garden Hose & Accessories



1/2" Snap Female W Stop



Stock Code	Barcode	Package Type & Size (cm)	€
FI51620	5391269781751	Card 9 x 12	3.68



Snap On Hose Connector



Stock Code	Barcode	Package Type & Size (cm)	€
FI51630	5391269781768	Card 9 x 12	3.28



1/2" Hose Connector




Stock Code	Barcode	Package Type & Size (cm)	€
FI51600	5391269781782	Card 9 x 12	3.00



Snap On Hose Tap Connector 1/2" - 3/4"



Stock Code	Barcode	Package Type & Size (cm)	€
FI51652	5391269781799	Card 9 x 12	3.28



3 Way Connector



Stock Code	Barcode	Package Type & Size (cm)	€
FI51645	5391269781744	Card 9 x 12	3.28

Garden Hose & Accessories



Double Snap On Adaptor



Stock Code	Barcode	Package Type & Size (cm)	€
FI51640	5391269781775	Card 9 x 12	2.66



Snap On Adj Hose Nozzle



Stock Code	Barcode	Package Type & Size (cm)	€
FI51700	5391269781805	Card 9 x 24	4.74



Round Tap to Thread Adaptor



Stock Code	Barcode	Package Type & Size (cm)	€
FIRHA	5391269781850	Card 12 x 15.5	7.88



Round Tap to Hose Adaptor



Stock Code	Barcode	Package Type & Size (cm)	€
FIHUTC	5391269797332	Card 12 x 15.5	2.90



Screw Lock Tap Adaptor



Stock Code	Barcode	Package Type & Size (cm)	€
FISHA	5391269781867	Card 12 x 21	6.00



Sector Sprinkler With Spike



Stock Code	Barcode	Package Type & Size (cm)	€
FI52060N	5391269781812	Card 9 x 24	24.96




8 Dial Spray Gun

The spray gun offers all the main watering functions through 8 spray patterns. It is suitable for all home and garden tasks; from cleaning to soaking and gently misting delicate plants. It features an intuitive one-handed flow control; its mix of materials and perfect proportions makes it comfortable and effective to use. Snap fits to all watering brands.


Stock Code	Barcode	Package Type & Size (cm)	€
F52055N	5391269781829	Card 20 x 22	12.20



Cam Lock Tap Adaptor



Stock Code	Barcode	Package Type & Size (cm)	€
FICLTA	5391269781843	Card 18 x 25.5	7.50




30m Roll of 1/2" Garden Hose

25 BAR	+60°C -20°C	UV RESISTANT
FLEXI	ALL SEASON	ANTI ALGAE

Stock Code	Barcode	Package Type & Size (cm)	€
FI10401	5391269781836	Card 38 x 38	24.90

Quick Repair Flexible PVC Couplings



These kind of PVC Coupling (all 100mm long), can be used to successfully join pipes both below and above ground. They are especially convenient when joining pipes made of dissimilar materials or where no standard pipe coupling is available. Pipes are joined by inserting both ends into the flexible coupling and tightening the two stainless steel clamping bands. They are ideally suited to low pressure drain, waste and venting applications.



PVC/CI





Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPRC3	3" x 3"	5391269646401	Card	25.5 x 25.5	12.04
EPRC42	4" x 4"	5391269646432	Card	25.5 x 25.5	14.76



PVC/CI x PVC





Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPRC114	1 1/4" x 1 1/4"	5391269630202	Card	12 x 18	9.14
EPRC112	1 1/2" x 1 1/2"	5391269630219	Card	12 x 18	9.60
EPRC112114	1 1/2" x 1 1/4"	5391269796434	Card	12 x 18	9.60



PVC/CI





Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPRC41	4" x 4"	5391269646425	Card	25.5 x 25.5	17.06
EPRC43	4" x 3"	5391269796465	Card	25.5 x 25.5	16.68




Clay x C.I./PVC




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPRC2	2" x 2"	5391269630226	Card	13 x 18	10.08
EPRC2112	2" x 1 1/2"	5391269796441	Card	13 x 18	10.08



Water Heating - Immersion Heaters & Thermostats




Double Element Incoloy Immersion Heater



Pre Wired Willis Heater




An ingenious device which provides a continuous hot water supply independently and, if required, in addition to the home's normal supply.





Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP23I	23"	5391269644841	Box	10 x 80	89.74
EP27I	27"	5391269644858	Box	10 x 80	90.78
EP36I	36"	5391269644865	Box	10 x 100	99.54

Stock Code	Barcode	Package Type & Size (cm)		€
EPWHEAT	5391269644872	Box	10 x 40	95.08



Single Element Incoloy Immersion Heater



Non Resettable Replacement Thermostats



This Thermostat is designed to trip at 96°C

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP11I	11"	5391269644834	Box	10 x 40	42.40

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPVKL3201	7"	5391269718542	Card	12 x 28	21.04
EPVKL3301	11"	5391269718559	Card	12 x 38	22.16
EPVKL3401	18"	5391269718566	Card	12 x 58	23.04





Resettable Replacement Thermostat

Only suitable for use in Immersion Heaters with a thermostat pocket depth of not less than 270mm


If the immersion heater trips, it can be reset easily. Some caps are removable to allow access to the reset button, others have a small hole in the cap. Whichever applies, use a plastic pointed object - such as a ball point pen to reset the thermostat.

There are two different types of thermostat. One is triangular and the other rectangular. The former is not resettable - once it trips, it has to be replaced. The thermostat on the card above is an ideal replacement in that it is resettable, time and time again. However it may not physically fit within the cap of some immersion heaters.

This Thermostat is designed to trip at 90°C



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPTES11	11"	5391269764419	Card 12 x 38	29.70




Cylinder Flange



The Easi Plumb Cylinder flange also ensures an independent hot water supply to your shower at a constant temperature, even when other hot water taps are turned on, allowing you to shower in comfort. It is very easy to install. There are no holes to cut in the cylinder so the cylinder guarantee is not effected and only a small amount of water needs to be drained when the device is being fitted.


Stock Code	Barcode	Package Type & Size (cm)	€
EPSUR22	5391269644896	Card 18 x 37	36.50



Immersion Heater Washer




Stock Code	Barcode	Package Type & Size (cm)	€
EPWASHER	5391269644926	Card 9 x 12	2.36



Closed Immersion Heater Spanner



Stock Code	Barcode	Package Type & Size (cm)	€
EPSPANNERC	5391269644933	Card 18 x 30	8.32



Cranked Immersion Heater Spanner - Closed End




Stock Code	Barcode	Package Type & Size (cm)	€
EPCIS	5391269764358	Card 18 x 30	12.74




Open Immersion Heater Spanner



Stock Code	Barcode	Package Type & Size (cm)	€
EPSPANNERO	5391269644940	Card 18 x 30	8.32



Box Type Immersion Heater Spanner




Stock Code	Barcode	Package Type & Size (cm)	€
EPBISA	5391269646685	Card 18 x 25.5	17.24

WC Seat Hinges & Fixings



Pair of Universal Toilet Seat Hinges




Replacement Plastic Bar Toilet Seat Hinge Set




The hinge supports have two optional positions to cater for variations in fixing holes in different WC pan design. The 10mm diameter hinge rod will fit between seat hinge projections which are 190mm apart.


Stock Code	Finish	Barcode	Package Type & Size (cm)	€
EPRHCPP	Chrome	5391269706716	Card 18 x 25.5	10.50
EPRHGPP	Gold	5391269706723	Card 18 x 25.5	12.50




Fixing Set for Traditional Toilet Seat Hinges



Stock Code	Barcode	Package Type & Size (cm)	€
EPRHFS	5391269755653	Card 12 x 15.5	3.70




Toilet Seat Hinge Kit




These hinges are made from Stainless Steel and either Chrome or Gold Plated. They feature a unique sliding clip mechanism which allows the seat to be lifted off for cleaning purposes.

Stock Code	Finish	Barcode	Package Type & Size (cm)	€
EPRHCP	Chrome	5391269622641	Card 18 x 25.5	14.50
EPRHGP	Gold	5391269622658	Card 18 x 25.5	17.86



Pair of Blind Toilet Seat Fixings



Stock Code	Barcode	Package Type & Size (cm)	€
EPRBTSF	5391269755615	Card 9 x 25.5	5.92

The fixings are intended for securing toilet seat hinges to WC Pans when the seat fixing holes are concealed within the cavity holes of the Pan itself. They absolve the need to take out and disconnect the Pan in order to fit the Seat Hinges. They may also be used with Pans with conventional seat fixing holes (access is exposed). They may prove simpler to fit especially when the Pan is located close to a wall or features an irregular shape in the area on the underside where the Nut is normally tightened up. As they are made from a malleable rubber with brass threaded inserts, they will not deteriorate or cause any damage to the Pan.

Pet & Bidet Shower Kits

Pet Shower Kit



Features

- Easy to Install
- No Special Skills Required
- No Special Tools Required
- No Need to Turn Off Water Supply
- Spray Head May Be Fitted on a Wall
- Numerous Possible Applications!

Kit Includes

- 3M Long Shower Hose
- Sink Mixer to Hose Connectors (2 types)
- Trigger Operated Shower Head
- Accessories

Stock Code	Barcode	Package Type & Size (cm)		€
EPPSK	5391269797486	Card	25.5 x 37	50.00



Bidet Shower Kit 1 with Tee Piece

This kit includes:

- Tee piece with swivel nut
- Shower hose
- Spray head with trigger
- Wall mounted bracket



This kit is easily connected to the supply pipe which goes directly to the filling valve connection underneath the cistern. It is positioned between the existing isolation/service valve and the threaded tail of the filling valve which protrudes beneath the cistern. No thread sealants are required.



Stock Code	Barcode	Package Type & Size (cm)		€
EPBSK1	5391269797493	Card	25.5 x 37	27.50

Bidet Shower Kit 2 with Self Cutting Valve

This kit includes:

- Self Cutting Valve
- Shower hose
- Spray head with trigger
- Wall mounted bracket




This kit is easily connected to the supply pipe which goes directly to the filling valve connection underneath the cistern. The valve is one that can be fitted to a "live" pipe because it self cuts a connection without the need to isolate the water supply. No thread sealants or special tools are required!





Stock Code	Barcode	Package Type & Size (cm)		€
EPBSK2	5391269797509	Card	25.5 x 37	30.00

Cistern Parts & Spares




Siphon Cap Nut




Brass Siphon Lift Arm

Connects the Flush Handle to the Flush Unit "C" Link




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP112CAP	1½"	5391269622467	Card 9 x 12	2.10

Stock Code	Barcode	Package Type & Size (cm)	€
EPALA	5391269622528	Card 12 x 15.5	5.26




Siphon Back Nut




"C" Link Siphon Lift Arm Connector

Connects the Flush Unit to the Handle Lift Arm






Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP112BACK	1½"	5391269622474	Card 9 x 12	2.10


Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPSBCL	Short	5391269622535	Card 12 x 15.5	2.20
EPLBCL	Long	5391269622542	Card 12 x 15.5	2.30



Siphon Nuts & Washers Kit




Pair Cistern Brackets



Contents (One of each): Siphon Back Nut, Siphon Back Nut Washer, Siphon Cap Nut, Siphon Cap Nut Washer, Siphon Cap Nut Olive

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP112NW	1½"	5391269755622	Card 12 x 21	4.50



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPRCB	Pk/2	5391269622566	Card 12 x 15.5	5.98



PVC Siphon Lift Arm



Connects the Flush Handle to the Flush Unit "C" Link



Cistern Overflow Stopper




Simply and smartly covers an unused cistern hole

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPLLA	Long	5391269622511	Card 12 x 15.5	3.10

Stock Code	Finish	Barcode	Package Type & Size (cm)	€
EPWCHS	White	5391269622573	Card 9 x 12	2.50
EPCPCHS	C.P.	5391269622580	Card 9 x 12	2.80

Flush Valve Washers

Cistern Parts & Spares



For Wirquin Flush Valves

wirquin



Stock Code	Barcode	Package Type & Size (cm)		€
EPRFVW1	5391269764921	Card	9 x 14.5	8.88



For Fluidmaster Flush Valves

Fluidmaster




EPRFVW2	5391269764938	Card	9 x 14.5	7.80
---------	---------------	------	----------	------



Replacement Flush Valve Washer (for all 3 flush valves)



EPRFVW3	5391269764945	Card	9 x 14.5	8.70
---------	---------------	------	----------	------



For Opella/Torbeck Flush Valves

**Opella
Torbeck**



EPRFVW4	5391269764952	Card	9 x 14.5	10.38
---------	---------------	------	----------	-------



For Siamp Optima Flush Valves

SIAMP



EPRFVW5	5391269764969	Card	9 x 14.5	9.76
---------	---------------	------	----------	------




Outlet Seal for all Skipper & Storm Flushing Valves

SIAMP

34233209




EPRFVW6	5391269764976	Card	9 x 14.5	9.76
---------	---------------	------	----------	------



C.P. Cistern Lever Set




Stock Code	Barcode	Package Type & Size (cm)		€
EPCPCL2	5391269622559	Card	18 x 25.5	8.30



Repro Cistern Lever Set - White Ceramic



EPREPWC	CP	5391269630257	Card	18 x 25.5	13.24
EPREPWA	G.P.	5391269630264	Card	18 x 25.5	18.50



Contemporary Design Cistern Lever Set



EPCPCL5	5391269738083	Card	18 x 25.5	21.50
---------	---------------	------	-----------	-------



Contemporary Cistern Levers



Stock Code	Finish	Barcode	Package Type & Size (cm)		€
EPCPCL1A	C.P.	5391269799152	Card	18 x 25.5	12.60
EPCPCL8	Black	5391269799169	Card	18 x 25.5	13.80

Traditional Siphon Flushing Valves and Washers



1 Part Internal Overflow Siphon - Rectangular

Stock Code	Barcode	Package Type & Size (cm)		€
EPIOS	5391269622443	Box	22 x 31	9.90

The disadvantage of a 1 Part Siphon is that it must be removed entirely to replace the siphon washer. This can be a very big job when the siphon is fitted in a close coupled suite!



3 Part Internal Overflow Siphon

Stock Code	Barcode	Package Type & Size (cm)		€
EPIOS3P	5391269715107	Box	22 x 31	15.90


Both 1 and 3 Part Siphons are suitable for use with in Low Level and Close Coupled WC Suites.




3 Part Internal Overflow Siphon - Round

Stock Code	Barcode	Package Type & Size (cm)		€
EPIOSR	5391269758067	Box	22 x 31	15.90


The advantage of a 3 Part Siphon is that it facilitates the replacement of the Siphon Washer without the need to remove the Siphon or in the case of a close coupled suite, dismantling the complete cistern.



Replacement Siphon Washer - Rectangular




Stock Code	Barcode	Package Type & Size (cm)		€
EPRSW1	5391269643899	Card	18 x 25.5	1.80




Replacement Siphon Washer - Round



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP4RSW1	4"	5391269643875	Card	18 x 25.5	1.80
EP5RSW1	5"	5391269643882	Card	18 x 25.5	1.80



Replacement Washer for a 3 Part Rectangular Flushing Siphon



Stock Code	Barcode	Package Type & Size (cm)		€
EPRESW3P	5391269755608	Card	18 x 25.5	2.20




Replacement Washer for a 3 Part Round Flushing Siphon




Stock Code	Barcode	Package Type & Size (cm)		€
EPROSW3P	5391269755592	Card	18 x 25.5	2.20

Traditional Float Valves and Replacement Flush Valve Washers




Side Entry Plastic Float Valve




Adjustable Arm Side Entry Plastic Float Valve

The Valve is pre-fitted with a "seat" suitable for use with a high pressure water supply
Where being used with a low pressure water supply, exchange the seat for this version




The Valve is pre-fitted with a "seat" suitable for use with a high pressure water supply




Where being used with a low pressure water supply, exchange the seat for this version

Stock Code	Barcode	Package Type & Size (cm)		€
EP12BVPS	5391269622481	Card	34 x 20	7.60





Stock Code	Barcode	Package Type & Size (cm)		€
EP12BVPSA	5391269738090	Card	34 x 20	8.50



Bottom Entry Plastic Float Valve




Adjustable Arm Bottom Entry Plastic Float Valve




Stock Code	Barcode	Package Type & Size (cm)		€
EP12BVPB	5391269622498	Card	25.5 x 37	12.00

Stock Code	Barcode	Package Type & Size (cm)		€
EP12BVPBA	5391269764402	Card	25.5 x 37	12.90



Coupling Kit for a Close Coupled WC



2" Coupling Kit for a Continental Style Close Coupled WC




Stock Code	Barcode	Package Type & Size (cm)		€
EPCCSC	5391269624089	Card	18 x 25.5	9.40

Stock Code	Barcode	Package Type & Size (cm)		€
EP2CCSC	5391269738106	Card	18 x 25.5	8.40

Close Coupling WC Kits and Washers


Flushpipes and Flushpipe Connectors



Replacement Nuts & Bolts for a Closed Couple WC



Used with a washer which is separately available




Stock Code	Barcode	Package Type & Size (cm)	€
EPCCNB	5391269755837	Card 9 x 21	4.00



Replacement Nuts, Bolts and Washers for a 2" Coupling Kit for a Continental Style Close Coupled WC



Used with a washer which is separately available



EPCCNBSS	5391269795239	Card 9 x 21	7.00
----------	---------------	-------------	------



Doughnut Washer for all OPTIMA, SKIPPER & STORM Flushing Valves



SIAMP

34031909

EPSIADNUT	5391269795222	Card 12 x 15.5	11.14
-----------	---------------	----------------	-------



Close Coupling Washer



EPCCSW	5391269624072	Card 12 x 15.5	3.74
--------	---------------	----------------	------



2" Close Coupling Style WC Washer




EP2CCSW	5391269738113	Card 12 x 15.5	7.30
---------	---------------	----------------	------




14" x 10" White Flush pipe for WC Pan




Stock Code	Barcode	Package Type & Size (cm)	€
EP1410FP	5391269643912	Card 25.5 x 37	8.00



1 1/2" Flexible Flush Pipe for WC Pan



EPFFP	5391269738120	Card 25.5 x 37	27.50
-------	---------------	----------------	-------





Concealed WC Frame Flushpipe



Modern Concealed WC Frame

Over time, these connectors which are made from various kinds of rubber, degrade and leak and require replacement. The modern concealed WC frame that have become very popular in recent years incorporate a universally standard flushpipe and flushpipe connector and the model offered here will undoubtedly satisfy.

EPWCFP5	45 x 180mm
---------	------------



5391269795260	Card 25.5 x 18	4.46
---------------	----------------	------




Flushpipe Washer

EPNW1	5391269795246	Card 9 x 12	1.80
-------	---------------	-------------	------

Modern Style Cistern Filling & Flushing Valves

Button Operated Cable Actuated Dual Cistern Flushing Valve



Suitable for both front and top button positioning.

Can be installed in both Low Level and Close Coupled WC Suites



Side Entry Cistern Filling Valve with Brass Tail



Stock Code	Barcode	Package Type & Size (cm)		€
FTFVCO	5391269786657	Box	13 x 36	21.50
EPFV5	5391269713127			

Stock Code	Size	Barcode	Package Type & Size (cm)	€
FTFV2	1/2"	5391269786695	Box 15 x 30	18.50

Light Touch Lever Operated Cable Actuated Dual Cistern Flushing Valve



Flat Washer for 1 1/2" Traditional

Stepped Washer for 2" Continental




Bottom Entry Cistern Filling Valve with Brass Tail



FTFVLCO	5391269786671	Box	13 x 36	23.50
---------	---------------	-----	---------	-------

FTFV4	1/2"	5391269786688	Box 15 x 33	18.50
-------	------	---------------	-------------	-------

Button Operated Rod Actuated Dual Cistern Flushing Valve



Stepped Washer for 2" Continental

Flat Washer for 1 1/2" Traditional



Cistern Fittings Kit




Includes: 2" Direct Button Operated Dual Flushing Valve and a 1/2" Fixed Height (285mm) Bottom Entry Filling Valve


FTFVDO	5391269786664	Box	13 x 36	21.50
--------	---------------	-----	---------	-------

CFPI	5391269604968	Box	20 x 34	26.50
------	---------------	-----	---------	-------

Flushpipe Connectors



Flush Pipe Conn. External




Flush Pipe Conn. Internal





Stock Code	Type	Barcode	Package Type & Size (cm)	€
EPEFPC	Rubber	5391269622634	Card 12 x 15.5	2.80

Stock Code	Type	Barcode	Package Type & Size (cm)	€
EPRFPC	Rubber	5391269622627	Card 12 x 15.5	2.80



Flush Pipe Conn. Internal



Flush Pipe Conn. Internal



EPNFPC	Plastic	5391269624065	Card 12 x 15.5	2.00
--------	---------	---------------	----------------	------

EPWIRQ42	Silicone	5391269795253	Card 12 x 15.5	3.20
----------	----------	---------------	----------------	------

Replacement WC Flush Valve Buttons



Type 1 Wirquin Cable Op. Dual Flush




(WIRQ25)

Stock Code	Barcode	Package Type & Size (cm)	€
EPRFVB1	5391269765027	Card 9 x 16	17.50
EPDFB	5391269729159		



Type 2 Universal Direct Rod Op. Dual Flush




(FBROD)

Stock Code	Barcode	Package Type & Size (cm)	€
EPRFVB2	5391269765034	Card 9 x 16	16.50



Type 15 Univ. Direct Rod Dual Flush Button - Black



(ME9114)

EPME9114	5391269795192	Card 9 x 16	17.50
----------	---------------	-------------	-------



Type 3 Universal Cable Op. Dual Flush



(FBUNI)

EPRFVB3	5391269765041	Card 9 x 16	16.00
---------	---------------	-------------	-------




Type 15 Univ. Direct Rod Dual Flush Button - Brushed Brass



(ME9114BB)

EPME9114BB	5391269786244	Card 9 x 16	22.00
------------	---------------	-------------	-------

Replacement WC Flush Valve Buttons



Type 4 Siamp Optima 49



(SIA49FB)



Type 5 Fluidmaster Cable Op. Dual Flush



(220CR113)

Stock Code	Barcode	Package Type & Size (cm)		€
EPRFVB4	5391269765058	Card	9 x 16	16.70

Stock Code	Barcode	Package Type & Size (cm)		€
EPRFVB5	5391269765065	Card	9 x 16	19.10



Type 6 Torbeck Cable Op. Dual Flush



(FBTOR)



Type 8 Wirquin Single Flush



(WIRQ26)

EPRFVB6	5391269765072	Card	9 x 16	16.50
---------	---------------	------	--------	-------

EPRFVB8	5391269765096	Card	9 x 16	19.10
EPSFB	5391269729142			



Type 9 Siamp Skipper 45



(SIA45FB)



Type 10 Siamp Optima 50



(SIA50FB)

EPRFVB9	5391269765102	Card	9 x 16	16.70
---------	---------------	------	--------	-------


EPRFVB10	5391269765119	Card	9 x 16	16.70
----------	---------------	------	--------	-------



Type 11 Univ. Cable Op. Dual Flush Light Touch Lever



(FLUNI)



Type 12 Siamp Storm 33a



(SIA33FB)

EPRFVB11	5391269777198	Card	9 x 16	16.00
----------	---------------	------	--------	-------

EPRFVB12	5391269777204	Card	9 x 16	16.70
----------	---------------	------	--------	-------



Type 14 Univ. Lever for VIVA Skylo Flush Button



(SKYLEV)



Type 13 VIVA Skylo Flush Button




(SKYBUT)

EPSKYLEV	5391269795215	Card	9 x 16	16.00
----------	---------------	------	--------	-------

EPSKYBUT	5391269795208	Card	9 x 16	16.00
----------	---------------	------	--------	-------

Replacement Diaphragm Washers



For Traditional Float Valves



Stock Code	Barcode	Package Type & Size (cm)	€
EPDW1	5391269642236	Card 9 x 18	1.92



For WIRQUIN Filling Valves



wirquin
Celmac Macdee

Stock Code	Barcode	Package Type & Size (cm)	€
EPDW2	5391269757831	Card 9 x 18	6.14



For FLUIDMASTER Filling Valves



Fluidmaster



For TORBECK Filling Valves



Torbeck

EPDW3	5391269757848	Card 9 x 18	5.50
-------	---------------	-------------	------



For SIAMP Filling Valves



SIAMP



For HUSHFLOW Filling Valves



Armitage Shanks

EPDW5	5391269766482	Card 9 x 18	6.14
-------	---------------	-------------	------



For WISA Filling Valves



WISA



For FlushTech Float Valves



FlushTech

EPDW7	5391269779536	Card 9 x 18	6.00
-------	---------------	-------------	------



For VIVA Skylo 4 in 1 Filling Valve



for Dudley Hydroflo Plastic Filling Valves



Dudley

EPDW9	5391269781164	Card 9 x 18	5.50
-------	---------------	-------------	------

EPDW10	5391269795277	Card 9 x 18	5.50
--------	---------------	-------------	------



Low Level Pack 1



Pack includes:

Internal Overflow Siphon, PVC Side Entry Ballvalve & Float, "C" Link, Lift Arm, Cistern Lever, Overflow Stoppers, Brackets, Flushpipe & Flushpipe Connector.



Stock Code	Barcode	Package Type & Size (cm)		€
PACK1	5391269619313	Box	20 x 17.5	33.50

Low Level Pack 2



Pack includes:

Internal Overflow Siphon, PVC Bottom Entry Ballvalve & Float, "C" Link, Lift Arm, Cistern Lever, Overflow Stoppers, Brackets, Flushpipe & Flushpipe Connector.



Stock Code	Barcode	Package Type & Size (cm)		€
PACK2	5391269619320	Box	20 x 17.5	35.50

Close Coupled Pack 3



Pack includes:

Internal Overflow Siphon, PVC Side Entry Ballvalve & Float, "C" Link, Lift Arm, Cistern Lever, Overflow Stoppers, Close Coupling Plate, Washer & Nuts & Bolts.



Stock Code	Barcode	Package Type & Size (cm)		€
PACK3	5391269619337	Box	20 x 17.5	35.00

Close Coupled Pack 4



Pack includes:

Internal Overflow Siphon, PVC Bottom Entry Ballvalve & Float, "C" Link, Lift Arm, Cistern Lever, Overflow Stoppers, Close Coupling Plate, Washer & Nuts & Bolts.



Stock Code	Barcode	Package Type & Size (cm)		€
PACK4	5391269619344	Box	20 x 17.5	37.00

Cistern Fittings Kit



Includes: 2" Direct Button Operated Dual Flushing Valve and a 1/2" Fixed Height (285mm) Bottom Entry Filling Valve


Stock Code	Barcode	Package Type & Size (cm)		€
CFPI	5391269604968	Box	20 x 34	26.50

Close Coupled Pack 8



Pack includes:


Dual Flush Push Button Flushing Valve, PVC Bottom Entry Filling Valve, Overflow Stoppers, Close Coupling Plate, Washer & Nuts & Bolts.



Stock Code	Barcode	Package Type & Size (cm)		€
PACK8	5391269753970	Box	20 x 17.5	43.00

Air Vents & Gauges

XVENT



1/2" Automatic Bottle Type Air Vent

Stock Code	Barcode	Package Type & Size (cm)		€
EP12BAVC	5391269623570	Card	12 x 15.5	7.72

Use at high points in the pipework of a heating system to remove air and expansion gases which cannot be removed through the normal venting arrangements.

Brass Bottle Type Air Vent Incorporating a Sprung Loaded Isolation Valve

EPEXVENT	5391269796557	Card	9 x 12	12.50
----------	---------------	------	--------	-------

Brass Air Vents, Pack of 2

EP18KAV	1/8"	5391269623587	Card	9 x 12	4.60
EP14KAV	1/4"	5391269623594	Card	9 x 12	5.20
EP12KAV	1/2"	5391269623600	Card	9 x 12	5.80

Veha Vent Keys, Pack of 2

EPVVK	5391269623617	Card	9 x 12	3.80
-------	---------------	------	--------	------

Clock Type Vent Key

EPBVK	5391269694389	Card	9 x 12	2.60
-------	---------------	------	--------	------

Vent Key Set (1 Veha & 1 Clock)

EPRVKS	5391269706730	Card	9 x 12	4.10
--------	---------------	------	--------	------

5 Air Vent Pins & Vent Key

EPVVK	5391269757800	Card	9 x 12	4.20
-------	---------------	------	--------	------

Radiator Vent & Plug - For Standard Radiators




EPRPDRV	5391269755790	Card	12 x 15.5	7.04
---------	---------------	------	-----------	------

Vent key or screwdriver operated. Features a directional discharge opening and an O Ring which eliminates the need for thread sealant.



AIRless Automatic Air Vent for Radiators

EHALESS12	1/2"	5391269760350	Card	12 x 15.5	8.20
-----------	------	---------------	------	-----------	------



1/4" Pressure Gauges, 0-10 Bar, 40mm Ø

EP14PG4	Back	5391269623631	Card	9 x 12	6.90
EP14PG8	Bottom	5391269623655	Card	9 x 12	6.90

Pressure & Temperature Gauges 80mm Ø


EPCPTGBA	Back	5391269642922	Card	12 x 15.5	23.50
EPCPTGBO	Bottom	5391269642939	Card	12 x 15.5	23.50



Gauges, Safety Valves & Manifolds, Fire Valves



Automatic Filling Valve



- A** The adjustment screw for regulating the down stream pressure from the mains water supply.
B Connection made to the pressurised heating system using 1/2" male BSP union to 1/2" conventional copper pipe compression joint.
C Connection made from main water supply using a 1/2" female BSP union to 1/2" conventional copper pipe compression joint.
D Mains water volume and flow control and isolation valve.
E Integral pressure gauge.

Stock Code	Barcode	Package Type & Size (cm)		€
EPAFV	5391269642762	Card	18 x 25.5	27.00



Safety Group

Combined water pressure reducing and safety relief valve

Preset 3 bar
Pressure reducing Valve

6 Bar Safety Valve



EP12SG	5391269796588	Card	18 x 25.5	52.40
--------	---------------	------	-----------	-------


This valve is very effective in systems where various heating loads may simultaneously be excluded from the circuit by the closure of zone control valves and thermostatic or manual radiator valves. It ensures a recirculation proportional to the number of valves that close, thus avoiding noise whilst at the same time maintaining the pump head pressure at a constant value. Fitted between flow and return, it helps prevent unnecessary cycling of the boiler.

A Differential Bypass Valve provides a constant minimum water flow around a heating system. It also protects the Circulating Pump and the system and improves balancing to Thermostatic Radiator Valves. When the pressure increases, the valve opens thereby providing a constant water flow through the boiler.

Connections 3/4" Compression.
Max. working pressure - 10 bar.
Max. working temp. - 110°C
Adjustment range: 1 to 6 m head.



3/4" Automatic Differential ByPass Valves




EP872500	Angled	5391269744558	Card	18 x 25.5	34.00
EP872500S	Straight	5391269796571	Card	18 x 25.5	37.00



Safety Valves (side outlet), 3 Bar



Designed to relieve any excessive pressure in a heating system. This can occasionally occur if the designed venting arrangements become unable to operate normally. For example, if blockages occur in the pipework or a sudden heat generated pressure build-up becomes greater than the expansion vent on a sealed system can accommodate.



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12F13	1/2"	5391269623556	Card	12 x 15.5	7.90
EP12F23	1/2" & gauge	5391269623563	Card	12 x 15.5	14.50

Oil Line Fittings & Valves




KFV Remote Acting Fire Valve - 1/4"

0962091701/
0962091702



The KFV Remote Acting Fire Valve is a fast acting thermally operated valve with a spring loaded trip mechanism and sealed temperature sensing system. It consists of a bellows housed in a brass body, capillary tube and a sensor phial. The valve will close when the temperature at the sensor phial reaches the set value. It will remain in the shut-off condition until the appropriate action has been taken to restore normal operating conditions and the reset button has been pressed. It can also be closed manually by pulling the reset button.

Stock Code	Inlet	Barcode	Package Type & Size (cm)	€
EPKFFV6515	1.5m, 65°	5391269796595	Card 10 x 14	61.06
EPKFFV9020	2m, 90°	5391269796601	Card 10 x 14	62.28



Standard Fire Valve




Stock Code	Barcode	Package Type & Size (cm)	€
EP38FV	5391269623693	Card 12 x 15.5	8.00

Fire Valve Characteristics

The Screw Cap consists of two parts, an outer section A, and an inner circular block B, which is gripped in the cap with a low melting point solder. When the valve is subjected to a temperature of about 85°C, the solder melts and the inner block is released allowing an integral spring to slam the valve spindle C closed, shutting off the oil supply.



Repl. Handwheel for Standard Fire Valve




Stock Code	Barcode	Package Type & Size (cm)	€
EH38FVH	5391269760060	Card 12 x 15.5	2.40



Flexible Oil Line M Elbow x F Straight




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPOL8	1/4" x 3/8" x 900mm	5391269623785	Card 18 x 25.5	17.36



Braided Soft Rubber



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPOL8F	1/4" x 3/8" x 900mm	5391269796618	Card 18 x 25.5	14.50




Manual Filling Valve - Filling Loop



Designed to fill and supply mains water to a closed circuit heating system.



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPCFLS	Straight	5391269623662	Card 18 x 25.5	12.90

Installing the Filling Loop





All packaged on 12 x 15.5cm cards.

Oil Burner Nozzles with Solid Spray Angle ('S')

Stock Code	Description	Barcode	€
EPOBN580B	.5GPH, 80	5391269716104	18.50
EPOBN5580B	.55GPH, 80	5391269716111	18.50
EPOBN680B	.6GPH, 80	5391269716128	18.50
EPOBN6580B	.65GPH, 80	5391269796984	18.50

Oil Burner Nozzles with Hollow Spray Angle ('H')


EPOBN580A	.5GPH, 80	5391269716180	18.50
EPOBN5580A	.55GPH, 80	5391269796991	18.50
EPOBN680A	.6GPH, 80	5391269716197	18.50
EPOBN6580A	.65GPH, 80	5391269716203	18.50

Oil Burner Nozzles with Extra Solid Spray Angle


EPOBN580ES	.5GPH, 80	5391269797011	18.50
EPOBN5580ES	.55GPH, 80	5391269797028	18.50
EPOBN680ES	.6GPH, 80	5391269797035	18.50
EPOBN6580ES	.65GPH, 80	5391269797042	18.50

Oil Burner Nozzles with Extra Hollow Angle

EPOBN580EH	.5GPH, 80	5391269797059	18.50
EPOBN5580EH	.55GPH, 80	5391269797066	18.50
EPOBN680EH	.6GPH, 80	5391269797073	18.50
EPOBN6580EH	.65GPH, 80	5391269797080	18.50




Stainless Steel Oil Tank Security Lock



A flat wood bit is supplied to enable the drilling of horizontal holes through the existing cap and the oil filling upstand collar. The Bar of the Security Lock is then passed through holes, the second hasp fitted and the padlock then used to secure the assembled lock.

EHOTL	5391269753178	Card	12 x 45	33.50
-------	---------------	------	---------	-------



Aluminium Oil Filter



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP380FA	3/8"	5391269623686	Card 12 x 15.5	8.10




Clock Type Oil Tank Gauge



Stock Code	Barcode	Package Type & Size (cm)	€
EPOTG	5391269623709	Card 18 x 25.5	36.00



Boiler Bleed Valve



A simple to use fitting which enables the removal of air from an air locked oil line to a boiler.

Stock Code	Barcode	Package Type & Size (cm)	€
EPBBV	5391269755165	Card 12 x 21	21.50

Instructions

- 1 Shut off both the oil supply and electrical supply to the boiler.
- 2 Access the boiler workings, and if fitted, remove the burner shroud.
- 3 Use a hexagonal key to remove the 1/4" plug from the oil burner pump.
- 4 Some oil burners are supplied with an oil bleed stem. If this is the case, remove it and replace with the bleed valve.
- 5 Firmly screw the valve into the now exposed threaded orifice.
- 6 Place an oil collecting container under the valve.
- 7 Restore the oil supply and electrical supply to the boiler.
- 8 Start the boiler so that the oil flow to the burner commences.
- 9 Push the valve plunger until any air is expelled and the oil flows freely.
- 10 Pour any collected oil back into the oil tank.
- 11 If the fitted bleed valve prevents the burner shroud or boiler casing from being replaced, shut off both the oil supply and electrical supply to the boiler, remove the valve and replace the original 1/4" plug.
- 12 The oil and electrical supply can now be restored and the boiler used as normal.

Radiator Valves & Accessories




Angle Pattern Thermostatic Radiator Valve Kit

Stock Code	Barcode	Package Type & Size (cm)	€
EP15TRV1	5391269642779	Card 18 x 25.5	25.40

Angle Pattern Standard Compression

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPRV400	1/2"	5391269621446	Card 18 x 25.5	16.76




Straight Pattern Towel Rail Chrome Plated

Stock Code	Barcode	Package Type & Size (cm)	€
EPRV100SP	5391269642809	Card 18 x 25.5	26.50

Angle Pattern Towel Rail Chrome Plated

Stock Code	Barcode	Package Type & Size (cm)	€
EPRV100AP	5391269642793	Card 18 x 25.5	26.50



Straight Pattern Standard Radiator Valves - Painted Finish

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPRVSPA	1/2"	5391269797097	Card 18 x 25.5	28.70

Angled Pattern Standard Radiator Valves - Painted Finish

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPRVAPA	1/2"	5391269797103	Card 18 x 25.5	27.50



Pair Straight Pattern Thermostatic Towel Rail Radiator Valves - Chrome

Stock Code	Barcode	Package Type & Size (cm)	€
EPRV100SPT	5391269797110	Card 18 x 25.5	30.00

Pair Angle Pattern Thermostatic Towel Rail Radiator Valves - Chrome

Stock Code	Barcode	Package Type & Size (cm)	€
EPRV100APT	5391269797127	Card 18 x 25.5	29.50



Pair 1/2" Thermostatic S.P. Radiator Valves - Anthracite

Stock Code	Barcode	Package Type & Size (cm)	€
EPRV100SPTA	5391269797134	Card 18 x 25.5	33.30

Pair 1/2" Thermostatic A.P. Radiator Valves - Anthracite

Stock Code	Barcode	Package Type & Size (cm)	€
EPRV100APTA	5391269797141	Card 18 x 25.5	32.80





Angle Pattern Thermostatic Radiator Valve Only



Stock Code	Barcode	Package Type & Size (cm)		€
EHTRV1	5391269764877	Card	18 x 25.5	17.28



Replacement Thermostatic Valve Head Only



Stock Code	Barcode	Package Type	Size (cm)	€
EHTRH	5391269764860	Card	12 x 15.5	10.90



Angle Pattern Standard Female Iron



Stock Code	Barcode	Package Type	Size (cm)	€
EP12FIRV	5391269713035	Card	18 x 25.5	18.24



1/2" Radiator Valve Tail with 3/4" Lock Nut



Stock Code	Barcode	Package Type	Size (cm)	€
EP12RVT34	5391269764907	Card	9 x 12	7.50



1/2" Radiator Valve Tail with 1/2" Comp. Nut & Olive




Stock Code	Barcode	Package Type	Size (cm)	€
EP12RVT12	5391269764914	Card	9 x 12	7.00

The balancing process is not difficult. It just needs a knowledge of the pipe and radiator circuitry. Sketch out a layout of the system and the balancing process will become much easier to understand. **Providing the system has been correctly designed**, a little thought, time and patience is all that is needed.



Radiator Accessories

Universal Radiator Mounting Brackets, Pair




These brackets can be used in pairs (or more if required) to support radiators for which the original mounting brackets are no longer available.

Replacement Radiator Brackets



Stock Code	Barcode	Package Type & Size (cm)		€
EPURB	5391269643462	Card	18 x 75	11.00
EPRADB	5391269755806	Card	9 x 45	8.20

Balancing a radiator central heating system



In the same way the arteries, veins and capillaries have a large range of sizes to allow the heart to "balance" the flow of blood to all parts of your body, so a central heating system needs to be designed and "balanced" to enable pump to evenly distribute the how water flow to all of the radiators.

The physical process is governed by the laws of "fluid mechanics", something which nature worked out long before there were any plumbers or heating engineers about! For instance, a giraffe has "balancing" valves in the blood supply vessels in its neck. Without such "controls", the heart, (which is extra large in a giraffe to enable the blood to be pumped up such a long neck), would create excessive pressure in the blood supply to the brain when the animal stooped to drink. Similarly when the giraffe returns to an upright position, those same "valves" quickly sense the movement and re-balance the pumping process. Without such fine tuning of the circulation process, the animal would have severe problems. By comparison to the heart's options, the range of pipe diameters available for use with a radiator system is very limited. Which means that standard pipe sizes, radiator valves and the pump speed setting must be used in combination, to ensure that all the radiators are evenly heated or "balanced". That's why there are usually two valves on a radiator. They are not just there to make it easier to remove the radiator for decoration purposes! One valve is used to manually or thermostatically turn the radiator on and off, and the other, called the

Radiator Lock Shield Valve (LSV), is adjusted to control the amount of water which passes through the radiator, - the "balancing" valve. As not all radiators can be the same distance from the pump, and the pipe diameters are limited to usually 1/2", 3/4" and 1", (15, 22 and 28mm), the LSV valve settings are very important and need continuous and careful adjustment to suit each radiator on the heating circuit whilst the system is being "balanced". In some cases, just turning the LSV on one radiator a quarter turn open will be all that is needed - opened any further and the water may use that radiator to find the easiest return route in the "circuit", and the water will not flow to the next radiator.

CH Heating Controls & Additives. Pipe Freezing



Radiator Vent & Plug - For Standard Radiators



Vent key or screwdriver operated. Features a directional discharge opening and an O Ring which eliminates the need for thread sealant.

Stock Code	Barcode	Package Type & Size (cm)	€
EPRPDRV	5391269755790	Card 18 x 25.5	7.04



Dual Adjustable Boiler Thermostats Rated IP40



IM-TLS2/542816



EPIM542816	5391269796625	Header	18 x 21	50.88
------------	---------------	--------	---------	-------

The IMIT Dual adjustable & safety boiler thermostat is a liquid filled Capillary expansion type thermostat enclosed in a protective housing. The thermostat is fitted with two 950mm long PVC coated capillary tubes. It is particularly suitable for the automatic regulation of boilers, pumps and other various appliances where temperature control and safety is required.

Features:

- Adjustable 60 - 90°C
- 110° Limiter with Manual Reset
- ½" BSP x 100mm Long Pocket
- Compact Design
- Large Dial Face
- 230Vac, 50Hz
- CE Approved

Adjustable Pipe Thermostat Rated IP30 - 20° - 90° With Metal Fixing Band



Features:

- Adjustable 45 - 75°C
- 114° Limiter with Manual Reset

IM-BRC/545610



The IMIT adjustable pipe thermostat is a bimetallic type thermostat enclosed in a protective housing. The thermostat is supplied complete with a metallic fixing band to attach it to a pipe. It is particularly suitable for the automatic regulation and measurement of boilers, pumps and other various appliances temperatures. All the installation operations included in this data sheet must be carried out by qualified personnel only, strictly complying with all safety provisions and laws in force.

EPIM545610	5391269796632	Card	18 x 17.5	22.50
------------	---------------	------	-----------	-------



Protex Inhibitor

Protex Inhibitor gives extended protection against corrosion, scale build up, boiler noise and helps prevent microbial growth when introduced to a thoroughly cleaned system. It is suitable for all mixed metal systems including those containing aluminium elements. 1 Litre is sufficient to protect a typical domestic heating system of up to 100 Litre capacity.

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP1LPI	1L	5391269644537	Bottle 13 x 19	15.50



Protex Leak Sealant

Protex Leaksealant is ideal for resolving small pin-hole leaks in radiators and weeping inaccessible joints. It mixes and disperses easily when added to the system water and will not cause internal blockages or trap valves and pumps.

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP1LPL	1L	5391269644568	Bottle 13 x 19	15.50



Protex Universal Cleanser

Protex Universal Cleanser is an excellent pre-commissioning cleanser for new or modified systems due to its effective removal of all flux residues. It may also be used to flush, de-sludge and de-scale an existing system prior to modification or extension.

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP1LPU	1L	5391269644551	Bottle 13 x 19	15.50



Easi Freeze Mini

Includes 1 x 205ml Can, 1 Freezer Jacket & Ties



Introduction

Pipe freezing is a fast, clean and efficient means of carrying out Plumbing repairs and alterations to existing pipe work. It eliminates the need to isolate and drain down the entire system. It can be carried out on Copper, Metal and Pex pipe systems.

For pipes up to ½"/15mm

Stock Code	Barcode	Package Type	Size	€
EF410M	5391269786275	Box	12 x 22.5	45.00





C x C Lever Action Ball Valve

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP12BVGC	1/2"	5391269645374	Card	12 x 15.5	9.80
EP34BVGC	3/4"	5391269645381	Card	12 x 15.5	13.46


Mini C x C Lever Action Ball Valve

EP10GC	10mm	5391269645077	Card	9 x 12	8.94
EP108GC	10 x 8mm	5391269645091	Card	9 x 12	9.70
EP15GC	15mm	5391269645084	Card	9 x 12	11.92
EP1510GC	15 x 10mm	5391269645114	Card	9 x 12	11.92



P.T.F.E. Ribbon for Gas

EPTHTITE	150m	5391269713257	Card	12 x 15.5	7.72
----------	------	---------------	------	-----------	------



Instructions. Start at the exposed end of the thread and wind the ribbon in the direction of the thread, whilst overlapping frequently. Use sufficient to be able to screw the thread into the female fitting with a wrench or spanner, such that it only starts to become tight as most of the thread engages in the fitting.

PTFE Tape (Gas Approved)

EPPEGT	5m	5391269622337	Card	9 x 12	2.40
--------	----	---------------	------	--------	------

PTFE (Polytetrafluoroethylene) has been around for many years, but only as a jointing tape for the last two decades or so. Its very low coefficient of friction and melting point of about 320°C, makes it an ideal substitute for hemp and jointing paste. Apply the tape winding it around the thread in the opposite direction to that used to insert the thread into the fitting. Again, experience will determine how much tape to apply, which should be sufficient to be able to screw the thread into the female fitting with a wrench or spanner such that it only really starts to become tight as most of the thread is engaged in the fitting.




Hose Union Nozzle Male

EP18HUN	1/8"	5391269645336	Card	9 x 12	4.50
EP14HUN	1/4"	5391269645343	Card	9 x 12	4.50
EP38HUN	3/8"	5391269645350	Card	9 x 12	4.50
EP12HUN	1/2"	5391269645367	Card	9 x 12	4.50

Hose Union Nozzle Female

EP18FHUN	1/8"	5391269645138	Card	9 x 12	4.50
EP14FHUN	1/4"	5391269645145	Card	9 x 12	4.50
EP38FHUN	3/8"	5391269645152	Card	9 x 12	4.50
EP12FHUN	1/2"	5391269646169	Card	9 x 12	4.50



Comp. Hose Union Nozzle

EP8922	10mm	5391269770595	Card	9 x 12	5.20
--------	------	---------------	------	--------	------





3 Way "T" Hose Union Connector

EP5720		5391269694990	Card	9 x 12	5.50
--------	--	---------------	------	--------	------


3 Way "Y" Hose Union Connector

EP5700		5391269694983	Card	9 x 12	5.50
--------	--	---------------	------	--------	------



1.2m Orange hose (8mm internal dia.) BS3212

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP2MGH	1.2m	5391269645282	Card	18 x 25.5	7.50




Gas Regulators



Jumbo Gas Regulator 2kg@29mb



For use with
Butane Gas




The Jumbo regulator is designed to be used on cylinders supplying Butane gas appliances requiring an inlet pressure of between 0.5 and 7.5 bar, and requiring operating outlet pressures of between 28 and 30 mbar. It is fitted to any cylinder fitted with a 35mm diameter automatic valve.


The cylinder must always be kept in an upright position and, if used externally, must be kept under cover.

Capacity: 2kg per hour: Temperature limitations: 0 to 50°C. **Warning:** No attempt should be made to adjust the preset outlet pressure of the Regulator - (29mbar).

Stock Code	Barcode	Package Type & Size (cm)	€
EPJGR	5391269645305	Card 18 x 25.5	18.80






Jumbo Regulator Kit



The Jumbo regulator is designed to be used on cylinders supplying Butane gas appliances requiring an inlet pressure of between 0.5 and 7.5 bar, and requiring operating outlet pressures of between 28 and 30 mbar. It is fitted to any cylinder fitted with a 35mm diameter automatic valve. The cylinder must always be kept in an upright position and, if used externally, must be kept under cover. Includes 1.2m Hose and clips.

Stock Code	Barcode	Package Type & Size (cm)	€
EPJGRK	5391269691524	Card 25.5 x 37	26.30

Low Pressure Clip on LP Gas Regulator with Safety Interlock



This Valve is a low pressure regulator with a set outlet pressure of 37mbar and capacity of 1.5kg/hr conforming to European standard BS EN 12864. No attempt should be made to adjust this setting. It must only be used with propane gas. This regulator is designed to only fit on a 27mm 'Clip On' type cylinder valve.

If you have any problems connecting the regulator to your cylinder, contact your local gas supplier at once.

Stock Code	Barcode	Package Type & Size (cm)	€
EP27REG	5391269695355	Card 18 X 25.5	17.92



Low Pressure Gas Regulator


For use with
Propane Gas

Minimum inlet pressure: 1 bar
Maximum inlet pressure: 16 bar

1.5 Kg/Hour 37mbar
Standard Regulator

Stock Code	Barcode	Package Type & Size (cm)	€
EP1KGRP	5391269645404	Card 12 X 15.5	17.50








Manual Changeover Regulator for Propane




Spare Pigtails are separately available



It is very important that all connected appliances are turned off before the gas supply is switched over to the reserve cylinder.

Stock Code	Barcode	Package Type & Size (cm)		€
EP4KGMR	5391269645411	Card	25.5 x 47	187.00

4Kg/Hour 37mbar, c/w Isolation Valve, Wall Bracket and Pig Tails



Adj. Single Cylinder Regulator Kit For Use with Propane Gas




Key Features


- Delivers up to 5kg/h (70kW/h)
- 3/8" BSP outlet connection fitted with a pressure test point
- Wide bodied spring for improved pressure delivery and adjustment if required
- Pressure delivery at 37mb
- Manufactured in accordance with En13785 including pressure regulation to BS 3016

Stock Code	Barcode	Package Type & Size (cm)		€
EP766P	5391269694976	Card	25.5 x 47	135.30

5Kg/Hour 37mbar, c/w Isolation Valve, Wall Bracket and 20" Pig Tails



Low Pressure Automatic Changeover Regulator for Propane






The automatic change over ensures that the supply from a propane source is continuous by changing the supply from a second cylinder once the first cylinder is empty. A visual signal is located either on the pipe within the cylinder storage area, or on the automatic change over regulator. If the signal is white, supply is drawn off the first cylinder. If the signal is red, supply is being drawn off the reserve cylinder. The switch over is automatic, - the only manual part of the operation is to rotate the regulator head as defined in instruction 5 below.

Spare Pigtails are separately available

It is extremely important that this Changeover Regulator Valve is ALWAYS located higher than the top of the gas cylinders.

Stock Code	Barcode	Card	25.5 x 47	207.74
------------	---------	------	-----------	--------



Single Cylinder Regulator




- Delivers up to 5kg/h (70kW/h)
- 3/8" BSP outlet connection fitted with a 10mm diameter nozzle
- Wide bodied spring for improved pressure delivery and adjustment if required
- Pressure delivery at 37mb
- For external cylinder location only.


Manufactured in accordance with EN13785 including pressure regulation to BS 3016

Stock Code	Barcode	Card	18 x 25.5	41.20
------------	---------	------	-----------	-------


Gas Cooker Hoses and Bayonet Sockets



1m x 1/2" Micro Cooker Hose for Natural Gas & LPG




Micro Gas Hose Connection Fittings are available separately




This end of the hose connects to the 1/2" BSP thread on the gas appliance




Stock Code	Barcode	Package Type & Size (cm)	€
EG1UDMGH	5391269766475	Card 25.5 x 37	33.02



1m x 1/2" Standard Cooker Hose for Natural Gas LPG




Standard Gas Hose Connection Fittings are available separately



This end of the hose connects to the 1/2" BSP thread on the gas appliance




Stock Code	Barcode	Package Type & Size (cm)	€
EG1UDGH	5391269766468	Card 25.5 x 37	30.52



Plug in Socket & Back Plate for Micro Gas Hose




Connects with the Bayonet fitting Micro Hose




Use substantial fixings to secure the plate in position

Assemble this joint with either PTFE Tape or use Sealite Thread Sealant



1/2" Compression Fitting for Gas Supply

Stock Code	Barcode	Package Type & Size (cm)	€
EPMPIS	5391269645008	Card 12 x 15.5	15.22



Plug in Socket & Back Plate for Bayonet Gas Hose



Use substantial fixings to secure the plate in position

Assemble this joint with either PTFE Tape or use Sealite Thread Sealant

Connects with the Bayonet Fitting Hose



1/2" / 15mm Compression Fitting for Gas Supply

Stock Code	Barcode	Package Type & Size (cm)	€
EPCHB	5391269644988	Card 12 x 15.5	16.22

Gas Accessories

Professional Washer for Gas Cylinder Pigtail, Pair

Stock Code	Barcode	Package Type & Size (cm)	€
EGPTW2	5391269760053	Card 6 x 12	4.60



EGTAIL20	20"	5391269765638	Card	18 x 25.5	21.50
----------	-----	---------------	------	-----------	-------

Hose/Pig Tail





Pressure Test Point



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12PTP	1/2" M x F	5391524361230	Card 12 x 15.5	19.80



Universal Fitting Thermocouple Kit



This Universal Thermocouple Kit - 900mm is a versatile solution designed for reliable temperature sensing in natural gas appliances. This comprehensive kit includes a thermocouple, multiple button end connectors, a spring clip, and a range of pilot burner fittings to ensure compatibility with various heating and cooking appliances in a variety of installation scenarios.

Kit includes:

- 1 x thermocouple
- 3 x button end connectors
- M8/10 split
- M9 split and 1 1/32"
- 1 x spring clip
- 6 x pilot burner fittings

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP900TC	900mm	5391269645220	Card 12 x 15.5	14.66



G.P. Gas Blow Torch



- Stable rugged flame (up to 1370°C) ideal for most DIY jobs.
- Rapid 1-minute warm up – use at any angle.

FLAME PATTERN

- Ideal for general DIY, paint stripping, plumbing and soldering.
- Simple and safe to use with precise flame control.
- Stability base included.
- GoSystem accessory rods and paint burners sold separately
- Safety checked and test burned.

Stock Code	Size	Barcode	Package Type	€
CADGB2070H	5036720207011	Box	17 x 18.5	22.50



Closure Tape



This tape is a robust polythene cloth tape that features a thermo setting solvent free rubber resin adhesive, specially designed for sealing gas fire closure plates.

This tape complies with the requirements of British Gas specification PRS10 Issue 2, ensuring suitability for the installation of gas fires, heaters, fire back boilers and decorative fuel effect gas appliances.

With high tack, it adheres well to aluminum, plaster, brick and concrete. It creates an air tight seal. Easy to apply, this tape is resistant to high temperature. It features high quality, high tack adhesive, excellent water and abrasion resistance.

Its "writeable" surface allows simple hand written identification.

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP10GPCT	10M x 50mm	5391269645312	Card 12 x 15.5	5.32

400ml Can Leak Detection Spray



Features

- Non-toxic
- Non-corrosive
- Non-flammable

GAS LEAK DETECTOR SPRAY is a specially formulated micro porous foam designed specifically to identify even the smallest positive pressure gaseous leak. It is suitable for use with most gases and is compatible with paintwork, metals, wood and most plastics.

Stock Code	Barcode	Package Type & Size (cm)	€
EPGLDS	5391269645329	Loose	9.92

Propane/Butane Refill



- Fitted with standard type threaded self sealing safety valve complying with EN417
- Higher Propane content for even more heat and power and for use at lower air temperatures
- Effective to -20 deg C
- Non- refillable
- Stable mixed gas



Stock Code	Size	Barcode	Package Type	€
CAD2289	277gm	5036720228900	Loose	5.30

Outdoor Living

Portable Premium Quality Camping Gas Stove c/w Compact Carry Case



Single burner,
self-contained
burner stove
perfect for
small camping
trips.



Cast Iron Gas Burners

Can be used with:



Note! This product must be used in conjunction with a suitable gas regulator.

Stock Code	Type	Barcode	Package Type & Size (cm)		€
SBR	Single	5391269210695	Box	28 x 34	62.50
DBR	Double	5391269210718	Box	62.5 x 34	119.00

- Steel/Brass/Tin
- Piezo auto-start ignition system.
- Extended feet on pan support.
- Serrated pan supports for non-slip use.
- For use with pans no more than 18cm in diameter.
- Cartridge safety locking system.
- Fuelled by a "click in" Go System bayonet gas cartridge.
- G2220 Bayonet gas cartridge
- 2300 watts.
- 162g of gas consumed per hour.
- Continuous burn time of 1 hour 30 mins per 220g cartridge.
- Will boil 1 litre of water in 3 mins 45 seconds.
- Supplied with carry case.

Stock Code	Type	Barcode	Package Type & Size (cm)		€
503200	Stove	2353205503200	Case	35 x 30	38.70
401400	Refill	2353205401400	n/a	7 x 20	2.84



Features & Benefits

- Continuous light converted from the heat generated by a lit tea light.
- Cost effective - a typical tea light lasts for up to 4 hours.
- Eco friendly - no batteries required.
- Suitable for both indoor and outdoor use.
- Made from corrosion proof materials.
- Very long lasting - LED's will typically last for up to 20,000 hours!
- Produces up to 20 times the light normally generated by a tea light.
- Multi directional and intensity of light may be set.
- Does not require mains electricity.
- Does not rely on the use of batteries and therefore no disposal problems to contend with.

Stock Code	Barcode	Package Type & Size (cm)		€
TLIGHT	5391524313093	Box	16 x 28	59.50

THERMLIGHT

ThermLight is a unique device which is powered by the use of a small lighted candle commonly referred to as a "Tea Light". The heat generated by the Tea Light converts heat energy into electric energy; thereby powering an array of 18 bright white LED's. This conversion of energy is achieved through the use of the Thermal Power Generator which is located inside the main body. It features Thermal Electric Plates, also known as "Peltier" Modules, which when heated on one side and cooled on the other, generate a small electrical voltage. The thermal power generator is made up of a specially designed aluminium block featuring cooling "fins" with two Peltier Modules affixed to it in a manner that enhances the concentration of both heat and cool.



Easi DRAIN

Mini Sewer Rod Kit

Includes 8 Rods & 2 Tools


Double Worm Screw

Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.

Plunger


Builds up pressure of water which forces obstruction clear.

Mini Sewer Rod Kit (8 Rods, 2 Tools)



Plunger

Builds up pressure of water which forces obstruction clear



Double Worm Screw

Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.



Easi DRAIN

Sewer Rod Kit

Includes 10 Rods & 4 Tools


Drain Clearing Equipment

Sewer Rod Kit (10 Rods, 4 Tools)




Drop Scraper

Guides rods around difficult bends and removes minor blockages by pushing material clear.




Plunger

Builds up pressure of water which forces obstruction clear.



Double Worm Screw

Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.



Clearing Wheel



Glides over small obstructions and drops into vertical scraping position to allow offending material to be dragged back towards the operator.

Stock Code	Barcode	Package Type & Size (cm)		€
EPTDRSUM	5391269709151	Header	12.5 x 110	50.40

Stock Code	Barcode	Package Type & Size (cm)		€
EPTDRSU	5391269646074	Box	12.5 x 110	84.56

Drain Clearing Equipment

Single Drain Clearing Rod




Sewer Rod Extension Kit, Pack of 5



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP1ROD	3ft. x 3/4"	5391269750672	Hanger	5 x 95	5.10

Stock Code	Barcode	Package Type & Size (cm)		€
EPTRODU	5391269646081	Header	18.5 x 103	24.10



Drop Scraper



Double Worm Screw




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPTDS4	4"	5391269646111	Card	12 x 15.5	7.96

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPTDWS	4"	5391269646104	Card	12 x 15.5	9.00

Drop Scraper: Glides over small obstructions and drops into vertical scraping position to allow offending material to be dragged back towards the operator.



Double Worm Screw: Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.



Plunger




Clearing Wheel




Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPTPL4	4"	5391269646098	Card	12 x 15.5	6.60

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPTCW	4"	539126964501	Card	12 x 15.5	20.42

Plunger: Builds up pressure of water which forces obstruction clear.



Clearing Wheel: Guides rods around difficult bends and removes minor blockages by pushing material clear.



Drain Cleaning Equipment




Drain Cleaning Wire



A simple but effective method of clearing drains. The top of the wire which features a "screw head" is introduced into the pipework via a cleaning eye, trap or waste outlet. When it reaches the blockage, it pierces it. The blockage can then be drawn back to the operator.

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP15DW	15ft. (4.5m)	5391269646319	Card 18 x 25.5	9.14




Drain Stick

Provides an easy way of removing "gunk" which collects in the waste outlets and traps of Basins, Baths, Sinks and Shower Trays.



Works with these types of wastes.



Stock Code	Barcode	Package Type & Size (cm)	€
EPDS	5391269770670	Card 5 x 50	4.00


Traditional Sink Plungers




EPPL4	4", 9" Handle	5391269645886	Hanger	11 x 32.5	4.90
EPPL6	6", 19" Handle	5391269645893	Hanger	15 x 55	5.84
EPPLM	n/a	5391269775071	Loose		4.20



Drain Cleaning Tool




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP15CA	15ft. (4.5m)	5391269646302	Card 25.5 x 37	14.50




Drill Snake Drain Cleaner



Remove any traps or elbows. Uncoil and attach to drill chuck. Leave 1/8th" (3mm) of connector exposed. Feed the corkscrew head into the drain until blockage is reached. Power the drill at low speed until blockage has been cleared. Remove snake and air dry and oil before storing.



Stock Code	Barcode	Package Type & Size (cm)	€
EP25DS	5391269775088	Card 30 x 40	16.78



Drain Cleaner with Brush


- Easy to use
- Vinyl coated cable for long life




- 90 cm (36") long cable
- Purpose designed to clean waste from kitchen sinks, wash hand basins, etc.

Stock Code	Barcode	Package Type & Size (cm)	€
EP3DC	5391269775057	Card 16 x 25.5	6.58


Drain Cleaning Equipment




Toilet Cleaning Tool



Drain Sweep



Stock Code	Barcode	Package Type & Size (cm)		€
EPDSWEEP	5391269775095	Card	21 x 26.5	13.82



Cranked Drain Cleaner




- Protective vinyl sleeve prevents bowl scratching
- Unclogs toilet drain
- Safe and easy to use
- Save time and money
- Works where chemicals and plungers fail

Stock Code	Barcode	Package Type & Size (cm)		€
EP3TA	5391269775040	Card	35 x 108	31.50

Stock Code	Barcode	Package Type & Size (cm)		€
EP10RGA	5391269775064	Card	25.5 x 37	17.14



Drain Bomb



Sink Plunger & Drain Wire



Easy to use 2 way pump action. Includes attachment for clearing blockages in sinks, baths and toilets.

Stock Code	Barcode	Package Type & Size (cm)		€
EPPUM	5391269646159	Box	12 x 40	12.50

Stock Code	Barcode	Package Type & Size (cm)		€
EPPL415DW	5391269694679	Box	12 x 40	15.34



1 Litre Biozyme Ecodrain A Concentrated Biological Septic Tank & Drain Line Maintenance and Performance Treatment

Restores and maintains biological action to keep all kinds of Septic Tanks functioning properly. Natural and fast elimination of organic solids in pipes and drains. Excellent perfumed sanitising and cleansing formulation. Non toxic, non corrosive. 1 litre - sufficient for 8 week dosing cycle. Graduated measure on side of container for ease of application.

- Non-toxic
- Maintains clean drains
- Easy to store
- Maintains clean septic tanks
- Easy to use
- Graduated Dosing Scale on side



Stock Code	Barcode	Package Type	€
ECOD1L	5391269758166	Loose	9.10

Stex



For removing clogging and unpleasant odours caused by, for example, hair, soap, oil, grease and food residue in drains of kitchen sinks, wash basins, showers and bath tubs in bathrooms, kitchen and toilet. Suitable for materials including synthetics (PVC, PVCC, ABS, Acrylic), enamel, porcelain and metals (copper, stainless steel, chrome, iron) with the exception of aluminium.

STEX50	600gm	8710439284408	Loose	9.52
STEX100	1 litre	8710439224640	Loose	10.82




1 Kg Bottle of Caustic Soda

Add to **cold** water, and stir slowly and gently with a wooden stick until the pearls have fully dissolved. Swirl the liquid constantly to prevent "hot spots" developing. **Note** – The solution will heat up.

When Unblocking Drains:

Pour the solution slowly down the drain. Leave for about 30 minutes and then flush with hot or boiling water. Repeat treatment may be needed for stubborn blockages. In the event that you are not successful in unblocking the drain, it may be that the obstruction is too big and dense to be broken down with Caustic Soda solution. In this case it will be necessary to physically remove the offending matter, for which Excel Industries offer a comprehensive range of Drain Clearing equipment specifically designed for this purpose.



Stock Code	Size	Barcode	Package Type	€
CSODA1	1 Kg	5391269777488	Loose	11.22

Biozyme Sachets



A Biological & Ecological Drain, Grease Trap & Septic Tank Cleanser

- Non-toxic
- Maintains clean drains
- Easy to store
- Maintains clean septic tanks
- Easy to use
- Graduated Dosing Scale on side
- Maintains pleasant odour
- Eco friendly



Stock Code	Size	Barcode	Package Type	€
BIOMINI	12 x 20gm	5391269635986	Box	16.76

The natural process of biological decomposition has kept our environment in perfect equilibrium since the beginning of time. It's nature's way of recycling and renewing itself through a steady decomposition of organic waste matter and its conversion to simple, essential substances. Conversion of leaves back into fertile soil is one example of this process. This ongoing process is the work of trillions of tiny, naturally occurring, living micro-organisms that use organic waste as their food and energy source. Biozyme harnesses this natural process to meet today's need for cleaning, odour control, and waste processing without the use of potentially harmful chemicals.

Septic Systems can be overloaded by cleaning chemicals, antibiotics, or by intermittent use. Biozyme Sachets restore effective activity in septic systems to reduce bottom solids and surface scum, eliminating the need for excessive pumping. Treatment also reduces odours by degrading malodorous volatile fatty acids released by incomplete digestion. Biozyme technology protects drainage areas by stimulating biological activity to lessen organic liquids and solids in the effluent stream.

Drainex



1. Add contents directly into plug hole, drain or gully.
2. Leave for between 20 minutes to 1 hour, depending on the degree of blockage.
3. Flush area with plenty amounts of water after use.

• Alkaline Based Drain Cleaner

Stock Code	Size	Barcode	Package Type	€
EPDRAINEX	1 L	5391269644575	Loose	6.30

Overground Drain Clearing Tools

Easi Drain Rotary Operated Drain Clearing Kit


The Easi Drain drain cleaning and un-blocking system is a new and novel method of dealing with blockages and obstructions in drains. Easi Drain is designed to be used primarily by residential and light commercial operators. The unique rod system, which incorporates 10mm diameter POM rods, has demonstrated that both the Flail Head and the various tools have been able to pass through two connected 90 degree Elbows in a 100mm (4") drain pipe - a procedure not possible with conventional cane or polypropylene rods!

Stock Code	Barcode	Package Type & Size (cm)		€
EDRAIN	5391269779253	Tube	1.2m x 110mm	99.50


Features and Benefits

- Suitable for Professional and DIY use
- 10 metres long kit (30 Feet)
- Easily break up any debris which will be push along the pipe until it can be removed
- Easy to connect rods together
- It comes with a flail head, plunger head, bulb auger head, grease cutter, "C" cutter head, side cutter head, drill adaptor and hand grip
- Flexible, yet very strong - rods are made from 10mm diameter solid POM
- May be used over and over again


The **Side Cutter** Head which features a 47mm wide toothed "claw" which when rotated will loosen fabric materials or heavy paper blockages which can then be withdrawn or pushed on to the drain cleaning point.




The **Grease Cutter** which features a heavy 33mm wide blade which when rotated is designed to loosen, push through and remove stubborn grease deposits.



The **Bulb Auger** Head which features a 27mm diameter pointed spiral head which when rotated will impale fabric material or heavy paper blockages which can then be withdrawn or pushed on to the drain cleaning point.



The **"C" Cutter** Head which features a heavy 33mm wide blade which when rotated is designed to loosen and remove more stubborn deposits, after which the Flail or Plunger Head should be more effective.





Package Contents



Smart Rod utilizes a rotating head fitted with nylon flails to break up any encrusted deposits. The flail head is advanced along the drain pipe with sections of flexible POM rods. It is rotated while being advanced with the use of a battery operated drill gun (supplied by the operator). The flexible POM rods that are used to advance the heads allow the system to operate around tight right angle bends and even "S" bends which would not be possible for conventional drain clearing rods. Once connected to a POM rod, it is inserted into the drain pipe and the other end of the rod is "snapped" onto the drill adaptor. As the flail advances, more rods are applied in the same way. The flails have a diameter of 300mm (12") and are designed to distort as the head is pushed into the drain pipe. Because the drain rod joints are not secured by a screw thread, the drill can be set to run in either the forward or reverse direction without the possibility of the rods separating. This can be an advantage where stubborn blockages are encountered.

10 x 1M Rods






Adjustable Wrench



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP6AW	6"	5391269646326	Card	12 x 22	6.40
EP8AW	8"	5391269646333	Card	12 x 27	8.42
EP10AW	10"	5391269646340	Card	12 x 33	10.40
EP12AW	12"	5391269646357	Card	12 x 40	13.54



Stilson Wrench




EPTSW12	12"	5391269645992	Card	15 x 35	12.42
EPTSW15	15"	5391269646005	Card	15 x 35	14.92
EPTSW18	18"	5391269646012	Card	15 x 45	19.62
EPTSW24	24"	5391269646029	Card	15 x 60	28.64



Compression Fitting Spanner



EP99BW	3/4" x 1/2"	5391269646272	Card	12 x 35	13.54
EP100BW	1" x 3/4"	5391269694525	Card	12 x 35	15.54




Water Pump Pliers



EPWPP10	10"	5391269645954	Card	12 x 33	10.96
EPWPP12	12"	5391269645961	Card	12 x 40	12.58
EPWPP16	16"	5391269645978	Card	12 x 46.5	27.88




Adjustable Tap Wrench




How to use an Adjustable Tap Wrench

1. The Wrench head locks onto a nut with the sprung jaws, but will only grip as it is rotated in one direction as shown.
2. Access to the tap lock nuts from the underside of the hand basin or bath is not always an easy task, but once the grip section of the Wrench is located around the nut, it is very easy with tommy bar to rotate the tool and tighten, (or loosen), the nut as required.

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPBW	1/2"	5391269645985	Card	12 x 35	11.44




Claw Foot Spanner




Looking up from underneath the hand basin or bath

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP3412CFS	3/4" x 1/2"	5391269744190	Card	12 x 35	11.80


Plumbing Tools




Monobloc Tap Fixing Nut Dual Spanner




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPMONOB1	9 x 11mm	5391269763894	Card 12 x 25.5	10.18




Mono Tap Back Nut Spanners




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPMONOBOX	5391269646371	Card	12 x 25.5	16.70




Tap Back Nut Spanner



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP2732BOX	5391269646364	Card	12 x 25.5	14.08



Stopcock Key



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPSCKEY	5391269646395	Card	12 x 25.5	13.02



U.G. Stopcock Key




The UG Stopcock Key can be used as linked sections for more difficult access situations.


Stock Code	Barcode	Package Type & Size (cm)	€
EPWKEY14	5391269706693	Card 9 x 12	3.80



Traditional U.G. Stopcock Key



Stock Code	Barcode	Package Type & Size (cm)	€
EPWKEY	5391269646227	Card 12 x 30	14.08



4 Way Utility Key



Note that all dimensions are approximate and will depend on the paint thickness.

Stock Code	Barcode	Package Type & Size (cm)	€
EPMP4WAY	5391269646388	Card 9 x 12	5.10

Stock Code	Barcode	Package Type & Size (cm)	€
EPMP4WAY	5391269646388	Card 9 x 12	5.10




42mm PVC Pipe Cutter



An exceptionally useful tool, this pipe cutter can be used to cut PVC waste pipes, plastic water supply, gas pipe and aluminium cored plastic pipe of diameters up to 42mm.

- Push the jaw release button with the thumb
- Place the pipe in the jaws and repeatedly close the ratcheted handles until the required section is cut off
- In cold weather conditions, it will be necessary to warm the pipes to be cut, as some plastic materials become brittle and will snap rather than cut.
- To maintain the tool efficiency, keep the mechanism and blade lightly oiled.


Stock Code	Barcode	Package Type & Size (cm)	€
EPPEXCUT	5391269645879	Card 12 x 29	14.60




Mini Tube Cutter



Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPCUT1	3-16mm	5391269645916	Card 9 x 12	6.16




Tube Cutter




Cuts copper tube up to 28mm (1") Ø


Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPPCUT2	3-28mm	5391269645909	Card 12 x 25.5	8.54



"TubeSlice" Pipe Cutter




Stock Code	Size	Barcode	Package Type & Size (cm)	€
EP12KPS	1/2"	5391269646197	Card 12 x 15.5	17.22
EP34KPS	3/4"	5391269646203	Card 12 x 15.5	19.32




Single Tube Cutter Spare Blade




Stock Code	Type	Barcode	Package Type & Size (cm)	€
EPPCUTB	for Tube Cutter	5391269645923	Card 9 x 12	3.10
EPPSCW	for Tubeslice	5391269646210	Card 9 x 12	6.64



Radiator Valve Key




Stock Code	Barcode	Package Type & Size (cm)	€
EPRVS	5391269646128	Card 12 x 15.5	5.50



Radiator Vent Keys Set




Stock Code	Barcode	Package Type & Size (cm)	€
EPRVKS	5391269706730	Card 9 x 12	4.10



Veha Vent Keys, Pack of 2




Stock Code	Barcode	Package Type & Size (cm)	€
EPVVK	5391269623617	Card 9 x 12	3.80



Clock Type Vent Key



Stock Code	Barcode	Package Type & Size (cm)	€
EPBVK	5391269694389	Card 9 x 12	2.60



Easy Drain Down Avoidance Kit




Removes Central Heating radiators without having to drain the system

The Kit plugs can be used in 1/2" (15mm) and 3/4" (22mm) pipe and fittings and are simply pushed firmly into the holes to close off the water or air movement.

Stock Code	Barcode	Package Type & Size (cm)	€
EPDDK	5391269706761	Card 18 x 25.5	12.60


Plumbing Tools



Blanking Plugs, Pack of 2




- Hand tightens
- Watertight
- Numerous uses
- Colour coded for hot & cold
- Prevents debris entering pipes
- Re-useable



Example 1: Plugging shower entry points whilst plumbing, decorating or tiling.

Example 2: Plugging barrel tapping for later use.

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPBP12	1/2"	5391269696314	Card 18 x 25.5	2.84



Drill Operated Tap Seat Repair Tool




1/2" Thread to suit most tap bodies

Abrasive Disk

Use this drill operated tool to smooth out and repair the "seating" on your traditional style basin, sink or bath taps. Very often, the seating will have become damaged due to worn tap washers. Having used this tool, it will also be necessary to replace the disintegrated tap washer. It is supplied with two different grades of abrasive disk form (5 of each). Use the coarse grade first and finish with the finer grade.


Stock Code	Barcode	Package Type & Size (cm)	€
EPTRT	5391269744855	Card 18 x 25.5	33.50

Adjustable Circle/Tank Cutter



Suitable for creating holes from 30 - 120mm in diameter in plastic, plasterboard and wooden panelling up to 50mm thick.

Stock Code	Barcode	Package Type & Size (cm)	€
EP68C	5391269797653	Card 15 x 20	10.98



Hole Saw Set




16 Piece Hole Saw Set 3/4" - 5" (19mm - 127mm) Diameter

No.	Imp.	Metric
1	3/4"	19mm
2	7/8"	22mm
3	1"	25mm
4	1 1/4"	32mm
5	1 1/2"	38mm
6	1 3/4"	44mm
7	2"	51mm
8	2 1/2"	64mm
9	3"	76mm
10	3 1/2"	89mm
11	4"	102mm
12	5"	127mm

11 Piece Hole Saw Set 3/4" - 2 1/4" (19mm - 64mm) Diameter

No.	Imp.	Metric
1	3/4"	19mm
2	7/8"	22mm
3	1"	25mm
4	1 1/4"	32mm
5	1 1/2"	38mm
6	1 3/4"	44mm
7	2"	51mm
8	2 1/2"	64mm

Stock Code	Size	Barcode	Package Type & Size (cm)	€
EPRKIT1	11 pcs.	5391269646043	Card 10.5 x 30	10.28
EPRKIT2	16 pcs.	5391269646036	Card 15.5 x 33	18.22




Copper Tube Bending



These are supplied on 6cm x 65cm cards.

EP12IBS	1/2"	5391269646166	8.60
EP34IBS	3/4"	5391269646173	11.20




Pex Pipe Clamp (Emergency Valve)



Used to isolate services on plastic pipes circuits and flexible hoses to avoid draining down.

Stock Code	Barcode	Package Type & Size (cm)	€
EPPEXPC	5391269694457	Card 12 x 15.5	11.92



ShearSaver - Thread Retriever



Suitable for retrieving internal threaded fittings that can not be gripped externally

Stock Code	Barcode	Package Type & Size (cm)	€
EP81R	5391269797646	Card 18 x 25.5	10.98

Universal Reaming and Calibration Tool



This tool allows the user to easily round and ream the multilayer pipe to prepare it for connection to multilayer fittings. It will ensure that the pipe will not damage the "o" rings on the fitting and that it will gently slide between the insert and sleeve of the fitting.



Features


- Lightweight
- Bends and manipulates tube up to 180°
- Suitable for use with Stainless Steel tube
- Durable Construction
- Easy to use
- Ergonomic Design
- Design
- Spare parts available



Stock Code	Barcode	Package Type & Size (cm)	€
EP0067	5391269797158	Card 18 x 25.5	64.50



PVC Pipe Clamp




This pipe clamp is intended for use with plastic pipes up to 50mm diameter. It is made from steel and features a removable bottom bar. Because the bottom bar is removable, the clamp can be used on existing live pipes. A removable side lever is also included, which provides additional support when clamping thick walled plastic pipes. It can be located on either side of the tool.

For PVC pipe up to 50mm diameter.

Stock Code	Barcode	Package Type & Size (cm)	€
EPPVCPC	5391269787210	Card 18 x 25.5	33.00

2 in 1 Pipe Bender



A Compact Hand Bender with precision high pressure aluminium die cast formers and guides to produce sets, offsets and multiple bends in tubes of 1/2" and 3/4" diameter.




Stock Code	Barcode	Package Type & Size (cm)	€
GLM	5391269206858	Box 76 x 16	99.50

Spare Guides




Stock Code	Barcode	Package Type & Size (cm)	€
12AGGLM	1/2"	5391269202096	Card 7.5 x 23 17.00
34AGGLM	3/4"	5391269202102	Card 7.5 x 23 20.00

Plumbing Tools



Water Pressure Test Kit




The heavy duty plastic construction ensures that where used on a mixer tap, the chrome finish is not damaged.


Test the water pressure at any tap outlet quickly, safely and accurately.

Directions: The Lever Cam Connector is loosely adjusted with the knurled thumb wheel **A**, so that with the lever horizontal, it can be pushed over the end of the tap outlet. The lever **B**, is then pushed up which forces the tap outlet into rubber seal, **C**. As the cam has a flat section on the lower edge **D**, it sits firmly on the top of the tap outlet and stays in position. If the mixer outlet is larger or quicker, it is only necessary to rotate the thumb wheel **A**, to increase the distance between the cam edge and the rubber seal. Also note that the lever can be operated from two directions - **E**.

Stock Code	Barcode	Package Type & Size (cm)	€
EPWPTK	5391269692187	Card 18 x 25.5	19.00



Easi Siphon





Stock Code	Barcode	Package Type & Size (cm)	€
EPESK	5391269758074	Card 25.5 x 37	13.00


How it works. Shaking the tube when the foot valve is immersed caused the liquid to be drawn into the tube. A natural siphon is established. The ball within the valve acts a non return device ensuring that liquid cannot fall back. The siphon can be broken by removing and inverting the valve and tube. It will naturally be broken when the level of liquid in the recipient container reaches the level in the donor container.

Typical Applications:

The Easi Siphon is suitable for use with most liquids which have similar viscosity to water. It has a multiplicity of different potential applications, three of which are illustrated here.



Airlock Release Kit




Cam Lock fitting instructions

The Cam Lock is loosely adjusted with the knurled thumb wheel **A**, so that with the lever horizontal, it can be pushed over the end of the tap outlet. The lever **B**, is then pushed up which forces the tap outlet into the rubber seal, **C**. As the cam has a flat section on the lower edge **D**, it sits firmly on the top of the tap outlet and stays in position. If the mixer or tap outlet is larger or thicker, it is only necessary to rotate the thumb wheel **A**, to increase the distance between the cam edge and the rubber seal. Also note that the lever can be operated from two directions - **E**.

The heavy duty plastic construction ensures that where used on a mixer tap, the chrome finish is not damaged.


Stock Code	Barcode	Package Type & Size (cm)	€
EPALK	5391269744336	Card 25.5 x 37	21.98




High Neck Pillar taps



Monobloc Basin Mixer



Tower Style Basin Mixer




Traditional Sink Mixer




Monobloc Sink Mixer






Single Setting Hand Spray (10111)

Stock Code	Size	Barcode	Package Type & Size (cm)		€
SLINE1	85mm	5391269760725	Card	15.5 x 32.5	11.32



Three Setting Hand Spray (10131)

SLINE2	85mm	5391269760732	Card	15.5 x 32.5	12.72
--------	------	---------------	------	-------------	-------




Five Setting Hand Spray (10152)

SLINE3	85mm	5391269760749	Card	15.5 x 32.5	14.40
--------	------	---------------	------	-------------	-------




Five Setting Hand Spray with Water saving Switch (12352)

SLINE5	85mm	5391269760763	Card	15.5 x 32.5	17.08
--------	------	---------------	------	-------------	-------




Three Setting Hand Spray (13731)

SLINE6	95mm	5391269760770	Card	15.5 x 32.5	15.50
--------	------	---------------	------	-------------	-------



Five Setting Hand Spray (18151)

SLINE7	122mm	5391269760787	Card	15.5 x 32.5	17.06
--------	-------	---------------	------	-------------	-------




Square Single Setting Hand Spray with Water Saving Switch White/CP (12921)

SLINE8	5391269760794	Card	15.5 x 32.5	13.68
--------	---------------	------	-------------	-------




Rectangular Single Setting Hand Spray with Water Saving Switch White/CP (12922)

SLINE9	5391269760800	Card	15.5 x 32.5	11.24
--------	---------------	------	-------------	-------



Shower Hand Sprays



Shut Off Shower Head

EPWG1	5391269738427	Card	12 x 15.5	9.00
-------	---------------	------	-----------	------

C.P. Tee with F.I. Swivel Nut

EP12CPT	1/2"	5391269799176	Card	9 x 12	8.78
---------	------	---------------	------	--------	------

This tee is typically fitted underneath the toilet cistern between the threaded tail of the filling valve and the supply pipe or service valve. The branch connects to a shower hose with trigger operated shut off shower head and thereby facilitates the almost immediate and simple installation of a traditional shattaf bidet shower.




Swivel Shower Heads





Single Setting Shower Head (20111)

SLINE10	85mm	5391269760817	Card	14.5 x 19.5	9.00
---------	------	---------------	------	-------------	------



Three Setting Shower Head (20131)

SLINE11	85mm	5391269760824	Card	14.5 x 19.5	10.94
---------	------	---------------	------	-------------	-------




Five Setting Shower Head (20155)

SLINE12	85mm	5391269760831	Card	14.5 x 19.5	11.84
---------	------	---------------	------	-------------	-------




Five Setting Shower Head (20251)

SLINE13	125mm	5391269760848	Card	14.5 x 19.5	15.00
---------	-------	---------------	------	-------------	-------



Single Setting Shower Head (20312)

SLINE14	160mm	5391269760855	Card	18 x 24.5	18.08
---------	-------	---------------	------	-----------	-------



Shower Brackets & Accessories

3 Position Hand Spray Wall Bracket (53401)

Stock Code	Barcode	Package Type & Size (cm)		€
SLINE18	5391269760893	Card	12.5 x 16	4.50



Adjustable Hand Spray Wall Bracket (53406)

SLINE19	5391269760909	Card	12.5 x 16	6.80
---------	---------------	------	-----------	------





Three Way Diverter Valve (53701)

Stock Code	Barcode	Package Type & Size (cm)		€
SLINE20	5391269760916	Card	12.5 x 16	8.62

Shower Arm Mount c/w Ball Joint (53304)

SLINE24	5391269760954	Card	12.5 x 16	7.12
---------	---------------	------	-----------	------



Shower Supply Wall Elbow (53601)


SLINE25	5391269760961	Card	12.5 x 16	3.70
---------	---------------	------	-----------	------

3/4" F x 1/2" M Shower Adaptor

EP3412CPA	5391269622696	Card	9 x 12	5.56
-----------	---------------	------	--------	------




This fitting allows you to connect a standard shower hose to a bath shower mixer which has a 3/4" connection



Shower Arm 305mm c/w CP Trim



52202



Shower Arm 390mm c/w CP Trim



51206



Shower Arm 190mm c/w CP Trim




52204

Stock Code	Package Type & Size (cm)		€
SLINE23	Card	12 x 27	10.58
5391269760947			

Stock Code	Package Type & Size (cm)		€
SLINE21	Card	11 x 51	15.34
5391269760923			

Stock Code	Package Type & Size (cm)		€
SLINE22	Card	13 x 52	19.80
5391269760930			

Hand/Grab Rail (CP on Brass)



When installed in a Shower or Wet Room Area, the Screws used to fix this Rail should be made from Stainless Steel



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EPPBC9384	35mm	5391269644742	Card	12 x 50	33.06

Shower Riser Rail Kits



Slide Bar Kit Only (30121)




Slide Bar Kit Acrylic/CP (30231)



Stock Code	Barcode	Package Type & Size (cm)		€
SLINE16	5391269760879	Card	16 x 75	26.76

SLINE15	5391269760862	Card	16 x 75	22.60
---------	---------------	------	---------	-------



Slide Bar Kit with Hose & Hand Spray (93116)




Features

- Exposed Thermostatic Mixer
- Pipe Concealing Rosettes Included
- ¼ Turn Ceramic Disc Flow Control
- Safety Lock Device on Temperature Control
- 4 Function Hand Shower
- High Quality Chrome Construction
- Push Button Riser Rail Operation



Elba Thermostatic Shower Valve Kit



SLINE17	5391269760886	Box	22 x 70	47.98
---------	---------------	-----	---------	-------


SLINE17K	5391269766512	Box	22 x 70	157.50
----------	---------------	-----	---------	--------



Shower Valve Mounting Bracket



A plate with two fixed ½" Wall Plate Elbows at 150mm centers. The bracket is fixed to a batten or the wall so that the front face of the Wall Plate Elbows are flush with the finished shower wall.



Stock Code	Barcode	Package Type & Size (cm)		€
EPLF317W2	5391269755905	Card	25.5 x 18	28.50

Separately available are Blanking Plugs which can be used to close off the threaded openings to prevent debris entering the fitting. They are fitted with washers so will also stop water leakage whilst the shower circuit is filled and tested before the Shower Valve is fitted.

Shower Curtain Rings



Pk/10 Shower Curtain Rings



Stock Code	Barcode	Package Type & Size (cm)		€
EPRING	5391269645848	Card	9 x 12	2.90



Pk/12 Round Shower Curtain Rings




SLINE64	5391269787180	Card	12 x 15.5	5.46
---------	---------------	------	-----------	------




Pk/12 Oval Shower Curtain Rings



SLINE65	5391269787197	Card	12 x 20	3.96
---------	---------------	------	---------	------



Pk/12 Stainless Steel Ball Shower Curtain Rings



SLINE63	5391269787173	Card	12 x 20	7.80
---------	---------------	------	---------	------



**1.5M x 11mm ID Shower Hose
Hex x Conical Nut
S/Steel
Finish**




Stock Code	Barcode	Package Type & Size (cm)		€
SLINE26	5391269760978	Card	19.5 x 27.5	14.30



**1.5M x 11mm ID Shower Hose
Hex x Conical Nut PVC Finish**



SLINE27	5391269760985	Card	19.5 x 27.5	12.18
---------	---------------	------	-------------	-------





Stainless Steel Shower Hose



The shower head rotates a full 360° on the Hose

EPSH125	1.25M	5391269622665	Card	25.5 x 37	13.00
EPSH150	1.50M	5391269622672	Card	25.5 x 37	13.46
EPSH175	1.75M	5391269622689	Card	25.5 x 37	14.00

Polyester Shower Curtain (c/w 12 curtain rings) 1800 x 1800mm




S2	Dolphin	5391269665709	Header	25.5 x 37.5	10.50
S3	White	5391269665716	Header	25.5 x 37.5	10.50
S4	Beige	5391269665723	Header	25.5 x 37.5	10.50

Shower Accessories




FLEXRAIL Flexible Shower Curtain Rail Includes 3 x 1m lengths which easily connect together

Flexirail allows construction of many different shaped shower curtain rails. It is made from flexible aluminium profile which is easily manipulated by hand.




Here are some of the possible configurations which may be achieved



The pre-formed sections of the Multirail system allows construction of "U", "Corner" and "L" shaped shower curtain rails.

Stock Code	Finish	Barcode	Package Type & Size (cm)	€
EPMRAILC	Chrome	5391269738526	Card 24 x 95	18.80
EPMRAILW	White	5391269665600	Card 24 x 95	17.76



Dimensions:

"U" - 900mm x 900mm

"L" - 900mm x 700mm

Straight Length = 500mm

Long Sections with Bends = 900mm x 200mm



Included in the kit are: 24 slide hooks, 2 joiners, 2 wall support brackets and 2 ceiling support brackets



Included in the kit are: 24 slide hooks, 2 joiners, 2 wall support brackets and 1 ceiling support bracket



Stock Code	Finish	Barcode	Package Type & Size (cm)	€
EPFRAILC	Chrome	5391269787142	Card 16.5 x 105	39.00
EPFRAILW	White	5391269665624	Card 16.5 x 105	30.50

Showerline Clip on Seal Strip for 4 - 6mm Glass

10mm Gap					
Stock Code	Length	Barcode	Package Type & Size (cm)		€
SLINE52	90cm	5391269786961	Header	7 x 95	3.92
SLINE522	180cm	5391269786978	Header	7 x 187.5	6.40
14mm Gap					
SLINE53	90cm	5391269786985	Header	7 x 95	4.10
SLINE532	180cm	5391269786992	Header	7 x 187.5	6.72
23mm Gap					
SLINE56	90cm	5391269787043	Header	7 x 95	4.06
SLINE562	180cm	5391269787050	Header	7 x 187.5	7.00
10-16mm Gap					
SLINE58	90cm	5391269787081	Header	7 x 95	3.96
SLINE582	180cm	5391269787098	Header	7 x 187.5	6.86
18mm Gap					
SLINE54	90cm	5391269787005	Header	7 x 95	4.20
SLINE542	180cm	5391269787012	Header	7 x 187.5	6.86
20mm Gap					
SLINE55	90cm	5391269787029	Header	7 x 95	4.06
SLINE552	180cm	5391269787036	Header	7 x 187.5	7.00
3-7mm Gap					
SLINE57	90cm	5391269787067	Header	7 x 95	4.48
SLINE572	180cm	5391269787074	Header	7 x 187.5	7.32
7mm Gap					
SLINE60	90cm	5391269787128	Header	7 x 95	4.48
SLINE602	180cm	5391269787135	Header	7 x 187.5	7.32
Showerline Clip on Seal Strip for 6 - 8mm Glass (10-16mm Gap)					
SLINE59	90cm	5391269787104	Header	7 x 95	4.52
SLINE592	180cm	5391269787111	Header	7 x 187.5	7.84



Showerline Clip on Magnetic Seal Kit for 4 - 6mm Glass



Stock Code	Barcode	Package Type & Size (cm)		€
SLINE62	5391269787166	Header	7 x 206	30.00


Showerline Clip on Seal Strip for 18mm Bath Panel





18mm Gap

Stock Code	Length	Barcode	Package Type & Size (cm)		€
SLINE61	90cm	5391269787142	Header	5.5 x 95	4.20
SLINE612	180cm	5391269787159	Header	5.5 x 187.5	6.24

Other Accessories



Seal for Shower Tray or Bath



Flexible PVC Sanitary Sealing Strip



Perfect alternative to gun applied sealants!

OBS	3.5M	5391269608218	Blister	12.5 x 15.5	6.98
-----	------	---------------	---------	-------------	------





Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP2MBSS	2M	5391269738434	Card	18 x 30	13.50
EP3MBSS	3M	5391269738441	Card	18 x 30	19.50



Shower Fixing Kit with Round Plates



EPSFKR	5391269774968	Card	25.5 x 15.5	19.50
--------	---------------	------	-------------	-------



This kit is designed to be used with Bar Type Shower Valves - both manual and thermostatically controlled, and which have 3/4" BSP hot and cold water connections on the rear face which are at fixed 150mm centres.

Expandable Shower Curtain Rail

- No mechanical fixings required
- Self supporting
- Features a simple twist & lock mechanism
- Rubber ends to prevent damage




Thermostatic Shower Valve

Min. inlet pressure: **2 bar**
(to provide an invigorating shower).
Max. inlet pressure: **6 bar**

Features

- Exposed Thermostatic Mixer
- Pipe Concealing Rosettes Included
- 1/4 Turn Ceramic Disc Flow Control
- Safety Lock Device on Temperature Control
- High Quality Chrome Construction




EPTSV200	5391269755899	Card	29 x 18	121.50
----------	---------------	------	---------	--------

Expected outlet flow rates in litres per minute based on the tabled dynamic water pressures :

Pressure (bar)	2.0	2.5	3.0
Flow rate (litre)	10	12.5	15

EPERAIL3W	710-1250mm	5391269738502	Card	12 x 91	12.80
EPERAIL2W	1100-1800mm	5391269738496	Card	12 x 116	13.82
EPERAIL1W	1350-2350mm	5391269738489	Card	12 x 135	16.06
EPERAIL3S	710-1250mm	5391269738472	Card	12 x 91	13.96
EPERAIL2S	1100-1800mm	5391269738465	Card	12 x 116	18.12
EPERAIL1S	1350-2350mm	5391269738458	Card	12 x 135	19.52




Safety Grab Rails with Concealed Fixing Points



12" Grab Rails

Stock Code	Finish	Barcode	Package Type & Size (cm)		€
A1232W	White	5391269738540	Card	13.8 x 47.5	21.20
A1232B	Blue	5391269738557	Card	13.8 x 47.5	23.10
A1232C	Chrome	5391269738571	Card	13.8 x 47.5	27.60



18" Grab Rails



A1832W	White	5391269738588	Card	13.8 x 62.5	22.80
A1832B	Blue	5391269738595	Card	13.8 x 62.5	24.90
A1832C	Chrome	5391269738618	Card	13.8 x 62.5	34.60

24" Grab Rails



A2432W	White	5391269738625	Card	13.8 x 76	26.90
A2432B	Blue	5391269738632	Card	13.8 x 76	29.40
A2432C	Chrome	5391269773656	Card	13.8 x 76	39.40

Concealed Fixing Method

Please note that fixings are not included with this device as the fixing method will depend on the structure onto which the rail is to be secured. If fitting to a concrete or masonry wall, make sure that good quality plugs and screws are used. Do not fix onto a plasterboard wall unless backing timbers or suitable alternative of sufficient strength is used to ensure a safe and adequate assembly.




These Rails are NOT suitable for use inside Shower Areas




12" Angled Safety Grab Rails with Concealed Fixing Points

Stock Code	Finish	Barcode	Package Type & Size (cm)		€
AA32W	White	5391269743124	Box	48 x 14	37.80
AA32B	Blue	5391269743148	Box	48 x 14	41.40
AA32C	Chrome	5391269743155	Box	48 x 14	48.00

Safety & Convenience in the Bathroom and WC



Stock Code	Finish	Barcode	Package Type & Size (cm)		€
A75HGRW	White	5391269738663	Card	95 x 35	82.80
A75HGRB	Blue	5391269738687	Card	95 x 35	90.60
A75HGRC	Chrome	5391269738694	Card	95 x 35	111.40




Stock Code	Finish	Barcode	Package Type & Size (cm)		€
A75HGRLW	White	5391269743087	Card	95 x 35	91.30
A75HGRLB	Blue	5391269743094	Card	95 x 35	100.00
A75HGRLC	Chrome	5391269743117	Card	95 x 35	120.60


750mm (30") Hinged Grab Rails Without a Hinged Support Leg



750mm (30") Hinged Grab Rails With a Hinged Support Leg



Plastic Safety Grab Rails



White


Stock Code	Size	Barcode	Package Type & Size (cm)		€
A632ABSW	6"	5391269798513	Card	30 x 15	12.50
A1232ABSW	12"	5391269797172	Card	14 x 47	14.00
A1832ABSW	18"	5391269797189	Card	14 x 62.5	15.50
A2432ABSW	24"	5391269797196	Card	14 x 77.5	18.00

Chrome

A632ABSC	6"	5391269798520	Card	30 x 15	16.70
A1232ABSC	12"	5391269797202	Card	14 x 47	18.80
A1832ABSC	18"	5391269797219	Card	14 x 62.5	20.90
A2432ABSC	24"	5391269797226	Card	14 x 77.5	24.40

Easi Flush Cistern Lever

Stock Code	Barcode	Package Type & Size (cm)		€
ACPCL5	5391269738700	Card	18 x 25.5	21.50




Shower Seats & Benches

- Waterproof
- Easy To Install
- Fixings for masonry walls and installation instructions included
- Manufactured from Powder Coated Mild Steel & ABS Plastic


Wall Mounted Folding Shower Seat



Weight allowance
130 kg (20 Stone)




Stock Code	Barcode	Package Type & Size (cm)		€
AFSS1	5391269738724	Box	36 x 32.5	59.80



Wall Mounted Folding Shower Seats With Legs

Weight allowance
250 kg (39 Stone)




Stock Code	Barcode	Package Type & Size (cm)		€
AFSS2L	5391269758333	Box	42 x 52	149.00

Wall Mounted Folding Shower Seats With Legs



Weight allowance
130 kg (20 Stone)



Stock Code	Barcode	Package Type & Size (cm)		€
AFSS1L	5391269738731	Box	40 x 50	126.90

Shower Seats & Stools

Shower Chair with Handles and Back Rest



Stock Code	Barcode	Package Type & Size (cm)		€
A15401	5391269776559	Box	64 x 42	109.50

Specifications

- Leg width: 50 cm
- Weight capacity of 135 kg
- Height adjustable: 40 to 54 cm (From floor to seat)
- Seat size: 40 cm wide by 33 cm deep
- Weight of shower chair: 3 kg
- Fully height adjustable
- Non-slip seat surface
- Ergonomic handles for support when standing
- Ferruled feet provide stability on a wet floor
- Lightweight aluminium frame
- Easy, tool-free assembly
- Smooth, accessible surfaces for ease of cleaning
- There are 12 drainage holes to avoid discomfort

Shower Seat with Back Rest



Stock Code	Barcode	Package Type & Size (cm)		€
A15403	5391269776566	Box	64 x 42	81.10

Specifications

- Leg width: 45 cm
- Weight capacity of 100 kg
- Height adjustable: 35 to 50 cm (from floor to seat)
- Seat size: 49 cm x 29 cm
- Height of backrest (from seat): 37 cm
- Weight of shower chair: 2.8kg
- Ergonomic hand grips at the sides of the seat for maximum comfort
- Fully height adjustable
- Innovative legs design for superior stability
- Non-slip seat surface
- Sturdy and lightweight aluminium frame
- Ferruled feet provide stability on a wet floor
- Smooth, accessible surfaces for ease of cleaning.
- There are 12 drainage holes to avoid discomfort

Shower Seat without Back Rest



Stock Code	Barcode	Package Type & Size (cm)		€
A15404	5391269776573	Box	64 x 42	71.80

- Made of high quality aluminium material, with a waterproof PE seat.
- It has a drainage outlet on the surface which features a clear and anti-skid texture.
- There are 12 drainage holes to avoid discomfort
- It features "cut outs" in the seat making it easy to move
- Ergonomic seat board which is comfortable to sit on
- Fully height adjustable
- Ferruled feet provide stability on a wet floor.
- Weight capacity of 100 kg
- Smooth, accessible surfaces for ease of cleaning

Round Shower Stool



Stock Code	Barcode	Package Type & Size (cm)		€
A15405	5391269776580	Box	50 x 36	52.10

Round Shower Stool with Swivel Seat




Stock Code	Barcode	Package Type & Size (cm)		€
A15406	5391269776597	Box	50 x 36	70.80

- Rotating seat reduces twisting and reaching while in the shower providing added manoeuvrability
- The rotating top of the seat can be removed for easy cleaning.
- Fully height adjustable
- Ferruled feet provide stability on a wet floor
- Smooth, accessible surfaces for ease of cleaning
- Dimensions: 33cm in diameter.
- Weight capacity of 100 kg



Adjustable Bath Seat with Backrest



- Max. load capacity: 100 kg
- Frame made of stainless steel
- Seat made of plastic
- Seat: 40 x 32 cm



Stock Code	Barcode	Package Type & Size (cm)		€
AABS	5391269758340	Box	40.5 x 32.5	71.30

Shower Bench

- Ideal for small showers and easy to move or reposition as needed.
- Sturdy rubber tips provide added grip and stability on wet bathroom floors.
- Slatted seat allows quick drainage to keep seating area dry and hygienic.
- Perfect aid for the elderly, injured, or those with limited mobility.



Shower/Bath Mat with Suction Cups



Manufactured from
ABS Plastic and Rubber

Stock Code	Barcode	Package Type & Size (cm)		€
ASB	5391269758357	Box	32.5 x 40.5	61.60

Raised Toilet Seats (Universal Fitting)



Contoured and comfortable plastic Toilet Seat & Cover which will increase the height of your existing Pan by approximately 50mm (2") or 100mm (4") - depending on the height chosen. Featuring front and rear recesses to facilitate personal hygiene. Includes a Contoured Cover which, if necessary, may be easily removed. Maximum user weight: 190Kg/30 Stone.

- **Simple to install** – no tools are required. It simply sits on top of existing WC Pan and is fixed by tightening a plastic buffered bracket on each side. Can be quickly and effortlessly fitted and removed as required.

Stock Code	Barcode	Package Type & Size (cm)		€
ASBM	5391269758364	Box	60 x 40	35.40



Comfortable



Durable



Soft



Non-slip

- **No interruption** – in the majority of applications, it will not be necessary to remove the existing Seat & Cover.
- **Instant solution** – no need to change your existing WC Pan for another kind.
- **Hygienic** – made of a durable and high sheen finish moulded plastic which requires only a wipe of a damp cloth and which is not adversely affected by the use of domestic household chemical cleaners.

Stock Code	Height	Barcode	Package Type & Size (cm)		€
A7060D2	2" (50mm)	5391269755134	Box	37.5 x 42.5	42.00
A7060D4	4" (100mm)	5391269755141	Box	37.5 x 42.5	45.70



Basin & Pedestal



Box size:
690 x 693 x 207mm

Stock Code	Barcode	€
PBPP	5391269751709	77.00

Close Coupled WC Suite with Seat & Cover



Box size:
700 x 410 x 380mm



Stock Code	Barcode	€
PWCP	5391269751716	159.00

Comfort Height Close Coupled WC Suite with Seat & Cover



Box size:
789 x 484 x 400mm


Stock Code	Barcode	€
PWCP465	5391269771295	213.00



COMPACT Basin & Pedestal



Box size:
760 x 370 x 430mm



Box size:
723 x 655 x 220mm

Stock Code	Barcode	€
COMP2	5391269797844	82.50

Close Coupled Rimless WC Suite with Soft Close Seat & Cover



Stock Code	Barcode	€
COMP1	5391269797837	209.00

Wall & Ceiling Bathroom Fans - 100mm



Standard

Stock Code	Barcode	Package Type & Size (cm)	€
ASNOVA4NS	5391269695799	Box 18 x 20	23.58

Pull Cord

Stock Code	Barcode	Package Type & Size (cm)	€
ASNOVA4NC	5391269695805	Box 18 x 20	41.64

Timer

Stock Code	Barcode	Package Type & Size (cm)	€
ASNOVA4NT	5391269695812	Box 18 x 20	28.92

Timer/Hydrostat

Stock Code	Barcode	Package Type & Size (cm)	€
ASNOVA4NH	5391269695829	Box 18 x 20	48.98



For wall or ceiling fitting and located not less than 2.25m from floor level. Includes wall installation fittings.

The Kit includes:

- 1 no. In-line fan
- 1 no. 3 metre length of 100mm diameter flexible PVC duct
- 2 no. 140mm square egg crate louvres
- 4 no. cable ties


Standard

Stock Code	Barcode	Package Type & Size (cm)	€
ASSF100SA	5391269695836	Box 37.5 x 20	48.64

Timer

Stock Code	Barcode	Package Type & Size (cm)	€
ASSF100TA	5391269695843	Box 37.5 x 20	61.96

Universal Ventilation Fan




Technical Data

Dia. mm	Air flow m³/h	Power Watts	Power Pressure mm/wg	Acoustic Pressure [dB/A [1m]]	Revs. per min.
100	100	15	5	40	2500


Specification

- Domestic fan with a slim front.
- Fan housing body diameter is 100mm.
- Air flow 85m³/hour (23 litres/second)
- Electrical Supply: 230V - 50Hz - 15W Double Insulated IPX4
- Sound level 40 (dB/A [1m])
- Revolutions 2500rpm
- Static Pressure 34Pa
- Includes wall installation fittings.




For wall or ceiling fitting and located not less than 2.25m from floor level. Includes wall installation fittings.

In-Line Shower Fan Kits



Rigid Ventilation Pipe & Fittings - Round (Ø 100mm)



100mm White Round Duct Pipe




Pair of Straight Duct Clamps




Stock Code	Size	Barcode	Package Type & Size (cm)		€
AS41900	1m	5391269695515	Header	18 x 110	9.32
AS41150	1.5m	5391269795413	Header	18 x 160	12.78


Stock Code	Barcode	Package Type & Size (cm)		€
ASAZ100	5391269795468	Card	18 x 15.5	4.54



100mm PVC White Duct Connector




Round Wall Cover Plate




ASFDC4	5391269695522	Card	18 x 15.5	4.30
--------	---------------	------	-----------	------

ASR41140	5391269695676	Card	18 x 20	4.28
----------	---------------	------	---------	------



Equal Tee



1. Male Threaded Hose Connector


ASR4124M	5391269695690	Card	18 x 15.5	4.60
----------	---------------	------	-----------	------

2. Female Threaded Hose Connector

ASR4126F	5391269695706	Card	18 x 15.5	4.60
----------	---------------	------	-----------	------



45 Deg. Bend



Reducer, 125 x 100mm




ASAL10045	5391269795444	Card	18 x 20	5.70
-----------	---------------	------	---------	------

ASCHA54	5391269784387	Card	18 x 25.5	4.84
---------	---------------	------	-----------	------



90 Deg. Elbow




Round to Rectangular Connector




ASAL10090	5391269795451	Card	18 x 20	5.84
-----------	---------------	------	---------	------

ASR40700	5391269695669	Card	18 x 15.5	4.26
----------	---------------	------	-----------	------

Rigid Ventilation Pipe & Fittings - Rectangular (110 x 55mm)



Rectangular Flat Channel Duct Pipe



Vertical Flat Channel 90 deg. Elbow




Stock Code	Barcode	Package Type & Size (cm)		€
ASR40600	5391269695652	Card	18 x 20	5.66

Stock Code	Size	Barcode	Package Type & Size (cm)		€
ASR40100	1m	5391269695584	Header	18 x 110	9.60
ASR41500	1.5m	5391269695591	Header	18 x 160	13.10

Flat Channel Connector



ASR40200	5391269695607	Card	18 x 15.5	4.60
----------	---------------	------	-----------	------



Pair Flat Channel Duct Clamps




AS41220	5391269695614	Card	18 x 15.5	4.40
---------	---------------	------	-----------	------



Rectangular Wall Cover Plate




ASR41150	5391269695683	Card	18 x 15.5	3.88
----------	---------------	------	-----------	------



Horizontal Flat Channel 90 deg. Elbow



ASR40500	5391269695645	Card	18 x 20	5.98
----------	---------------	------	---------	------



Flat Channel 90 Deg. Tee



ASRLKT	5391269795420	Card	18 x 25.5	6.20
--------	---------------	------	-----------	------




1. Rect. To Round 90 Deg. Female Connector

ASR40300	5391269695621	Card	18 x 25.5	5.14
----------	---------------	------	-----------	------

2. Rect. To Round 90 Deg. Male Connector

ASR40400	5391269695638	Card	18 x 25.5	5.14
----------	---------------	------	-----------	------



Duct Clamps Pair



Stock Code	Size	Barcode	Package Type & Size (cm)		€
ASFDC42	100mm	5391269755936	Card	18 x 20	3.72
ASFDC52	125mm	5391269755943	Card	18 x 20	3.80
ASFDC62	150mm	5391269795475	Card	18 x 20	4.12

Terminal Outlets

Plastic ventilation grilles are made of high-quality ABS plastic and are long-lasting and temperature and UV-resistant. Grilles are intended to use as decorative and functional elements of outlets for supply or exhaust ventilation systems. Ventilation grilles are equipped with an insect mesh. Grilles can be used on walls or ceilings for interior and exterior of premises.

Plastic Square Grilles

- Manufactured from high-quality ABS plastic
- Integrated insect screen
- Standard or adjustable



Insect
Screen




Adjustable





1.



2.



3.



Plastic Square Grilles, 148 x 153mm

Stock Code	Colour	Barcode	Package Type & Size (cm)	€
ASND10R	White	5391269795482	Card 18 x 20	7.06
ASND10RA	Anthracite	5391269795499	Card 18 x 20	16.40

with Shutter



ASND10Z	White	5391269795505	Card 18 x 20	6.12
ASND10ZA	Anthracite	5391269795512	Card 18 x 20	15.58

with Check Valves


ASND10FV	White	5391269795529	Card 18 x 20	8.40
ASND10FVA	Anthracite	5391269795536	Card 18 x 20	18.02

Code	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	H (mm)
ASND10R	153	148	111	95	100	91	18
ASND10RA	153	148	111	95	100	91	18
ASND10Z	153	148	111	95	100	91	18
ASND10ZA	153	148	100	81	100	91	18
ASND10FV	153	148	111	95	100	91	111
ASND10FVA	153	148	100	81	100	91	111

Dual Fitting Wall Outlets (Louvre)



Dual Fitting Wall Outlets (Fixed Louvre)



ASR41011	White	5391269695713	Card 18 x 20	6.78
ASR41011B	Brown	5391269695720	Card 18 x 20	6.78
ASR41011G	Grey	5391269695737	Card 18 x 20	6.78
ASR41011BL	Black	5391269779592	Card 18 x 20	6.78
ASR41051	White	5391269695744	Card 18 x 20	6.78
ASR41051B	Brown	5391269695751	Card 18 x 20	6.78
ASR41051G	Grey	5391269695768	Card 18 x 20	6.78
ASR41051BL	Black	5391269779604	Card 18 x 20	6.78



Dual Fitting Wall Cowled Outlets

Stock Code	Colour	Barcode	Package Type & Size (cm)	€
ASR41031	White	5391269695775	Card 18 x 20	7.34
ASR41031B	Brown	5391269695782	Card 18 x 20	7.34
AS41030BLK	Black	5391269779611	Card 18 x 20	10.80

Flexible Ventilation Pipe & Connectors

Flexible PVC Duct, White, 3m x 100mm



Stock Code	Barcode	Package Type & Size (cm)		€
AS3M4PVC	5391269695539	Box	12.5 x 17	11.50
AS3M5PVC	5391269755974	Box	15 x 17	12.50

Flexible PVC Duct, White, 10m x 100mm



AS10M4PVC	5391269695546	Box	125 x 520	30.50
-----------	---------------	-----	-----------	-------



Flexible Aluminium Duct, 1.5m x 100mm



Stock Code	Barcode	Package Type & Size (cm)		€
AS15MAFD	5391269695553	Box	125 x 520	12.50

Flexible Aluminium Duct, 3m x 100mm




AS3MAFD	5391269695560	Box	125 x 1020	16.74
---------	---------------	-----	------------	-------

Stainless Steel Flexy Duct Connector




Stock Code	Barcode	Package Type & Size (cm)		€
ASFDC4A	5391269695577	Card	18 x 15.5	5.82

Surface Mounted Ventilators (for Internal & External Use)



Fixed White Plastic



Adjustable White Plastic



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP93PV	9" x 3"	5391269691814	Card	30 x 25	3.76
EP96PV	9" x 6"	5391269691821	Card	30 x 32.5	5.00
EP99PV	9" x 9"	5391269691838	Card	30 x 40	6.46

Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP93APV	9" x 3"	5391269691845	Card	30 x 25	5.24
EP96APV	9" x 6"	5391269691852	Card	30 x 32.5	6.62
EP99APV	9" x 9"	5391269691869	Card	30 x 40	7.76



Fixed Aluminum




Adjustable Aluminium



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP93AV	9" x 3"	5391269691876	Card	30 x 25	5.66
EP96AV	9" x 6"	5391269691883	Card	30 x 32.5	7.14
EP99AV	9" x 9"	5391269691890	Card	30 x 40	9.72

EP93AAV	9" x 3"	5391269691906	Card	30 x 25	6.78
EP96AAV	9" x 6"	5391269691913	Card	30 x 32.5	8.88
EP99AAV	9" x 9"	5391269691920	Card	30 x 40	13.14



Fixed Gold Finish Aluminum



Adjustable Gold Finish Aluminum



Stock Code	Size	Barcode	Package Type & Size (cm)		€
EP93GV	9" x 3"	5391269691937	Card	30 x 25	5.60
EP96GV	9" x 6"	5391269691944	Card	30 x 32.5	7.68
EP99GV	9" x 9"	5391269691951	Card	30 x 40	11.20

EP93AGV	9" x 3"	5391269691968	Card	30 x 25	7.80
EP96AGV	9" x 6"	5391269691975	Card	30 x 32.5	10.22
EP99AGV	9" x 9"	5391269691982	Card	30 x 40	15.58



Galvanised Metal Grille




Galvanised Metal Grille



AS96CALV	140 x 105	5391269784578	Card	18 x 15.5	5.42
----------	-----------	---------------	------	-----------	------

AS99CALV	140 x 190	5391269784585	Card	18 x 25.5	6.60
----------	-----------	---------------	------	-----------	------



Metallic Round Grilles



- Made from galvanized steel or other metals
- Insect screen




White


Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ASMR100	140	5391269795543	Card	18 x 20	6.32
ASMR125	165	5391269795550	Card	18 x 20	7.10
ASMR160	200	5391269795567	Card	25.5 x 30	9.08
ASMR200	240	5391269795574	Card	25.5 x 30	11.92

Black

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ASMR100M	140	5391269795581	Card	18 x 20	6.32
ASMR125M	165	5391269795598	Card	18 x 20	7.10
ASMR160M	200	5391269795604	Card	25.5 x 30	9.08
ASMR200M	240	5391269795611	Card	25.5 x 30	11.92





Universal Round Vents with Spring Clips



External Diameter: 160mm
Duct Size Range: 90 - 125mm

Stock Code	Colour	Barcode	Package Type & Size (cm)		€
AS90125PIV	White	5391269755967	Card	18 x 25.5	6.60
AS90125BL	Black	5391269779864	Card	18 x 25.5	6.60

183 x 154mm Universal Rectangular Vent with Spring Clips



ASBMR140X	183 x 154	5391269782192	Card	18 x 25.5	9.72
-----------	-----------	---------------	------	-----------	------



Plastic Round Grilles



- Manufactured from plastic
- With flange
- Integrated insect screen

100mm

Stock Code	Colour	Barcode	Package Type & Size (cm)		€
ASVR100	White	5391269795628	Card	18 x 20	3.62
ASVR100B	Brown	5391269795635	Card	18 x 20	3.62
ASVR100M	Black	5391269795642	Card	18 x 20	3.62
ASVR100P	Grey	5391269795659	Card	18 x 20	3.62

125mm

Stock Code	Colour	Barcode	Package Type & Size (cm)		€
ASVR125	White	5391269795666	Card	18 x 20	3.96
ASVR125B	Brown	5391269795673	Card	18 x 20	3.96
ASVR125M	Black	5391269795680	Card	18 x 20	3.96
ASVR125P	Grey	5391269795697	Card	18 x 20	3.96

Round plastic grilles VR for supply and exhaust ventilation of premises. Easy to install, simple to care. They can be used on walls, ceilings, furniture and other purposes. The grilles are made of a colored plastic alloy that is resistant to scratches and color changes. The construction of the grill already includes an insect mesh.



Folding Push In Wall Outlet




Spring Clips enable fitting to vent of between 100 - 140mm Ø
External Diameter: 170mm


ASDFR140X	White	5391269763924	Card	18 x 20	14.80
-----------	-------	---------------	------	---------	-------



External Vents



Soffit Vents, 70mm



Snap the barbed Vent into the hole

Drill a 70mm hole through the Soffit



Anthracite Square

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ASPL15A	150	5391269795864	Header	20 x 25	17.88
ASPL20A	200	5391269795871	Header	25 x 30	25.32
ASPL30A	300	5391269795888	Header	35 x 40	34.64

White Rectangular



ASPL1520	150 x 200	5391269795833	Header	20 x 30	11.78
ASPL2025	200 x 250	5391269795840	Header	25 x 35	15.86
ASPL2030	200 x 300	5391269795857	Header	25 x 40	17.78

Stock Code	Colour	Barcode	Package Type & Size (cm)		€
ASSV6W	White	5391269764822	Card	18 x 40	8.24
ASSV6B	Black	5391269764839	Card	18 x 40	8.24

Plastic Access Panels

Plastic Access Panels with Friction Catches

Plastic access panels are made of high-quality ABS plastic and are designed in a modern dynamic design. They are easy to assemble and fasten. Provides easy access to communications due to its functionality.


- Made from high-quality ABS plastic
- Opening angle up to 130°
- With friction catches

White Square



Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ASPL15	150	5391269795802	Header	20 x 25	9.92
ASPL20	200	5391269795819	Header	25 x 30	13.96
ASPL30	300	5391269795826	Header	35 x 40	19.36


Code	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
ASPL1515	165	165	147	147	28
ASPL2020	215	215	197	197	28
ASPL3030	315	315	297	297	28
ASPL1520	165	215	147	197	28
ASPL2025	215	265	197	247	28



Metal Access Panels with Locks - White

These hatches/access panels are designed to provide easy and convenient access to concealed spaces while contributing to an aesthetically pleasing interior. These are ideal for both indoor and outdoor use, easily mountable on walls or ceilings using various attachment methods such as adhesive or screws.

Square




- Made from galvanized steel
- With polymer paint coating
- With door lock

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)	€
ASRLA15	150	5391269795703	Header 20 x 25	27.04
ASRLA20	200	5391269795710	Header 25 x 30	31.12
ASRLA30	300	5391269795727	Header 35 x 40	38.26

Rectangular (300 x 400mm)



ASRLA3040	5391269795734	Header	35 x 50	44.76
-----------	---------------	--------	---------	-------



Code	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
ASRLA15	180	180	150	150	30
ASRLA20	230	230	200	200	30
ASRLA30	330	330	300	300	30
ASRLA304	430	330	400	300	30

Metal Access Panels with Roller Catches

Access panels are made from galvanized or stainless steel. Depending on the model, they are coated with a polymer coating and are resistant to high humidity and mechanical damage.

Intended for interior use.

White



- Made from galvanized steel or stainless steel
- With polymer paint coating
- Push lock "Click"




Stock Code	Size (mm)	Barcode	Package Type & Size (cm)	€
ASRLMP15	150	5391269795741	Header 20 x 25	24.40
ASRLMP20	200	5391269795758	Header 25 x 30	25.76
ASRLMP30	300	5391269795765	Header 35 x 40	37.78



Anthracite



ASRLMP15A	150	5391269795772	Header	20 x 25	31.08
ASRLMP20A	200	5391269795789	Header	25 x 30	32.88
ASRLMP30A	300	5391269795796	Header	35 x 40	53.12



Code	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
ASRLMP15	185	185	145	145	41
ASRLMP20	235	235	195	195	41
ASRLMP30	335	335	295	295	41



Economiser Insulation Products - Hot Water Cylinder Jackets

Mineral Fibre Wool Economiser Cylinder Jacket




Stock Code	Size	Barcode	€
EPEC3018	30" x 18" x 80mm	5391269714834	29.90
EPEC3618	36" x 18" x 80mm	5391269714841	31.90
EPEC4218	42" x 18" x 80mm	5391269714858	33.90



This product is supplied in a 40cm x 60cm Box

- Made from 80mm thick fibre wool insulation
- Fixing straps & instructions included
- Up to 60% heat loss saving conditional upon correct installation





Water Tank Jackets

Economiser Mineral Fibre Wool Lagging Rectangular Jackets for Cold Water Tanks and Central Heating Feed & Expansion Tanks




Stock Code	Jacket Size	Tank Type	Barcode	Package Type & Size (cm)		€
EP4GRTJ	4 Gallon	Capacity up to 10 Gallon or size 18" x 12" x 12" (45 x 30 x 30cm)	5391269744305	Box	16 x 32	15.38
EP50GRTJ	50 Gallon	Capacity up to 50 Gallon or size 48" x 24" x 24" (120 x 60 x 60cm)	5391269714865	Box	27.5 x 65	32.38
EP75GRTJ	75 Gallon	Capacity up to 75 Gallon or size 62" x 24" x 24" (160 x 60 x 60cm)	5391269766505	Box	30 x 65	43.46

- Easily fitted in minutes
- Prevents growth of bacteria
- Prevents dust entering water tank
- Prevents cold water tanks from freezing
- Made from 50mm thick mineral fibre wool insulation
- Meets the requirements of Water By Law 30 in the UK
- Easy to apply installation instructions are printed on the back of the box



Self Adhesive Insulated FoamTape, 10m x 50mm x 3mm




- Made from high quality EPDM elastomeric foam rubber
- Density: 60kg/m³, ±10kg/m³
- Suitable for both heating and cooling applications
- Temperature tolerance: -50 to +110°C
- High resistance to water ingress
- Closed cell elastomeric material designed to reduce thermal losses



Stock Code	Size	Barcode	Package Type	€
6450	8858671947726	Loose	Ø 21.5mm	9.50

Economiser Insulation Products




RadFlect

Radiator Heat Reflecting Barrier (600mm Wide)

An aluminium foil and bubble plastic reinforced sheeting which is easily applied behind radiators. It provides an ideal way of improving the radiators' performance as it reduces heat loss through the external wall behind the radiator. It is available as 600mm wide rolls in 2.5m 5m and 10m Lengths.




Stock Code	Size	Barcode	Package Type & Size (cm)		€
ECRF25	2.5m	5391269694310	Box	11 x 63	8.00
ECRF5	5.0m	5391269694327	Box	14 x 63	14.20
ECRF10	10m	5391269694334	Box	20 x 63	25.50



The Igloo

Moulded from dense polystyrene foam which can be painted if required.



Stock Code	Barcode	Package Type & Size (cm)	€
EPIGLOO	5391269744541	Header 18 x 30	5.50



Chimney Flue Balloons



The Chimney Flue Balloon is a reusable, simple and easy to use household device that reduces the amount of heat loss through the chimney flue while

at the same time maintains a ventilated living room when the fire is not in use. Because warm air naturally rises, the Chimney Flue is a major source of heat loss. The Chimney Flue Balloon effectively provides a barrier to prevent cold draughts and heat loss, saving you money on fuel bills and naturally making the living area warmer and more comfortable.

It is critical for any living area to maintain a healthy rate of ventilation. With this in mind; the Chimney Flue Balloon has been specifically designed to seal approximately 80% of the Chimney Flue, while the remaining area of the Chimney Flue is used to maintain ventilation within the living area. This is achieved via our unique, square shaped balloon which has been designed to maintain safe ventilation levels. The four corners of the balloon are designed to contact the inner radial surface of the chimney flue which in turn leaves four unsealed spaces allowing for ventilation.

for use with Round Chimney Flue Liners

Stock Code	Size	Barcode	Package Type & Size (cm)	€
ECCFB1	12" x 10"	5391269756308	Box 10 x 30	25.90


Square - for use with a Square Flue Liner

Stock Code	Size	Barcode	Package Type & Size (cm)	€
SB4	9" x 9"	5391524312041	Box 10 x 30	28.00
SB5	12" x 12"	5391524312058	Box 10 x 30	28.00

Rectangular - for use with Masonry Chimneys without a Flue Liner

Stock Code	Size	Barcode	Package Type & Size (cm)	€
SB1	15" x 9"	5391524310016	Box 10 x 30	30.00
SB6	24" x 12"	5391524312065	Box 10 x 30	30.00
SB7	36" x 15"	5391524312072	Box 10 x 30	32.00

- Prevents warm air unnecessarily escaping up the chimney when the fire is not in use.
- Reduces heating costs.
- Reduces excessive room ventilation.
- Prevents cold draughts blowing down the chimney.
- Durable design - may be used from season to season.
- Design allows for trickle ventilation.
- Bladder pump Included.
- No tools required



Economiser Insulation Products




Under Door Draught Suppressor



Stock Code	Colour	Barcode	Package Type & Size (cm)	€
ECDSG	Grey	5391269763832	Header 12.5 x 105	4.50
EC DST	Tan	5391269763825	Header 12.5 x 105	4.50

CosySleeve Pipe Insulation



Cosy Sleeve Polyethylene Pipe Insulation with a 13mm Wall - Semi Slit wall. Has a maximum Working Temperature range of between + 5°C and +105°C.


CosySleeve is available singularly in "help yourself" eye catching floor displays. These include two single size units which are 500mm x 500mm and a similar unit which is 800mm wide. There are also two multiple size units which are 1m and 1.2m wide. Multiple size units carry the three different sizes of insulation.

A Closed Cell Polyethylene Flexible Foam Pipe Insulation. It features a Closed Cell Structure which makes it suitable for use both internally and externally. It repels the ingress of moisture and insulates against heat loss up to 105°C. It is particularly effective for the thermal insulation of domestic heating and plumbing pipe work for energy conservation and frost protection.

Polyethylene Pipe Insulation with 13mm Wall - Semi Split

Stock Code	Size	Barcode	Package Type	€
EC1M12	1M x ½"	5391269694280	Loose	1.24
EC1M34	1m x ¾"	5391269694297	Loose	1.62
EC1M1	1M x 1"	5391269694303	Loose	1.84



Rooflect Attic Space Heat Retention Barrier (20m L x 60cm W)




RooFlect is a laminated insulation cladding made up of three layers, the combination of which contributes to a reduction of your energy costs. The first reflective layer consists of aluminium foil, designed to direct the outside temperature away from your home.

The main body is formed from a bubble wrap arrangement which stores heat energy between 14-20°C that would otherwise be lost through the attic space. This has been proven to increase the overall temperature of the attic. The second reflective layer, is also aluminium foil which reflects heat back into the attic or roof space that would normally be lost from your house.

ECROF20	5391269744565	Box	60 x 40	59.50
---------	---------------	-----	---------	-------




Thermal imagery showing attic temperature without Rooflect



Thermal imagery showing attic temperature with Rooflect

Self Adhesive Insulated Foam Tape, 10m x 50mm x 3mm



6450	8858671947726	Loose	Ø 21.5mm	9.50
------	---------------	-------	----------	------






Strong Reinforced Polypropylene Elevators



LoftLifters are easily fitted, purpose designed, strong reinforced polypropylene elevators which enable the addition of at least 180mm (7") of roof space insulation and the subsequent fitting of a walkable floor. Most houses are constructed so that roof trusses or joists are located about 400mm (16") apart. LoftLifters should be positioned on the trusses at intervals of 600mm (24") so that they can adequately support flooring materials subsequently secured to them. Available in boxes of 12, 48 and 96, these legs when used on rafters at 400mm (16") centres, will permit the laying of 1.2, 4.8 and 9.6 square meters of flooring.

Assembly and use of the Loft Lifter Parts



Easily fitted purpose designed legs which enable the addition of at least 180mm (7") of roof space insulation and the subsequent fitting of a walkable floor. Each box contains 12 legs which when used on rafters at 400mm (16") centres, will permit the laying of at least 1.2² metres of flooring.

Stock Code	Colour	Barcode	Package Type & Size (cm)	€
LF1	12 pcs.	5391524310139	Box 61 x 40	25.00


Attic Tent

Stock Code	Barcode	Package Type	€	
ECAT1	5391269755011	Box	120 x 10	47.50


LoftLifters Extenders



The box contains 12 Extension Tubes which will extend the vertical distance of Standard Loft Lifters by 70mm. This will enable the provision of an additional 70mm roof space insulation and the subsequent fitting of a walkable floor. The Barbed Base will push down and over floor joists of between 45mm and 50mm thick.



Stock Code	Colour	Barcode	Package Type & Size (cm)	€
LFEXT	12 pcs.	5391524313109	Box 28 x 21	7.50



Attic Tent




Insulates the loft access opening into the attic.

This hinged Attic Tent will accommodate conventional attic door ladders of up to 4 sections as illustrated.

The internal dimensions of assembled Attic Tent are 1206mm x 605mm x 250mm

Can be fitted to hinge from the end or side of the loft opening and is deep enough to cover most loft access ladders. Full installation instructions are on the back of the box.



Economiser Draught Insulation Products

Storm Seal Draught Proof - Door and Window Seal, 5M Long



- Sticks firmly and provides prolonged protection for your doors and windows
- Self-adhesive with unique grid adhesive coating
- UV and weather resistant
- For added versatility you can divide the weather strip to make a single seal for narrow edges
- Excellent Flexibility and resilience



E-Type

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ECET	9 x 4	5391269795352	Box	15 x 15	3.50

P-Type

ECPT	9 x 5.5	5391269795369	Box	15 x 15	3.80
------	---------	---------------	-----	---------	------


D-Type

ECDT	9 x 6	5391269795376	Box	15 x 15	4.20
------	-------	---------------	-----	---------	------

Type E



Type P



Type D



Brush Seal Weather Strip




The Weather Strip is an essential tool for improving the energy efficiency and comfort of your home. Designed to seal gaps around doors and windows, it effectively blocks drafts, moisture, and dust, while keeping your home warmer in the winter and cooler in the summer.

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ECBS	10m	5391269795383	Bag	30 x 36	8.40



Door & Window Seal



- Effectively seals gaps to prevent cold drafts in winter and keep cool air inside during summer
- Flexible and adjustable for use on various door and window sizes
- Made from durable, weather-resistant material for long-lasting performance
- Simple peel-and-stick application with strong adhesive backing
- Reduces energy loss, blocks dust and insects, and dampens noise for a quieter indoor environment

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ECDWS	4.5m	5391269795390	Bag	25 x 25	8.40

Window Insulation Kit



Kit includes:

- Clear Plastic Film (1.57 x 1.82m)
- Adhesive Tape (12.7mm x 10m)

The Window Insulation Kit is a practical and cost-effective solution for enhancing your home's energy efficiency. Designed to provide extra insulation and prevent heat loss during the colder months, this kit helps maintain a comfortable indoor temperature while reducing heating costs. It's perfect for use in both homes and offices, especially in areas where window draughts are a concern.

Stock Code	Size (mm)	Barcode	Package Type & Size (cm)		€
ECWIK	10m	5391269795406	Bag	22 x 27.5	6.90

Stove & Fireplace Maintenance

Glass Fibre Rope - 5m Rolls Charcoal



Glass Fibre Rope - 2m Charcoal




These items are packed on 18.3 x 25.5cm cards.

Stock Code	Size	Barcode	Package Type & Size (cm)	€
506C	6mm	5391269762613	Box 12.5 x 17	5.40
508C	8mm	5391269762620	Box 12.5 x 17	7.54
510C	10mm	5391269762620	Box 12.5 x 17	10.32
5125C	12.5mm	5391269762644	Box 12.5 x 17	12.16

SC26GFRC	6mm dia.	5391269762682	7.08
SC28GFRC	8mm dia.	5391269762699	8.04
SC210GFRC	10mm dia.	5391269762705	9.12
SC2125GFRC	12.5mm dia.	5391269762767	10.36



Thermotite High Temperature Adhesive




Door Seal Replacement Kit



Stock Code	Size	Barcode	Package Type & Size (cm)	€
SCTT125	125ml	5391269738823	Card 18 x 25.5	6.98



Vermiculite Insulating Slab which can be cut and shaped and used as a Fire Brick. Can be used for a multitude of high temperature insulating applications.



Easy to cut and shape with a hand saw, craft knife, jigsaw, pad saw, hack saw, fret saw and most wood work cutting and shaping tools.

FireTech Fire Brick Insulating Slab

SCFT3025	30 x 25 x 2.5cm	5391269738908	Card	30 x 38.5	25.50
SCFT3050	30 x 50 x 2.5cm	5391269738915	Card	30 x 63.5	49.50

- 1 Thoroughly clean the areas where the cement is to be applied and remove any dust, dirt and grease, using water if necessary.
- 2 Cut the ceramic fibre gasket to the required length.
- 3 Apply the cement liberally into the gasket groove/recess, and immediately press the gasket into position - if necessary apply additional pressure by gently tapping with a hammer and block of wood. Depending on the application, it may be necessary to temporarily support the materials being bonded for a few hours - in some cases, the next step will suffice.
- 4 Close the door onto the gasket to check that the two surfaces fully engage and are sealing.
- 5 Wipe off surplus Thermotite with a damp cloth.
- 6 Once seals are applied, it is not necessary to wait for Thermotite to dry before using the heating appliance. **This kit contains a 125ml can of Thermotite and 2 metres of 10mm diameter Ceramic Fibre rope. Contains no asbestos.**

SC300C	5391269762712	Card	25.5 x 37	15.00
--------	---------------	------	-----------	-------

Fire Cement - Black



VIFCB500	0.5kg	5060197261269		3.10
VIFCB1000	1kg	5060197261276	10.5 x 11	5.08
VIFCB2000	2kg	5060197261283	13 x 13.5	9.14
VIFCB5000	5kg	5060197261290	20 x 14	20.06

Vitcas Premium Fire Cement comes in a mastic consistency. It is used for repairing and sealing of stoves, fireplaces and appliances which require cement to match their aesthetic appearance.

Stove & Fireplace Maintenance




Black Fire Cement (1250°)

Vitcas Premium Fire Cement comes in a mastic consistency. It is used for repairing and sealing of stoves, fireplaces and appliances which require cement to match their aesthetic appearance. Premium Fire Cement is available in buff and black finishes.

Stock Code	Size	Barcode	Package Type & Size (cm)		€
VIFC1250	310ml	5060197260132	Hanger	5 x 25	5.48



Superlux Gasket Making Board



Broken and leaking Gasket?




Heat Resistant Black Silicone

The applied sealant reacts with atmospheric moisture to produce a highly elastic silicone rubber. It is used for bonding, sealing, assembling and acting as a protective coating in many applications listed below in the description. The silicone sealant forms a durable, flexible joint, unaffected by exposure to sunlight, snow and ozone. This makes it remain resistant for many years. Vitcas® Heat Resistant Silicone is specifically designed and recommended for high temperature applications up to 300°C.

Stock Code	Size	Barcode	Package Type & Size (cm)		€
VIH310	310ml	5060197260149	Hanger	5 x 25	13.12

Superlux board is a 10mm thick rigid panel made from a mixture of high temperature resistant Superwool fibres, refractory fillers, organic and inorganic binders.



Easily make a new one!

Size:
400 x 400 x 10mm



Typical Applications

- Low heat storage capacity.
- Can be used in direct contact with flame
- Very low thermal conductivity
- Suitable for all applications up to 1000°C
- The 10mm thick board is easily die cut or can be cut with a sharp craft knife or a hacksaw blade allowing precise shapes to be made
- Good thermal shock resistance allows use in applications where large variations in temperature occur.

16" x 16"

Stock Code	Barcode	Package Type & Size (cm)		€
SCS4040	5391269738892	Header	40 x 47.5	35.82

Pack 50, Fire Igniters



Odourless Fire Igniters for wood and coal fires and Barbeques.



Place 2 Fire Igniters under the fuel and light the sealed sachets. The Fire Igniters light without giving off any harmful fumes, smoke or odours. Keep out of reach of children. Contains: Non-liquid paraffin.

Technical Characteristics

*Fire Igniters are odourless and are classified as Non-Hazardous & Non-Poisonous in conjunction with EU Guidelines.

*They have a high flash point (>65°C), are completely free from aromatic solvents and do not require a Danger Code.

*Low flame releases the heat close to the fuel and not into the air.

*The large surface area of the sachet provides a very hot combustion zone and the Fire Igniter does not become clogged with ashes.

*Sachets will light even when wet and do not lose their shape when burning.

*Skin Protection is not required while handling the Fire Igniters

*TUV Certified.

Stock Code	Barcode	Package Type & Size (cm)		€
SC50FI	5391269738878	Card	12 x 12	5.00



Heat Resistant Glove



Stock Code	Barcode	Package Type & Size (cm)		€
SCHRG	5391269738885	Card	25.5 x 40	5.98



Stove Glass Cleaner

A foaming spray which assists in the removal of residues from the glass surfaces of solid fuel and wood burning stove doors

ONLY USE ON APPLIANCES WHICH ARE COLD AND UNLIT!



Stock Code	Size	Barcode	Package Type & Size (cm)		€
SC400GC	400ml	5391269738854	Card	12 x 29	9.80



Stove Paint Spray

A protective and decorative paint for temperatures up to 600°C

ONLY USE ON APPLIANCES WHICH ARE COLD AND UNLIT!



Stock Code	Size	Barcode	Package Type & Size (cm)		€
SC400SP	400ml	5391269738861	Card	12 x 29	14.24


Moisture Meter

Features

- Designed to detect moisture levels in wood
- Wide measuring range 3% - 40%
- Press and hold POWER to switch on
- 9V battery operated included (remove plastic wrap)
- Accurate to +1% or -1%
- Data hold button
- Low battery indicator
- Auto power off

Operation

- 1 Remove probe cap
- 2 Press and hold POWER for 3 seconds to switch meter on.



- 3 Carefully insert the probes as far as possible into the wood.
- 4 Read the measured result on the LCD display.
- 5 Take several readings in different locations.

NOTE: by pressing the HOLD button, the measurement will display continuously on the meter along with an H. If the moisture content is above 40%, OVER will appear on the display. When finished, press the POWER button and replace the probe cap. If the low battery symbol appears, replace the battery by simply sliding the battery compartment door open and replace.

Stock Code	Barcode	Package Type & Size (cm)		€
SCMM	5391269762866	Card	14 x 29	32.50



Chimney Cleaning Kit

CLEAN SWEEP
Flue and Chimney Cleaning Accessories

Why should flues & chimneys be regularly swept clean of soot deposits?

Soot primarily consists of carbon particles which are the by-products of the incomplete combustion of wood or solid fuels. Complete combustion is almost impossible on domestic combustion equipment so soot build up in the flue-ways and chimney serving the fire or stove is inevitable. Chimney cleaning should be carried out on a regular basis and never less than once a year and sometimes much more often when wood is being burned on a stove.

The amount of soot produced will depend on both the fuel being burned and the manner in which the appliance or fire is used. If the soot is not removed it has the potential to dangerously block the chimney creating the possible discharge of dangerous fumes, including carbon monoxide, back into the dwelling. Soot can also be easily ignited and if it does so within the chimney, extremely high temperatures can be achieved which are more than capable of subjecting the chimney and appliance to severe damage.

This kit is designed to enable the removal of light to moderate "Soot" & "Creosote" deposits commonly found in chimneys as a result of burning wood and solid fuels. It is NOT designed for removing solidified creosote or "Glaze" deposits, which are usually very difficult to remove. The Soot Eater is intended for routine maintenance and cleaning of residential chimneys only. It is still necessary to have the complete chimney, fireplace and stove system inspected at least once a year by a professional, experienced and competent chimney sweep.

An easy to use kit which when connected to your own power drill provides a safe and effective method of "flailing" and removing soot deposits from the flue or chimney wall.



The Soot Strimmer

Stock Code	Barcode	Package Type & Size (cm)		€
CSSEKIT	5391269764846	Box	15 x 100	99.50



Spare Parts

SEHEAD	Flail Head	5391269769926	Loose	17.50
SESET	Flail Set	5391269769933	Loose	2.50
SER	Flexible Rod	5391269769940	Loose	8.00
SEADAP	Drill Adaptor	5391269769957	Loose	4.00
SEKEY	Hex Key	5391269769964	Loose	1.50

Flue & Chimney Maintenance


Traditional Chimney Sweeps Kit

This kit includes 10 No. Polypropylene Rods & 1 No. 16" Sweeps Head



Stock Code	Barcode
CSCCK	5391269782017

Package Type & Size (cm)	€
Tube 15 x 120	49.50




Chimney Sweeping Rods (1metre)

Stock Code	Size	Barcode	Package Type & Size (cm)	€
CS1ROD	Single	5391269713318	Header 5 x 95	5.10
CS2ROD	Pk/2	5391269713325	Header 9 x 95	9.50
CS5ROD	Pk/5	5391269713332	Header 18 x 95	23.50



Nylon Flue Brushes



Stock Code	Size	Barcode	Package Type & Size (cm)	€
CS2112FB	2ft. x 1½"	5391269713264	Header 4 x 60	7.86
CS33FB	3ft. x 3"	5391269713271	Header 7.5 x 90	11.06
CS44FB	4ft. x 4"	5391269713288	Header 10 x 120	19.06
CS55FB	5ft. x 5"	5391269713295	Header 13 x 150	19.98
CS66FB	6ft. x 6"	5391269713301	Header 13 x 180	20.94


Flue & Chimney Brushes with Nylon Stock & Bristles

Stock Code	Size	Barcode	Package Type & Size (cm)	€
CSCSB4PP	4"	5391269784370	Header 10 x 15	10.68
CSCSB6PP	6"	5391269784363	Header 15 x 15	10.68
CSCSB9PP	9"	5391269784349	Header 22.5 x 15	11.20
CSCSB10PP	10"	5391269784332	Header 25 x 15	11.68
CSCSB12PP	12"	5391269784325	Header 30 x 15	11.68
CSCSB16PP	16"	5391269784318	Header 40 x 15	12.20



Chimney Crow Guard

A 300 x 300 x 1000mm display box, which holds 6 Guards, is available at no cost.




Chimney Guard/Crow Guard fits all standard chimney pots. Easy to fit - there are no fixings as the Guard just "plugs" into the pot. Prevents birds entering and nesting in the pot. Available in a black painted finish.


Stock Code	Alt. Code	Barcode	Package Type	€
UCOWL	EPCGB	5391269010011	Display	10.50



Bird Screened Cowl



- Made from corrosion proof stainless steel
- Fits most standard chimney pot diameters
- Easy to fit with integral toggles
- Prevents bird entry
- Reduces rain ingress



Designed to fit and adjust on a conventional clay chimney pot with an 8" (200mm) internal diameter. (9" (230mm) ext. diameter).

BSCOWL	5391269604777	Box	37.5 x 27.5	45.00
--------	---------------	-----	-------------	-------

Storm Cowl



Made from Stainless Steel, the Storm Cowl is designed to fit over an 8" (200mm) internal diameter chimney pot or extended chimney liner, the external diameter of which would normally be about 9½" (240mm). Helps to prevent the entry of debris and bird nesting materials. It is very easily fitted with snap over toggles and the skirt and dome design assists in redirecting wind movement so contributing to the prevention of down draughts.

SCOWL	5391269767311	Box	30 x 35	70.00
-------	---------------	-----	---------	-------



Chimney Ventilating Cap

Using Snap-over Toggles, the cap is easily secured to the top of a masonry chimney which is no longer to be used. It is designed so that a narrow gap is left between the cap and the top of the chimney pot or liner to enable trickle ventilation of the flue which is necessary to prevent residual moisture in the stack creating damp problems. The gap is sufficiently narrow to prevent the entry of bats and small birds.



Stock Code	Barcode	Package Type & Size (cm)	€
CVC	5391269767298	Box 37.5 x 15	25.00

Excelarotor Cowl

- Designed to:
- 1 Overcome smoky fireplaces.
 - 2 Improve up draught.



- Fits all Standard Chimney Pots.
- A wind driven freely spinning terminal designed to provide an uplifting draft on difficult chimneys.
- A robust stainless steel construction.


ERC2	5391269649914	Box	30 x 40	130.00
------	---------------	-----	---------	--------

Anti-Downdraught Terminal - Terracotta Finish




- Easy to fit
- Secured with adjustable toggle clamps
- No tools required
- Lightweight
- Quiet and NO moving parts.

How it Works



In normal or still air conditions, the hot gases and smoke pass up the chimney and exit out of the top of both of the vertical tubes.



If wind drives downwards in turbulent conditions, the air moving down the tubes induces suction as it passes the horizontal tube and the hot gases and smoke exit out of the bottom of the vertical tubes.

Stock Code	Barcode	Package Type & Size (cm)	€
8HCTB	5391269762569	Box 75 x 50	150.00

Stove Fans



Stove Fans are self-powered, clean, silent and efficient devices that greatly improve heat circulation from your solid fuel burning or gas fired stove.


These devices are powered by a thermoelectric generation module (TEG) which uses the hot surface of the stove to generate an electric current to propel the fan blade. Heat, instead of rising immediately to the ceiling, is propelled directly into the living space and provides an increased level of comfort and greater fuel efficiency.

Features

- No external power source required
- No running costs
- Effectively propels warm air into the living area
- Robust and maintenance free
- Promotes efficient fuel consumption
- Safe and silent
- 5 year guarantee



NEAT Oscillating Fan



NEAT Standard Fan

Stock Code	Barcode	Package Type & Size (cm)		€
NEAT853	5391269788828	Box	19 x 22.5	80.00

Stock Code	Barcode	Package Type & Size (cm)		€
NEAT812	5391269788835	Box	24 x 29	150.00

NEAT Flue Mounted Fan



Stock Code	Barcode	Package Type & Size (cm)		€
NEAT832	5391269793020	Box	22 x 30	100.00



Model	Height	Width	Depth	Temp. Range	Use with.....Stoves
NEAT Standard Fan	200mm	180mm	100mm	60°C - 340°C	Wood Burning
NEAT Oscillating Fan	267mm	213mm	110mm	60°C - 340°C	Wood Burning
NEAT Flue Mounted Fan	250mm	180mm	115mm	60°C - 340°C	Wood Burning
Smart Fan Low Temp	220mm	200mm	155mm	60°C - 190°C	Soapstone/Gas
Smart Fan Mini Low Temp	190mm	170mm	135mm	60°C - 190°C	Soapstone/Gas

Square Section Standard Gutter, Downpipe & Fittings - White

Standard Gutter & Fittings - White



Stock Code	Size	Barcode	Package Type	€
R2MWG	2M Length	5391269718764	Loose	12.48

Standard Downpipe - White



Stock Code	Size	Barcode	Package Type	€
R2MWDP	2M Length	5391269718771	Loose	15.56




Square Fascia Bracket, Pack of 2



RWRW1	5391269708390	Card	15 x 20	3.96
-------	---------------	------	---------	------



Square Running Outlet



RWRW4	5391269696437	Card	18 x 25.5	6.68
-------	---------------	------	-----------	------



90° Gutter Elbow



RWRW5	5391269696444	Card	18 x 25.5	7.64
-------	---------------	------	-----------	------



Square Gutter Union



RWRW7	5391269696451	Card	18 x 25.5	6.68
-------	---------------	------	-----------	------



Square Gutter Stop End External



RWRW8	5391269696468	Card	15 x 20	4.68
-------	---------------	------	---------	------



Square Gutter Stop End Internal



RWRW9	5391269696475	Card	15 x 20	3.86
-------	---------------	------	---------	------



45° Gutter Bend



Stock Code	Alt. Code	Barcode	Package Type & Size (cm)	€
RWRW6	GS445(W)	5391269744572	Card 18 x 25.5	8.88



Downpipe Clip, Pack of 2



Stock Code	Barcode	Package Type & Size (cm)	€
RWRW2	5391269696499	Card 15 x 20	3.42

Square Section Standard Gutter, Downpipe & Fittings - White



Downpipe 92° Offset Bend



Square to Round Connector



Stock Code	Barcode	Package Type & Size (cm)		€
RWRW12	5391269696505	Card	15 x 20	6.54


Stock Code	Barcode	Package Type & Size (cm)		€
RWRW15	5391269696567	Card	15 x 20	6.50



Downpipe 112° Offset Bend



RWRW3	5391269696512	Card	15 x 20	6.60
-------	---------------	------	---------	------



Downpipe 112° Offset Branch



RWRW11	5391269696529	Card	18 x 25.5	9.64
--------	---------------	------	-----------	------



Square Downpipe Shoe



RWRW13	5391269696536	Card	15 x 20	5.50
--------	---------------	------	---------	------



Square Downpipe Connector



Stock Code	Barcode	Package Type & Size (cm)		€
RWRW10	5391269696550	Card	15 x 20	5.92



Hopper Head




White

Stock Code	Barcode	Package Type & Size (cm)		€
RWRW14	5391269696543	Card	18 x 25.5	14.80


Black

WRW14B	5391269792665	Card	18 x 25.5	14.80
--------	---------------	------	-----------	-------



Water Butt Rain Diverter

Save on your water bills and help the Environment.




White

Stock Code	Size	Barcode	Package Type		€
RA1082	0.5m Hose	5391269714964	Card	25.5 x 37	13.50
RA1084	3m Hose	5391269714971	Card	25.5 x 37	15.50

Black

RA1084B	3m Hose	5391269792504	Card	25.5 x 37	15.50
---------	---------	---------------	------	-----------	-------

Square Section Standard Gutter, Downpipe & Fittings - Black




Water Butt Link Kit

Connects an additional Water Butt which is already connected to a Rainwater Butt Diverter



Stock Code	Barcode	Package Type & Size (cm)	€
RA1212	5391269714995	Card 25.5 x 25.5	11.50

Channel Gully




RA1MPCG	1m	5391269764464	Header	11 x 100	29.00
---------	----	---------------	--------	----------	-------


Channel Gully & Grating w/o Stop Ends

RA1MEPCG	1m	5391269764471	Header	11 x 100	23.00
----------	----	---------------	--------	----------	-------

Drain Guard



EPDG	5391269636983	Box	23 x 11.2	11.06
------	---------------	-----	-----------	-------



Standard Gutter & Fittings - Black

Stock Code	Size	Barcode	Package Type	€
R2MWGB	2M	5391269798544	Loose	12.48



Square Fascia Bracket, Pack of 2



WRW1B	5391269792658	Card	15 x 20	3.96
-------	---------------	------	---------	------



Running Outlet



WRW4B	5391269792597	Card	18 x 25.5	6.68
-------	---------------	------	-----------	------



90° Gutter Angle



WRW5B	5391269792603	Card	18 x 25.5	7.64
-------	---------------	------	-----------	------



Square Gutter Union



WRW7B	5391269792627	Card	18 x 25.5	6.68
-------	---------------	------	-----------	------

Square Section Standard Gutter, Downpipe & Fittings - Black



Square Gutter Stop End External



Standard Downpipe 2M Length

WRW8B	5391269792634	Card	15 x 20	4.68
-------	---------------	------	---------	------

Stock Code	Size	Barcode	Package Type	€
R2MWDPB	2M	5391269798537	Loose	15.56



Square Gutter Stop End Internal




WRW9B	5391269792641	Card	15 x 20	3.86
-------	---------------	------	---------	------



Downpipe 92° Offset Bend



WRW12B	5391269792719	Card	15 x 20	6.54
--------	---------------	------	---------	------



45° Gutter Bend



WRW6B	5391269792610	Card	18 x 25.5	8.88
-------	---------------	------	-----------	------



Downpipe 112° Offset Bend



WRW3B	5391269792726	Card	15 x 20	6.60
-------	---------------	------	---------	------



Downpipe Clip, Pack of 2



WRW2B	5391269792658	Card	15 x 20	3.42
-------	---------------	------	---------	------



Downpipe 112° Offset Branch



WRW11B	5391269792733	Card	18 x 25.5	9.64
--------	---------------	------	-----------	------




1. Square Downpipe Connector

WRW10B	5391269792689	Card	15 x 20	5.92
--------	---------------	------	---------	------

2. Square to Round Connector

WRW15B	5391269792696	Card	15 x 20	6.50
--------	---------------	------	---------	------



Square Downpipe Shoe



WRW13B	5391269792702	Card	15 x 20	5.50
--------	---------------	------	---------	------



Rapid Repair Patch



A range of malleable epoxy or polyurethane resin based sheets, bandages and putties designed to enable easy and permanent repairs to all types of fittings and household components.



Stock Code	Size	Barcode	Package Type	€
RRP1	150 x 75mm	5391003000315	Box 12 x 27	6.20
RRP2	150 x 225mm	5391003000322	Box 18 x 25	11.50
RRP3	300 x 225mm	5391003000339	Box 26 x 37	16.70

Curing is by exposure to UV light (daylight) after 5 - 40 minutes - dependant on UV levels.


- Unique repair material that is clean, safe and very easy to use.
- No messy mixing, safer than conventional glass fibre because glass fibre particles cannot escape during application and curing
- When uncured it is soft and pliable. The self adhesive patch can be cut with a knife or scissors and be moulded, wrapped or laid onto almost any clean dry surface, for an instant bond.
- Immensely strong after curing, virtually rot-proof, resists weathering, impact, water and many acids and solvents.
- Vastly superior to normal GRP. Resistant to UV decay.
- Virtually no shrinkage and minimum wastage.
- Can be drilled, rubbed down and painted to provide the finish you require. Does not support the growth of any bacteria.
- Safe for use with drinking water.

Rapid Repair Pipe Wrap Bandage

The Pipe-Wrap BANDAGE is manufactured from a fibre reinforced polyurethane flexible repair tape designed for the rapid repair of cracks and leaks. It requires no mixing, it is easy to use and repaired items can be returned to service in less than thirty minutes.



The Bandage is pre-impregnated with a high performance polyurethane resin which will adhere to PVC, GRP, concrete, glass and all metals. Activated by being immersed in water, it cures to produce a tough, chemical resistant bandage around the item being repaired. The cured material is chemically inert and is non-toxic.



Stock Code	Size	Barcode	Package Type & Size (cm)	€
RR206	1.8m X 50mm	5391514860309	Box 18 x 25.5	16.80

Powerful Permanent Epoxy Putty



Marine Applications

Hull sections, Decking, Mouldings etc.

Automotive Applications


Body panels, Bumpers, and to fabricate and / or mould unavailable replacement body and trim parts and sections.

Agricultural Applications

Farm Machinery, Barns, Silos, Guttering, Dairy Equipment, Agricultural Parts, etc.

Home & Office

Guttering, Water Tanks, Pipes, Wood Repair and Filler etc.



- In order to achieve optimum adhesion, surfaces should be cleaned free of grease, dirt, paint etc. To ensure a good bond, abrade both surfaces followed by additional cleaning.
- Twist or cut off the required amount of Putty.
- If the material is cold, mixing it may be difficult, and warming it to room temperature is advised. When warm enough, mix and knead the putty with the fingers for at least one minute or until it is a uniform white colour.
- Press the putty onto the prepared surface within 5 to 10 minutes of mixing, after which time it will start to harden. If it is being used as an adhesive, apply to both surfaces and then unite by forcing them together. Support the joint as necessary. If it is being used as a filler/repair material, force the putty into the area to be filled and shape and remove any excess with a tool wetted with clean water.
- After 20 to 30 minutes the putty will harden like metal and start to form a tenacious bond. After 60 minutes, the material is sufficiently cured to be drilled or sawn and it will achieve full cure after 24 hours. It can also be smoothed down with the enclosed wet and dry strip and then finished as required.

Stock Code	Barcode	Package Type & Size (cm)	€
RRFIX	5391003000766	Card 10 x 20	10.50



Rapid Repair Self Amalgamating Fusion Tape

- Seals instantly — 100% waterproof and airtight
- Flexible and permanently elastic
- Bonds to itself for a seamless seal — no glue needed
- Stands strong against sun, rain, snow, and UV rays
- Performs in extreme temperatures (−54 °C to +260 °C)
- Resistant to oils, fuels, acids, solvents, and more

- Stretches up to 300% without breaking
- Built to handle extreme pressure (up to 12 bar)
- Easy to adjust within seconds of applying
- Works even under pressure or underwater
- Ready for use immediately after application
- Clean removal — no sticky residue left behind



Stock Code	Size	Barcode	Package Type	€
FT100	4m x 25mm	5391514860538	Card 10 x 20	9.50



FiberTech Moisture Absorption, Ceramic Repair & Tanking Products



Moisture Absorption Kit

Moisture in the air is normal, but high humidity and poor ventilation causes excess moisture. This 'damp' can cause mildew, mould, musty odour and peeling wallpaper. DampSorb is easy to use and an effective solution to this problem.

Works Immediately to:

- Absorb Moisture
- Reduce Humidity Levels
- Protect Against Damp and Mildew
- Combat Musty Odours
- Improve Air Quality



Stock Code	Barcode	Package Type & Size (cm)	€
FTDS1	5391514860514	Card 26 x 37	7.36



Junior Moisture Trap



Stock Code	Barcode	Package Type & Size (cm)	€
FTDS2	5391514860507	Card 18 x 25.5	5.26



Refill 500g

Features

- Simple and Effective to Assemble
- Can be Used in all Rooms
- No Power Supply Required
- Easy to Fill
- No-Spill Construction
- Refill Indicator
- Refills Available

Stock Code	Barcode	Package Type & Size (cm)	€
FTDS3	5391514860521	Box 16 x 25.5	4.00



Two Part Epoxy Ceramic Repair Kit

For Repairing Cracks & Blemishes in White Ceramic, Enamel and Acrylic Surfaces



A simple to use and very effective kit of components designed to enable surface renovation of bathroom fittings. The materials will repair and hide cracks and blemishes in ceramic, china clay, acrylic, GRP and enamelled surfaces.

Stock Code	Barcode	Package Type & Size (cm)	€
FT101C	5391514860545	Card 25.5 x 18	25.00

Waterproof Tanking Kit



The Kit Includes these illustrated items:

The contents would be sufficient for 4.5m², about the area of a typical domestic shower unit.)

- As easy to use as paint
- Totally waterproof
- Provides a flexible membrane
- Everything required - in one box
- Suitable for power showers and wetrooms
- Sufficient for 4.5m²



Stock Code	Barcode	Package Type & Size (cm)	€
FTTK1	5391514860705	Box 30 x 30	65.00




Self Adhesive Floor Protectors - Round

2.5mm Thick




5mm Thick




Self Adhesive Floor Protectors - Square

2.5mm Thick



5mm Thick



2.5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTR1525	64	15	5391514860736	Card 20 x 25	2.50
FTR2225	49	22	5391514860743	Card 20 x 25	2.50
FTR2625	36	26	5391514860750	Card 20 x 25	2.50
FTR3225	25	32	5391514860767	Card 20 x 25	2.50
FTR4025	16	40	5391514860774	Card 20 x 25	2.50
FTR5525	9	55	5391514860781	Card 20 x 25	2.50
FTR8325	4	83	5391514860798	Card 20 x 25	2.50

2.5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTS1525	64	15	5391514860873	Card 20 x 25	2.50
FTS2225	49	22	5391514860880	Card 20 x 25	2.50
FTS2625	36	26	5391514860897	Card 20 x 25	2.50
FTS3225	25	32	5391514860903	Card 20 x 25	2.50
FTS4025	16	40	5391514860910	Card 20 x 25	2.50
FTS5525	9	55	5391514860927	Card 20 x 25	2.50
FTS8325	4	83	5391514860934	Card 20 x 25	2.50

5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTR155	64	15	5391514860804	Card 20 x 25	3.50
FTR225	49	22	5391514860811	Card 20 x 25	3.50
FTR265	36	26	5391514860828	Card 20 x 25	3.50
FTR325	25	32	5391514860835	Card 20 x 25	3.50
FTR405	16	40	5391514860842	Card 20 x 25	3.50
FTR555	9	55	5391514860859	Card 20 x 25	3.50
FTR835	4	83	5391514860866	Card 20 x 25	3.50

5mm Thick

Stock Code	Pack Qty	Ø mm	Barcode	Package Type	€
FTS155	64	15	5391514860941	Card 20 x 25	3.50
FTS225	49	22	5391514860958	Card 20 x 25	3.50
FTS265	36	26	5391514860965	Card 20 x 25	3.50
FTS325	25	32	5391514860972	Card 20 x 25	3.50
FTS405	16	40	5391514860989	Card 20 x 25	3.50
FTS555	9	55	5391514860996	Card 20 x 25	3.50
FTS835	4	83	5391514861009	Card 20 x 25	3.50

Nail In Felt Floor Protectors



Stock Code	Pack Qty	Ø mm	Barcode	Package Type & Size (cm)	€
FTRN17	10	17	5391514861016	Card 12 x 15.5	1.50
FTRN20	10	20	5391514861023	Card 12 x 15.5	1.70
FTRN22	10	22	5391514861030	Card 12 x 15.5	1.90
FTRN24	10	24	5391514861047	Card 12 x 15.5	2.10
FTRN28	10	28	5391514861054	Card 12 x 15.5	2.30

Universal Cooker Hood Grease Filters

A range of filters for Cooker Hoods designed to cater with a variety of cooking extract environments



Grease Filter with Saturation Indicator Viscose (Red)

- High absorption capacity
- Chlorine free bleached
- Self extinguishing
- Bio-degradable
- Flame retardant
- Regulation compliant

Use in conjunction with an Activated Carbon (charcoal) filter when air is being re-circulated, (not vented outside the building). Charcoal filters absorb odours leaving re-circulated air both clean and fresh.



New



Saturated

The filter must be changed when it becomes visibly saturated.



Grease Filter Polyester & Charcoal Set (Blue)

- High grease absorption capacity
- High odour absorption capacity
- Self extinguishing
- Flame retardant
- Regulation compliant

Use this combination when air is being re-circulated, (not vented outside the building). Charcoal filters absorb odours leaving re-circulated air both clean and fresh.



Filter Saturation Indicator



New



Saturated

The filter must be changed when it becomes visibly saturated.

Stock Code	Pack Qty	Barcode	Package Type & Size (cm)	€
FTECH1	3	5391514860002	Box 25 x 32	7.52



Grease Filter Polyester (Yellow)

- High absorption capacity
- Self extinguishing
- Flame retardant
- Regulation compliant

Use in conjunction with an Activated Carbon (charcoal) filter when air is being re-circulated, (not vented outside the building). Charcoal filters absorb odours leaving re-circulated air both clean and fresh.



Filter Saturation Indicator



New



Saturated

The filter must be changed when it becomes visibly saturated.



Grease Filter with Saturation Indicator Viscose & Charcoal Set (Pink)

- High grease absorption capacity
- High odour absorption capacity
- Chlorine free bleached
- Self extinguishing
- Bio-degradable
- Flame retardant
- Regulation compliant

Use this combination when air is being re-circulated, (not vented outside the building). Charcoal filters absorb odours leaving re-circulated air both clean and fresh.



New




Saturated

The filter must be changed when it becomes visibly saturated.

Stock Code	Pack Qty	Barcode	Package Type & Size (cm)	€
FTECH2	2	5391514860026	Box 25 x 32	6.06


Stock Code	Pack Qty	Barcode	Package Type & Size (cm)	€
FTECH4	2	5391514860019	Box 25 x 32	9.82



**Chrome Plated
Basin Plug
& Chain**



Stock Code	Barcode	Package Type & Size (cm)		€
FI1	5391269777259	Card	10 x 12.5	5.24



**Chrome Plated
Bath Plug
& Chain**




Stock Code	Barcode	Package Type & Size (cm)		€
FI2	5391269777266	Card	10 x 12.5	5.24



**Plug with Haird Grid
for Pop-Up Basin
Waste**




Stock Code	Barcode	Package Type & Size (cm)		€
FI3	5391269777273	Card	10 x 12.5	7.42



**"Flush" Type Popper
Plug with Click Clack
Spindle and Silicone
Sealing Washer
38mm**



FI4	5391269777280	Card	10 x 15	5.50
-----	---------------	------	---------	------



**"Flush" Type Popper Plug
with Click Clack
Spindle and Silicone
Sealing Washer 43mm**




Stock Code	Barcode	Package Type & Size (cm)		€
FI20	5391269797387	Card	10 x 15	5.70



**"Mushroom" Type Popper
Plug with Click
Clack Spindle and
Rubber Sealing
Washer**




Stock Code	Barcode	Package Type & Size (cm)		€
FI5	5391269777297	Card	10 x 15	7.00



**Brass "Click Clack"
Spindle for
Basin Waste**



FI21	5391269797394	Card	10 x 12.5	4.50
------	---------------	------	-----------	------



**Brass "Click Clack" Spindle
for Bath Waste**




FI22	5391269797400	Card	10 x 12.5	4.70
------	---------------	------	-----------	------



Smart Hook



FI6	5391269777303	Card	10 x 20	7.00
-----	---------------	------	---------	------




**Universal Fixing Set for
Wall Hung WC Pans**



Stock Code	Barcode	Package Type & Size (cm)		€
FI9	5391269777334	Card	18 x 25.5	10.00

Bathroom Fittings & Fixings



Universal Replacement Brackets for Straight & Curved Heated Towel Rails




Straight

Stock Code	Barcode	Package Type & Size (cm)	€
FI10	539126977341	Card 18 x 25.5	15.00



Curved

FI11	5391524361292	Card 18 x 25.5	15.00
------	---------------	----------------	-------



Iron On Melamine Board Edging Tape - 5M x 18mm Pre-Glued Edging





Stock Code	Finish	Package Type & Size (cm)	€
FT518BE	Beige	5391269715015	6.20
FT518BH	Beech	5391269715022	6.20
FT518ME	Maple	5391269715039	6.20
FT518MY	Mahogany	5391269715077	6.20
FT518OK	Oak	5391269715053	6.20
FT518PE	Pine	5391269715046	6.20
FT518WE	White	5391269715008	6.20
FT518WT	Walnut	5391269715060	6.20
FT518D	Dakar	5391269794119	6.20
FT518K	Cashmere	5391269794126	6.20
FT518N	Navy	5391269794133	6.20
FT518RO	Robson Oak	5391269794102	6.20

Installation Instructions:


1. Apply with a hot iron with tape overlapping the edges
2. Roll or press firmly in position while still hot
3. Trim edges when cold
4. Sand edge to finish

Packed on cards
130 x 170mm.

Shower Glass Roller Replacement Sets



Stock Code	Type	Barcode	Package Type & Size (cm)	€
(1) FI8	Pack/2	5391269777327	Card 10 x 20	37.50
FI8TB	Pack/1	5391269797479	Card 10 x 20	18.90
(2) FI14	Type 2	5391269797417	Card 10 x 20	11.76
(3) FI15	Type 3	5391269797424	Card 10 x 20	11.76
(4) FI16	Type 4	5391269797431	Card 10 x 20	15.50
(5) FI18	Type 5	5391269797455	Card 10 x 20	17.50
(6) FI17	Type 6	5391269797448	Card 10 x 20	15.76
(7) FI19	Type 7	5391269797462	Card 10 x 20	28.00





**1 Gang 1 Way
Switch 10 Amp
250V**



Stock Code	Barcode	Package Type & Size (cm)		€
LWSW11	5391269783151	Header	11 x 15	3.40



**3 Gang 2 Way
Switch 10 Amp
250V**



Stock Code	Barcode	Package Type & Size (cm)		€
LWSW32	5391269783199	Header	11 x 15	6.40



**1 Gang 2 Way Switch 10 Amp
250V**



LWSW12	5391269783168	Header	11 x 15	3.48
--------	---------------	--------	---------	------



4 Gang 2 Way Switch 10 Amp 250V

LWSW42	5391269783205	Header	21.5 x 17	9.48
--------	---------------	--------	-----------	------



**1 Gang
Intermediate
Switch
10 Amp
250V**



LWSWINT	5391269783175	Header	11 x 15	6.00
---------	---------------	--------	---------	------




**1 Gang Architrave
Switch incl.
Box 10 Amp
250V**



LWASBOX	5391269783212	Header	8.5 x 15	5.60
---------	---------------	--------	----------	------



**2 Gang 2 Way Switch 10 Amp
250V**




Stock Code	Barcode	Package Type & Size (cm)		€
LWSW22	5391269783182	Header	11 x 15	4.84



**20A Switch c/w Neon Light
10 Amp 250V**



LWS20L	5391269783229	Header	11 x 15	6.84
--------	---------------	--------	---------	------



Fan Isolation Switch



LWFANISO	5391269758197	Card	18.3 x 17	7.38
----------	---------------	------	-----------	------

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Electrical Accessories



**5 Amp Torpedo Switch 6(3)A,
250V, IP20**



**1 Gang 2 Way IP66 250V
10 Amp Waterproof Switch**



Stock Code	Barcode	Package Type & Size (cm)		€
LW2279	5391269783236	Header	6 x 13	7.10

Stock Code	Barcode	Package Type & Size (cm)		€
LWES302	5391269783274	Header	16 x 15	23.88



10 Amp, 2 Way Ceiling Switch



**2 Gang 2 Way IP66 250V
10 Amp Waterproof Switch**



LWCS4302	5391269783243	Header	13.5 x 14	7.54
----------	---------------	--------	-----------	------



**1 Gang Dimmer Switch 60
- 400W**



LWHD12	5391269783250	Header	13.5 x 15	21.76
--------	---------------	--------	-----------	-------



**2 Gang Dimmer Switch 60
- 400W**



LWHD22	5391269783267	Header	13.5 x 15	44.38
--------	---------------	--------	-----------	-------



**45 Amp Rocker
Switch c/w Neon Light**



**50A Double Pole
Pull Cord Ceiling Switch**

LWSWPC45A	5391269758203	Card	18.3 x 17	17.68
-----------	---------------	------	-----------	-------



**Dual Immersion
Heater Switch c/w Neon Light 250V**

LWVX5207	5391269758173	Card	18.3 x 17	13.66
----------	---------------	------	-----------	-------

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included

Stock Code	Barcode	Package Type & Size (cm)		€
LWSW45A	5391269758180	Card	18.3 x	14.66




13 Amp Switched Spur Outlet c/w Neon Light 250V

Stock Code	Barcode	Package Type & Size (cm)	€
LW13SFOL	5391269758241	Card 18.3 x 17	8.36



1 Gang Unswitched Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)	€
LWS13	5391269783298	Header 11 x 15	5.72



2 Gang Unswitched Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)	€
LWS213	5391269783304	Header 21.5 x 17	4.64

13 Amp Switched Spur Outlet w/o Neon Light 250V



LW13SFO	5391269758234	Header 11 x 15	7.50
---------	---------------	----------------	------

13 Amp Un-switched Spur Outlet w/o Neon Light 250V



LW13FO	5391269758210	Header 11 x 15	6.26
--------	---------------	----------------	------

13 Amp Unswitched Spur Outlet c/w Neon Light 250V




LW13FON	5391269758227	Card 18.3 x 17	7.08
---------	---------------	----------------	------

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included

1 Gang Switched Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)	€
LWS13S	5391269783311	Header 11 x 15	6.50



2 Gang Switched Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)	€
LWS213S	5391269783328	Header 21.5 x 16	5.16

Electrical Accessories



2 Gang Switched Socket c/w Neon Lights 13 Amp 250V



1 Gang Extension Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWNSK333	5391269783373	Header	11 x 14	5.04

Stock Code	Barcode	Package Type & Size (cm)		€
LWS13SL	5391269783335	Header	21.5 x 16	12.22



2 Gang Switched Socket with 2 x 3.1 USB Ports 13 Amp 250V



2 Gang Extension Socket 13 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWNSK444	5391269783380	Header	16 x 13	8.20

Stock Code	Barcode	Package Type & Size (cm)		€
LWS213SUSB	5391269783342	Header	21.5 x 17	28.00



1 Gang Unswitched Socket 5 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWS15	5391269783359	Header	11 x 15	7.56



4 Gang 2 Way Switch 10 Amp 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWES101	5391269783366	Header	21.5 x 17	30.32



Dual Volt Shaver Socket Outlet 115 - 230V IP41 20VA



Stock Code	Barcode	Package Type & Size (cm)		€
LWW073	5391269783397	Header	13.5 x 21	50.48



13 Amp Plug Top 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWPLUG	5391269758258	Header	13 x 12	3.76

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included



13 Amp Rubber Plug Top 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWHP13R	5391269783403	Header	11 x 12	6.00



15 Amp 3 Round Pin Plug Top 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWPT875	5391269783441	Header	11 x 13	8.84



13 Amp 2 Way Adaptor Socket 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWMP815	5391269783410	Header	11 x 12	4.80



Pack of 6, Socket Safety Covers



Stock Code	Barcode	Package Type & Size (cm)		€
LWPPSD13	5391269783458	Header	11 x 13	5.76



13 Amp 3 Way Adaptor Socket 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWMP817	5391269783427	Header	14 x 15	8.00



Continental Plug Adaptor (for use in Europe)



Stock Code	Barcode	Package Type & Size (cm)		€
LW9168	5391269783465	Header	11 x 13	5.02



5 Amp Plug Top to Suit 5 Amp Socket 250V



Stock Code	Barcode	Package Type & Size (cm)		€
LWPT105	5391269783434	Header	11 x 12	6.00



Continental Plug Adaptor (for use in Ireland)



Stock Code	Barcode	Package Type & Size (cm)		€
LW2968	5391269783472	Header	11 x 14	8.38



13 Amp Euro Adaptor Socket 250V Max Load 3.2kW



Stock Code	Barcode	Package Type & Size (cm)		€
LW2968F	5391269783489	Header	11 x 14	8.00

Features for all items on this page include:

- Suitable for General Electric Applications
- Compliant with BS EN 60669-1
- CE Approved
- Fixing Screws Included


Electrical Accessories



13 Amp Euro Adaptor Socket
250V Max Load 3.2kW



1 Gang Blank Plate



Stock Code	Barcode	Package Type & Size (cm)		€
LWSA873	5391269783496	Header	11 x 14	4.18

Stock Code	Barcode	Package Type & Size (cm)		€
LW1BP	5391269783540	Header	11 x 18	2.34



24 Hour Plug in Timer
250V 13(2)
A Max
load 3.2Kw



**2 Gang
Blank Plate**

LWYPT24H	5391269783502	Header	14 x 17	12.56
----------	---------------	--------	---------	-------



7 Day Plug in Timer
250V
13(2) A Max
load 3.2Kw




LW2BP	5391269783557	Header	22 x 18	3.00
-------	---------------	--------	---------	------



**Plug in RCD
Adaptor**



LWYPTRCD	5391269783526	Header	14 x 17	31.48
----------	---------------	--------	---------	-------



**1 Gang Surface Mounted
Pattress Box**



LWSPB25	25mm	5391269758265	Card	12 x 15.5	2.92
LWSPB45	46mm	5391269758272	Card	12 x 15.5	4.38



**2 Gang
Surface
Mounted
Pattress Box**



**Plug in Auto
Nightlight** 56
Lumen 250V



LW600F	5391269783533	Header	11 x 18	19.44
--------	---------------	--------	---------	-------

Stock Code	Size	Barcode	Package Type & Size (cm)		€
LWSSB2	25mm	5391269783564	Header	22 x 18	4.04
LW247P	46mm	5391269783625	Header	22 x 18	6.24



1 Gang Metal Socket Box



Stock Code	Size	Barcode	Package Type & Size (cm)	€
LWTE55	25mm	5391269783571	Header 11 x 14	2.14



1 Gang Deep Metal Socket Boxes



LWTE15	35mm	5391269783632	Header 14 x 15	2.28
LWTE18	47mm	5391269783649	Header 14 x 15	3.02



2 Gang Metal Back Box

LWTE65	25mm	5391269783588	Header 22 x 15	2.54
LWTE25	35mm	5391269783656	Header 22 x 15	2.72
LWTE28	47mm	5391269783663	Header 22 x 15	3.82



1 Gang Dry Lining Box

• Compliant with BS EN 5733



LWCDLB1	35mm	5391269783595	Header 16 x 15	2.74
---------	------	---------------	----------------	------



2 Gang Dry Lining Box - 35mm Deep

• Compliant with BS EN 5733

Stock Code	Size	Barcode	Package Type & Size (cm)	€
LWCDLB2	35mm	5391269783601	Header 22 x 15	3.24



1 Gang Switch Surface Box



• Compliant with BS EN 5733

LWSSP1	19mm	5391269783618	Header 14 x 16	2.72
--------	------	---------------	----------------	------



Flat Ceiling Rose 250V 6 Amp



LWCR1735	5391269783670	Header 11 x 15	4.80
----------	---------------	----------------	------



Ceiling Rose Kit with 6" Pendant 250V 6 Amp

• Compliant with BS67



LWM1735FLT2	5391269783687	Header 14 x 19	5.84
-------------	---------------	----------------	------



Unswitched Brass Lamp Holder 250V, 2 Amp

• Compliant with BS EN 61184



LW241E	5391269783694	Header 9 x 10	9.50
--------	---------------	---------------	------

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved

Electrical Accessories



Switched Brass Lamp Holder
250V, 2 Amp

- Compliant with BS EN 61184



Stock Code	Barcode	Package Type & Size (cm)		€
LWLH845	5391269783700	Header	9 x 11	3.74



Clip Light & Plug Top



Stock Code	Barcode	Package Type & Size (cm)		€
LWCLPT	5391269783755	Header	21 x 18	13.94



Straight Baton Holder



LWBH1149T2	5391269783717	Header	14 x 15	4.16
------------	---------------	--------	---------	------



Angle Baton Holder

- Fixing Screws included



LWBL552	5391269783724	Header	16 x 18	4.80
---------	---------------	--------	---------	------



100W Cord Grip Lampholder
(60W closed shade)



Stock Code	Barcode	Package Type & Size (cm)		€
LWLH606T2	5391269783731	Header	9 x 12	3.56




Short Skirt for Lamp Holder



Stock Code	Barcode	Package Type & Size (cm)		€
LWPPSS1	5391269783748	Header	9 x 10	3.56



Pack of 2, Clear 1 Gang Finger Plates



LW1890C2	5391269783762	Header	16 x 21	5.94
----------	---------------	--------	---------	------




Pack of 2, White 1 Gang Finger Plates



LW1890W2	5391269783779	Header	16 x 21	5.94
----------	---------------	--------	---------	------



Pack of 10 Bright Zinc Plated Socket Set Screws



LWES3530	3.5 x 30	5391269784059	Header	9 x 9	2.64
LWES3540	3.5 x 40	5391269784066	Header	9 x 9	2.64
LWES3550	3.5 x 50	5391269784073	Header	9 x 9	2.94
LWES3575	3.5 x 75	5391269784080	Header	9 x 11	3.68

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved



Pack of 50, Cable Clips



Stock Code	Size	Barcode	Package Type & Size (cm)		€
LWC201	3.5	5391269783984	Header	9 x 11	4.24
LWC202	4.5	5391269783991	Header	9 x 11	4.50
LWC203	5	5391269784004	Header	9 x 11	4.66
LWC204	6	5391269784011	Header	9 x 11	4.70
LWC205	7	5391269784028	Header	9 x 11	4.74
LWC206	9	5391269784035	Header	9 x 14	6.78
LWC207	11	5391269784042	Header	9 x 14	9.92



33M Roll of Green/Yellow Insulating Tape



LWIT19RG	5391269784141	Header	11 x 15	2.50
----------	---------------	--------	---------	------



33M Roll of White Insulating Tape



LWIT19W	5391269784158	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Red Insulating Tape



LWIT19R	5391269784172	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Blue Insulating Tape



Stock Code	Barcode	Package Type & Size (cm)		€
LWIT19BU	5391269784165	Header	11 x 15	2.50



33M Roll of Green Insulating Tape



LWIT19G	5391269784189	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Yellow Insulating Tape



LWIT19Y	5391269784196	Header	11 x 15	2.50
---------	---------------	--------	---------	------



33M Roll of Brown Insulating Tape



LWIT19BR	5391269784202	Header	11 x 15	2.50
----------	---------------	--------	---------	------



33M Roll of Black Insulating Tape



Stock Code	Barcode	Package Type & Size (cm)		€
LWIT19BL	5391269784219	Header	11 x 15	2.50

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved

Electrical Accessories



Pack of 10, Cable Glands IP68



2 & 3 Pin Flex Connector 250V 5 Amp



Stock Code	Size	Barcode	Package Type & Size (cm)		€
LWPG11P	20mm	5391269784301	Header	16 x 14	6.64

Stock Code	Type	Barcode	Package Type & Size (cm)		€
LW9418W	2 Pin	5391269784288	Header	9 x 15	8.70
LWC856	3 Pin	5391269783809	Header	9 x 15	9.00



Pack of 100, Cable Ties
 • For General Electric Applications
 • Cable Ties in pack of 100



Clear

LWCT25100	2.5 x 100	5391269784226	Header	11 x 18	2.14
LWCT36200	3.6 x 200	5391269784233	Header	11 x 21	4.88
LWCT47380	4.7 x 380	5391269784240	Header	11 x 28	12.26
LWCT47450	4.7 x 450	5391269784257	Header	11 x 38	14.20
LWCT76300	7.6 x 300	5391269784264	Header	11 x 43	15.60
LWCT76400	7.6 x 400	5391269784271	Header	11 x 43	19.64

Black

LWCTB25100	2.5 x 100	5391269784288	Header	11 x 18	2.14
------------	-----------	---------------	--------	---------	------




Pack of 2, 40-80W Fluores Starters 4 - 65W



LWFSU465	5391269783786	Header	9 x 10	2.64
----------	---------------	--------	--------	------



Strip Connector Block 12 Terminal



LWFA12	5	5391269783816	Header	9 x 15	2.38
LWC502	15	5391269783823	Header	9 x 15	3.08
LWC15A12	15	5391269783830	Header	9 x 15	4.52



45 Amp Cooker Connection Unit



LW30A12	5391269783847	Header	9 x 15	8.76
---------	---------------	--------	--------	------



2 & 3 Pin Flex Connector 250V 5 Amp

- Suitable for General Electric Applications
- 240V 5 Amp Flex Connector
- CE Approved
- Complies with BS6220
- Fixing Screws Included



LWCO45	5	5391269783854	Header	14 x 15	4.00
LWJB204	20	5391269783861	Header	14 x 15	4.64
LWJB304	30	5391269783878	Header	14 x 15	5.38



Coffin Box 400V IP54 10Amp (90 x 44 x 45mm)



Stock Code	Barcode	Package Type & Size (cm)		€
LWLBCCONN	5391269783885	Header	11 x 15	2.90

Features for all items on this page include:

- Suitable for General Electric Applications
- CE Approved



**OBO Box 400V IP54
10 Amp
(75 x 75 x 45mm)**



Stock Code	Barcode	Package Type & Size (cm)		€
LWLBSCONN	5391269783922	Header	14 x 15	3.20



Round Junction Box



- Round Junction Box - 35mm Deep IP55 & 40mm Deep IP44

LWLG1	65mm	5391269783908	Header	14 x 15	3.12
LWLG2	80mm	5391269783915	Header	14 x 15	3.60



Square Junction Box



- Square Junction Box - 40mm Deep IP65 & 50mm Deep IP55


LWLG3	80mm	5391269783922	Header	14 x 15	4.38
LWLG4	100mm	5391269783939	Header	14 x 15	6.24



Pack of 4 Fuses




Stock Code	Amp	Barcode	Package Type & Size		€
LWSAF01	1	5391269783946	Header	9 x 15	2.64
LWSAF03A	3	5391269783953	Header	9 x 15	2.64
LWSAF05A	5	5391269783960	Header	9 x 15	2.64
LWSAF13A	13	5391269783977	Header	9 x 15	2.64



**Cartridge Type Ceramic Fuse,
Pack of 2, DZ**




Stock Code	Amp	Barcode	Package Type & Size		€
LW6ADZ	6	5391269751013	Card	9 x 12	4.16
LW10ADZ	10	5391269751020	Card	9 x 12	4.16
LW16ADZ	16	5391269751037	Card	9 x 12	4.16
LW20ADZ	20	5391269751044	Card	9 x 12	4.16
LW25ADZ	25	5391269751051	Card	9 x 12	4.16
LW35ADZ	35	5391269751068	Card	9 x 12	6.22
LW50ADZ	50	5391269751075	Card	9 x 12	6.22
LW63ADZ	63 x 1	5391269751082	Card	9 x 12	6.22



**Cartridge Type Ceramic Fuse,
Pack of 2, NDZ**



Stock Code	Amp	Barcode	Package Type & Size		€
LW6ANDZ	6	5391269751099	Card	9 x 12	4.74
LW10ANDZ	10	5391269751105	Card	9 x 12	7.88
LW16ANDZ	16	5391269751112	Card	9 x 12	7.88
LW20ANDZ	20	5391269751129	Card	9 x 12	4.74
LW25ANDZ	25	5391269751136	Card	9 x 12	4.74
LW35ANDZ	35	5391269751143	Card	9 x 12	4.74



**Cartridge Type Ceramic Fuse,
Pack of 2, NZ**



Stock Code	Amp	Barcode	Package Type & Size		€
LW10ANZ	10	5391269751150	Card	9 x 12	4.10
LW35ANZ	35	5391269751167	Card	9 x 12	5.78
LW50ANZ	50	5391269751174	Card	9 x 12	5.78
LW63ANZ	63 x 1	5391269751181	Card	9 x 12	5.78

- Features for all items on this page include:**
- Suitable for General Electric Applications
 - CE Approved


Electrical Accessories



2M 13 Amp 4 Gang Switched Extension Lead 250V

- Suitable for General Electric Applications
- 250V, 13 Amp, 4 Gang Switched Extension Lead
- CE Approved

Stock Code	Barcode	Package Type & Size (cm)		€
LWEL4G2SW	5391269784097	Header	22 x 34	26.80



2M 13 Amp 4 Gang Surge Protected Extension Lead 250V

LWSP4G2	5391269784103	Header	22 x 34	24.72
---------	---------------	--------	---------	-------



2M 13 Amp 4 Gang Extension Lead 250V

LWEL4G2	5391269784127	Header	22 x 34	18.84
LWEL4G5	5391269784134	Header	22 x 34	29.40



3M 13 Amp 2 Gang Extension Lead 250V

LWEL2G3	5391269784110	Header	22 x 34	20.04
---------	---------------	--------	---------	-------



5M Length of White 4 Core Heat Resistant Flex

- Suitable for General Electric Applications
- 5M Length of White 4 Core Heat Resistant Flex
- CE Approved




4CR25HR	2.5mm ² 25A	5391269687664	Header	21.5 x 24	POA
---------	------------------------	---------------	--------	-----------	-----



5M Length of White 2 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 2 Core Flex
- CE Approved



Stock Code	Size	Barcode	Package Type & Size (cm)		€
2CR5	0.50mm ² 3A	5391269687541	Header	21.5 x 24	POA
2CR75	0.75mm ² 6A	5391269687572	Header	21.5 x 24	POA



5M Length of White 3 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 3 Core Flex
- CE Approved



3CR5	0.50mm ² 3A	5391269687558	Header	21.5 x 24	POA
3CR75	0.75mm ² 6A	5391269687589	Header	21.5 x 24	POA
3CR15	1.50mm ² 16A	5391269687602	Header	21.5 x 24	POA
3CR25	2.50mm ² 25A	5391269687633	Header	21.5 x 24	POA



5M Length of Black 3 Core Rubber Flex

- Suitable for General Electric Applications
- 5M Length of Black 3 Core Flex
- CE Approved




3CRB15	1.5mm ² 16A	5391269687695	Header	21.5 x 24	POA
3CRB25	2.5mm ² 25A	5391269687701	Header	21.5 x 24	POA



5M Length of White 4 Core Flex

- Suitable for General Electric Applications
- 5M Length of White 4 Core Flex
- CE Approved



4CR75	0.75mm ² 6A	5391269687596	Header	21.5 x 24	POA
4CR15	1.5mm ² 16A	5391269687619	Header	21.5 x 24	POA
4CR25	2.5mm ² 20A	5391269687640	Header	21.5 x 24	POA

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Excel Industries,
Porters Road,
Coolmine Industrial Estate,
Clonsilla Road,
Dublin 15, Ireland DN 15 N704

Telephone: ++353 (0)1 8118701
Fax: ++353 (0)1 8118785
Email: sales@excel-industries.com
Web: www.excel-industries.com



Application for Account Facilities with Excel Industries

Date _____

Organisation/Company Name _____

Registered No. _____ VAT Registered No. _____

Trading Style _____ Contact _____

Registered Office _____

Trading Address _____
(if different to above)

Telephone Number _____ Fax Number _____

General Email Address _____ Website _____

Main Activity _____

Currently Trading - Yes ☐ No ☐ Trading since _____

Requesting Credit Terms - Yes ☐ No ☐ Requested credit limit _____

Requested Trading Terms _____ Requested Trading Currency _____

If seeking credit terms; please provide 3 current credit references

Supplier Name			
Address			
Telephone No.			
Fax No.			
Email Address			
Terms currently being provided to you by this supplier			

I hereby certify that the information provided above is true and accurate to the best of my knowledge

Signed on behalf of the applicant _____ Position _____

It is understood by Excel Industries that by signing this application you agree to our terms and conditions of sale printed overleaf

For internal use only

References checked by _____ Trading Terms _____

Account Application Approved Yes ☐ No ☐ DB _____ Tag _____

Credit Limit Approved _____ A/C Manager _____

Account and Credit Limit Approved by _____ Date _____

 Telephone: (01) 8118701
 Fax: (01) 8118785
 Email: sales@excel-industries.com
 Website: www.excel-industries.com

 **Head Office & Stores:**
Porters Road,
Coolmine Industrial Estate,
Clonsilla Road, Dublin 15, Ireland
Eircode: D15 N704

 **Warehouse:**
Unit 801,
Northwest Logistics Park,
Ballycoolin, Dublin 15
Eircode: D15 WE20

